

Site		Well Depth (FBTOC)	Well Screen Interval Depth (Feet)
NA-1	MW-1	17	7.0 to 17.0
DU-2	MW-1	18.2	8.0 to 18.0
	MW-2	18.75	8.8 to 18.8
	MW-3	17.65	8.0 to 18.0
	MW-4	100	88.0 to 98.0
	MW-5	95	84.0 to 94.0
	MW-6	100	82.0 to 92.0
	MW-7	17.3	7.5 to 17.5
	MW-8	14.6	7.0 to 17.0
DU-6A	MW-1	14.85	5.5 to 15.5
	MW-2	14.6	2.0 to 12.0
	MW-3	18	8.0 to 18.0
	MW-4	16.2	8.0 to 18.0
	MW-5	20.2	10.0 to 20.0
	MW-6	18	8.5 to 18.5
DU-8	MW-1	15.75	6.5 to 16.5
	MW-2	16.95	8.0 to 18.0
	MW-3	20.1	10.2 to 20.2
	MW-4	15.3	8.0 to 18.0
DU-9	MW-1	20.5	10.2 to 20.2
	MW-3	15.5	6.0 to 16.0
	MW-4	14.8	5.5 to 15.5
	MW-7	20.25	10.2 to 20.2
	MW-8	20.25	10.2 to 20.2
	MW-9	20.25	10.2 to 20.2
SJ-14	MW-1	16.5	6.5 to 16.5
	MW-2	12	2.0 to 12.0
	MW-3	16.5	6.5 to 16.5
	MW-4	16.4	6.5 to 16.5
	MW-5	15.3	5.5 to 15.5
	MW-6	15.5	5.5 to 15.5
FL-3	MW-1	15.5	5.5 to 15.5
	MW-2	15.5	5.5 to 15.5
	MW-3	15.5	5.5 to 15.5
V-22A	MW-1	20	11.0 to 21.0
	MW-2	20	11.0 to 21.0
	MW-3	20	11.0 to 21.0
	MW-4	20	11.0 to 21.0
	MW-5	20	11.0 to 21.0
	MW-6	20	8.0 to 18.0
V-26	MW-1	17	8.0 to 18.0
	MW-2	17	8.0 to 18.0
	MW-3	17	8.0 to 18.0
	MW-4	17	8.0 to 18.0
	MW-5	17	8.0 to 18.0

	MW-6	17	8.0 to 18.0
V-29	MW-1	32.75	20.0 to 31.0
	MW-2	32.75	20.0 to 30.5
	MW-3	32.75	20.0 to 31.2
	MW-4	32.75	20.0 to 31.5
	MW-5	32.75	20.5 to 30.5
BV-2C	MW-4	25.5	15.5 to 25.5
	MW-5	25.5	15.5 to 25.5
	MW-6	28	18.0 to 28.0
	MW-7	28	18.0 to 28.0
	MW-8	79	69.0 to 79.0
	MW-9	14.5	
	MW-11	25	15.0 to 25.0
	MW-12	25	15.0 to 25.0
	MW-13	25	15.0 to 25.0
BV-4B	MW-1	14.85	19.0 to 29.0
	MW-2	14.6	18.0 to 28.0
	MW-3	18	19.0 to 29.0
	MW-4	16.2	18.5 to 28.5
	MW-6	20.2	16.5 to 26.5
	MW-8	18	82.0 to 92.0
	MW-10	15.75	18.0 to 28.0
	MW-12	16.95	19.0 to 29.0
	MW-13		
BV-11	MW-1	12.8	13.0 to 23.0
	MW-2	12.8	13.0 to 23.0
	MW-3	12.8	13.0 to 23.0
	MW-4	12.8	12.5 to 22.5
	MW-5	12.8	13.0 to 23.0
	MW-6	22.5	13.0 to 23.0
	MW-BV-5	15.5	6.0 to 16.0
	MW-BV-6	14.8	8.0 to 18.0
BV-52	MW-1	15.1	15.3 to 25.3
	MW-2	14	22.8 to 32.8
	MW-3	20.25	21.25 to 31.25
	MW-4	20.25	15.25 to 25.25
	MW-5	20.25	15.25 to 25.25
BV-24A	MW-1	18.8	8.75 to 18.75
	MW-2	18.9	8.9 to 18.9
	MW-3	18.6	8.7 to 18.7
	MW-4	42.8	32.95 to 42.95
	MW-5	18.8	8.8 to 18.8
	MW-6	18.5	8.5 to 18.5
	MW-7	18.4	8.5 to 18.5
	MW-8	18.8	8.85 to 18.85
	MW-9	18.9	9.0 to 19.0
	MW-10	18.8	8.5 to 18.5

	MW-11	18.6	8.6 to 18.6
IR-2	MW-1	15.88	5.8 to 15.8
	MW-2	15.8	5.8 to 15.8
	MW-3	15.9	5.8 to 15.8
	MW-4	15.8	5.8 to 15.8
	MW-5	15.85	5.8 to 15.8
	MW-6	24.45	14.40 to 24.40
	MW-7	25.38	15.25 to 25.25
SL-2	MW-1	34.6	24.5 to 34.5
	MW-2	15.3	5.0 to 15.0
	MW-3	33.1	23.0 to 33.0
	MW-4	20.25	10.0 to 20.0
	MW-5	33	22.75 to 32.75
	MW-6	13.3	5.0 to 15.0
O-23	MW-1	18	5.0 to 15.0
	MW-2	18	5.0 to 15.0
	MW-3	18	5.0 to 15.0
	MW-4	18	5.0 to 15.0
	MW-5	18	5.0 to 15.0
	MW-6	18	5.0 to 15.0
	MW-7	18	5.0 to 15.0
O-7	MW-1	22	6.5 to 16.5
	MW-2	22	6.5 to 21.5
	MW-3	22	6.5 to 21.5
	MW-4	22	6.5 to 21.5
	MW-5	22	6.5 to 21.5
	MW-6	22	6.5 to 21.5
MSA 617C	MW-1	20.25	5.3 to 20
	MW-2	16.6	6.1 to 16.1
	MW-3	15.8	5.3 to 15.3
	MW-4	20.25	10.0 to 20.0
	MW-5	20.25	10.0 to 20.0
MSA 640C	MW-1	16.9	6.4 to 16.4
	MW-2	17.6	7.1 to 17.1
	MW-3A	20	3.5 to 13.5
	MW-4A	20	6.0 to 16.0
MSA 641	MW-1	17.9	7.4 to 17.4
	MW-2	17.9	7.4 to 17.4
	MW-3	17.9	7.4 to 17.4
	MW-4	17.9	7.4 to 17.4