

#### CITY COUNCIL MEETING

Council Chambers
401 E Third Street
Kewanee, Illinois 61443
Closed Meeting starting at 6:00 p.m.
Open Meeting starting at 7:00 p.m.
Wednesday, January 27th, 2021

Amended Agenda Posted by 6:00 p.m. January 25th, 2021

- 1. Call to Order
- 2. Roll Call
- 3. Closed meeting pursuant to Section 2 (c) (1) of the Open Meetings Act to discuss personnel.
- 4. Closed meeting pursuant to Section 2 (c) (5) of the Open Meetings Act to discuss purchase or lease of real property.
- 5. Closed meeting pursuant to Section 2 (c) (11) of the Open Meetings Act to discuss Litigation
- 6. Return to Open Session
- 7. Call to Order
- 8. Roll Call
- 9. Consent Agenda
  - a. Approval of Minutes
  - b. Payroll
  - c. Staff Reports
- 10. Presentation of Bills and Claims
- 11. Public Participation
- 12. New Business
  - a) **Consideration of Resolution #5269** awarding a contract for the demolition of property located at 114 Vine St.
  - b) **Consideration of Ordinance #4042** declaring certain vehicles as excess and directing staff regarding the disposal of assets.
  - c) Audit-Update from the Finance Director
- 13. Council Communications:
- 14. Announcements:
- 15. Adjournment:



#### **MEMORANDUM**

**Date**: January 22, 2021

**From**: Gary Bradley, City Manager

To: Mayor & Council

**RE**: Council Meeting of **Monday**, **January 25**, **2021** 

# CLOSED MEETING AT 6:00 P.M. REGULAR MEETING AT 7:00 P.M.

- 1. **Proactive enforcement**—At the last City Council meeting, staff was asked when we began proactively enforcing nuisance doe violations. Staff has always proactively enforced such violations, but with "appearance of neighborhoods" being identified as one of the priorities in the 2016 Residential Survey, The Community Development Department was established as its own entity, separate from the Police Department, with additional staff and resources dedicated to proactively improving the appearance of our neighborhoods through a variety of programs, including enhanced enforcement of property maintenance codes.
- 2. **Minutes and Videos**—We had an inquiry about minutes and video recordings of zoom meetings. All approved minutes are located on the City's website and videos of all open meetings held via zoom are uploaded, as well. There have been a few technical difficulties but we believe those have all been addressed as best as they can be.
- 3. **General Maintenance**—The City's General maintenance program for the 2021 use of MFT funds has been approved by the state. The next step will be seeking bids on the work in order to get the most competitive pricing possible in order to obtain the best value for our money. We anticipate the county bidding again this year. Last year, they had to cut out certain services that they had bid on due to Covid restrictions. This year, we do not expect that to be a problem.
- 4. **Demolition Grant**—The demolition grant documents were finalized earlier this week, which will free up the City from having to use General Fund or Economic Development Fund money to incentivize clean-up of dilapidated buildings, particularly in residential areas. The removal of slum and blight in residential areas supports appreciation of properties in the area and typically more than offsets the lost value from buildings that are demolished.
- 5. **Enterprise Zone** Staff continues to work with property owners in Kewanee and neighboring communities on projects that are eligible for the exemption of sales tax on building materials for improvements within the Enterprise Zone. The number of projects being undertaken speak well to the strength of the local economic climate despite the impact that Covid-19 has had on certain sectors.

- 6. **Labor/Management Relations**—Staff had a Labor/Management Relations meeting with AFSCME that appeared to be rather productive. They are enthusiastic about recent changes in operations and were complimentary of the new leadership within the department
- 7. **Recycling Schedule** In order to accommodate increased volume in curbside recycling, the schedule will switch from a 3 day schedule to a 4 day cycle in during the first week of February. The change provides the most cost effective use of staff without incurring significant capital costs required to automate recycling. A memorandum from Mr. Newton further explaining the issue immediately follows this memo,
- 8. **WWTP Improvements**—Prior to his departure, Scott Hinton sought pricing on the completion of a grounding study at the Waste Water Treatment Plant because the age of the system in place and the deterioration of its components have yielded a number of pieces of equipment and outlets ungrounded, which poses a significant risk to the life of workers at the plant and/or damage to equipment that would not be cheap to replace and would likely require a large lead time for replacement. As the situation provides an immediate threat, the contract for the work was awarded to Britton Electronics and Automation.
- 9. **City Hall Closure** City Hall will be closed on Monday, January 25<sup>th</sup> as we transition our IT services. With the server and all computers being installed, staff will be unable to conduct financial transactions, so we're using the opportunity to improve records storage and identify files for retention or destruction.
- 10. **Arbitration** The City was able to avoid arbitration with the FOP over the overtime issue, executing a side letter of agreement that will be incorporated into the upcoming agreement. Staff is expecting the next round of negotiations to be scheduled in the near future and is preparing for a closed session to discuss collective bargaining at the first meeting in February.
- 11. **Audit** Staff has made great strides in identifying and providing the items requested by the auditors for their review in completing the audit. Finance Director Randi Haley will provide a brief summary of where we are in the process on Monday night.
- 12. **New Dispatcher**—Jennifer Orvis scored the highest in the recent round of testing for telecommunications conducted by the Police and Fire Commission. As such, she was offered a position and accepted, beginning her employment with the City earlier this week. With one dispatcher out for medical reasons, Jennifer's hiring will immediately help to reduce overtime that would otherwise be incurred.

- 13. **Budget Process** Budget guidance and the proposed schedule of events and deadlines were provided to staff, many of whom have already begun working on their drafts of the document to prepare for an upcoming series of workshops.
- 14. **CEDS**—The Comprehensive Economic Development Strategy (CEDS) kickoff meeting for Henry County was held via zoom last week. Staff has begun the process of updating the status of projects that are planning, in progress, or completed and updating the strengths, weaknesses, opportunities, and threats of the regional economic climate.
- 15. **Forward Together**—Staff attended the most recent video conference call hosted by the City of Geneseo. Hammond Henry reported that they were Covid-free at the time. Vaccine distribution is going well, with educators being the primary focus at this time. We are currently in tier one of Phase Four of the Restore Illinois plan, and expect that we will climb the remaining tiers in relatively short order, allowing businesses to go from 25% occupancy that is allowed now to fully open within the next few months. Our first responders who opted to be vaccinated have received their first dosage and will be getting their second dosage soon. 71% of eligible employees have received the vaccine, while a number of those who did not take the vaccine are individuals who previously had the virus and should retain some natural immunity. 75% of our remaining employees have indicated a desire to receive the vaccine in approximately three weeks when it is made available to us.



Date: January 22, 2021

To: Mayor Moore and Councilmembers

RE: Explanation for Recycling Schedule Change

From: Kevin Newton

I would like to provide the data Councilmember Yaklich requested and how my decision to make the change to our recycling pickup schedule represents the most cost effective use of taxpayer dollars as well as being an operationally efficient use of staff.

#### Annual Recycling Totals

- 2017 766,940 lbs.
- 2018 881,960 lbs.
- 2019 900,910 lbs.
- 2020 817,490 lbs. Note: We didn't collect recycling April due to Covid-19. We average 73,000 lbs./month

Over the last 5 years recycling materials have transitioned from newspaper, magazines and paper products to more plastic and cardboard along with the usual glass and aluminum. With the equipment we use to pick up recycling this has created a volume or capacity issue as the truck doesn't compact the material. Staff loads the truck until the hopper is full, not limited by weight. With more residents recycling as indicated by the annual increase in weight yet the material being recycled weighing less, staff has had to make more trips to the recycling center to unload. Over the last 4 years this has created operational and cost inefficiencies. Past practice would be to use 1 or 2 additional staff to aid in recycling collection along with using two trucks instead of one at times. Staff being used to collect recycling would not only come at the expense of their salary but also being unable to perform other tasks within the Public Works Department. After evaluating recycling operations, costs and other Public Works priorities I made the decision to change recycling collection from three days a week to four. This will enable recycling collection to be performed by one staff member and truck for the entire week, leaving other Public Works Staff available to perform higher priority tasks, avoid overtime, use of other equipment and the potential of injury and accidents as staff felt pressured to maintain an unstainable operating pace. As always I will continue to look for ways to use public funds more efficiently but at this time it is my professional opinion this represents the best option.

The January 11th, 2021 Council Meeting was called to order at 7:03 PM. All members of the City Council were present via Zoom.

The Consent Agenda included the following items:

- a. Approval of Minutes of the December 28th Meeting.
- b. Payroll for the pay period ending January 2nd, 2021 in the amount of \$257,189.21
- c. Reports from Police, Community Development, and Bock, Incorporated

Councilmember Yaklich moved to approve the Consent Agenda. Councilmember Faber seconded the motion. The motion was approved 5-0.

Bills were presented in the amount of \$307,248.12

Councilmember Komnick moved to approve payment of the bills. Councilmember Faber seconded the motion. Discussion: Happened. No further questions in regards to the bills. The motion was approved 5-0.

**Public Comments: None** 

**New Business:** 

- a) Consideration of Ordinance #4041 amending Ordinance No. 2841 adopted May 9, 1994, commonly known as The City of Kewanee, Illinois, Administrative Code— Councilmember Colomer moved to approve. Councilmember Komnick seconded the motion. There was no discussion. The motion was approved 5-0.
- b) Consideration of Resolution #5265 to appoint an IMRF authorized agent for the City of Kewanee. Councilmember Faber moved to approve. Councilmember Komnick seconded the motion. Mayor Moore asked the Finance Director if she would be able to perform these duties without it being too much for her workload. The Finance Director indicated that she believed she could. There was no further discussion. The motion was approved 5-0.
- c) Consideration of Resolution #5266 amending an Agreement with Lakeshore Recycling Systems to haul and dispose of solid waste for the transfer station. Councilmember Colomer moved to approve. Councilmember Faber seconded the motion. Discussion: The City Manager explained that there had been an oversight in not listing the required equipment that would work in conjunction with our transfer station. Councilmember Yaklich asked how many tons per year were hauled to the landfill. The City Manager continued that because lakeshore would be incurring additional capital costs to provide the services agreed upon in response to the RFP, the additional dollar per ton was fair and that it still provided a significant savings over using Knox County Landfill. Multiple Councilmembers noted that the total tonnage had been included in their earlier packets when the agreement was approved. The operations manager stated that the total tonnage was estimated to be between 14,000 and 15,000 per year. The City Manager confirmed the figure, having used the annual projected savings and the difference between Lakeshore and Knox County to arrive at about 14,444 tons, indicating that the figure also made sense because lakeshore estimated that their increased capital costs would be between \$45,000 and \$50,000 and that spread out over three years, the figure of \$15,000 per year makes sense. It was noted that saving \$245,000 instead of \$260,000 per year is still a good thing. The motion was approved 5-0.
- d) Discussion of Animal Ordinances by Chief Welgat started with we have very thorough ordinances currently in regards to the dog ordinances. The only are that Chief Welgat saw that could be implemented was the repeat offenders and stricter penalties. Including revoking their right to owning and register their animal with the City. Concerns are the possibility of people just not registering or registering them in a child's name. Welgat stated there are defiantly some more conversations that need to be had. Yaklich mentioned the concern for the postal workers and designated feet allowed in the front yard on a run. Welgat mentioned it's not currently in our Ordinance but that it could be added. Komnick stated he has come across this situation on

a dog being too close to the sidewalk and he is in favor of a restriction. Mayor Moore stated he is in favor of an anima nuisance ordinance to try and detour the calls for the police department. Welgat concluded the conversation with there has been over 700 calls for animal's at large, cats and just animal at large.

#### **Council Communications:**

- Councilmember Yaklich would like to know why they have not received budget and financial information. City Clerk Jones stated that at this time there are journal entries and information that has not been inputted. These reports would not be accurate and Jones stated she will not provide in-accurate reports. Mayor Moore asked if they could receive those reports at the beginning of each month. Yaklich asked if anyone knows within 100k what our deficit amount is. Gary Bradley stated depending on the fund that would be a different answer. Bradley went through quite a few of the funds to explain some of the differences. Revenue estimates are also in the same boat. Some will be what we predicted and there are others are lower due to closures. Bradley feels the revenue eventually will come in but maybe 4-6 months down the road.
- Councilmember Faber noted that it is difficult for people to get their trash cans in the right spot if snow is blocking the place they put their cans.
- Councilmember Colomer welcomed Randi Haley to the team, commended Chief Shook for the hard work that he has put into managing the City's reimbursement of CURE Funds and echoed Councilmember Faber's comment regarding trash cans.
- Councilmember Komnick inquired about sidewalks, noting how hard they are too clear with the snow and ice on them and encouraging their clean-up as students return to school so that people aren't walking in the streets. He also inquired about the City putting out some information regarding truck routes because Trucks are being seen in areas that aren't truck routes. He also welcomed Randi Haley to the team.

#### **Mayor's Communications:**

• Mayor Moore welcomed Randi Haley to the City and expressed his belief that the organization is headed in the right direction. He noted the efforts of the United Way in providing personal hygiene and cleaning products to the people. Over 300 boxes were handed out. Each box contained almost \$200.00 worth of products. The multiple Volunteers helped make this a successful event. Mayor expressed his condolences to the family of Martha Holton. Martha was a very kind woman and fierce defender of her family. Mayor also offered his condolences to the family of Hazel Pettit. Hazel spent countless hours at the resale shop that helped form. This resale shop honors her by carrying her name. Last the Mayor wants to congratulate Jim Heber who was just named Ill Commissioner of the year. Jim had spent 20 years at the park district and is very deserving of this award.

Announcments: The City Clerk announced that and the City Manager reminded everyone that City Hall would be closed in observance of Martin Luther King Jr. Day.

Councilmember Faber moved to adjourn the meeting. Councilmember Komnick seconded the motion. The motion was approved 5-0. The meeting adjourned at 8:00 PM

DATE: 01/22/21

# CITY OF KEWANEE SYS TIME:13:48 A / P W A R R A N T L I S T REGISTER # 290 Friday January 22, 2021 PAGE 1

DATE: 01/22/21	FIII	day January 22, 2021		FAGL I
PAYABLE TO INV NO	G/L NUMBER	DESCRIPTION	AMOUNT	DISTR
01 ACCESS SYSTEMS INV964724	01-21-537 01-22-537 01-11-537 01-65-537 58-36-537 51-42-537 52-43-537 57-44-537 51-42-537.4 52-43-537.4 01-41-537.4	IT MAINTENANCE	3136.50	1079.00 291.75 392.05 197.55 197.55 197.55 291.75 97.25 97.25
01 ADVANCED BUSINESS INV203652	SYSTEMS INC 01-11-512	MAINTENANCE	195.24	195.24
01 AEP ENERGY D12282020	01-52-571	PARK PEDASTALS	9.42	9.42
01 AG VIEW FS INC D12312021	52-93-586	HAULING	27.72	27.72
01 AIRGAS MID AMERIC 9108706961	CA 01-22-612	OXYGEN	169.26	169.26
01 ALEXIS FIRE EQUIP 0069433-IN	° CO 62-45-612	1-к-9	41.01	41.01
01 ALTORFER INC PC020638668 PC020638669 PC020639480 PC020639626 PC020639627	62-45-612 62-45-612 62-45-612 62-45-612 62-45-612	ST BACKHOE WATER BACKHOE WATER BACKHOE ST BACKHOE WATER BACKHOE	1507.13	133.44 81.60 369.27 382.44 540.38
01 AMERICAN TEST CEN 2202876	ITER 01-22-513	ANNUAL LADDER TEST	1025.00	1025.00
01 AUCA CHICAGO MC L 615000047623 615000051026 615000054406 615000057666 615000061030	OCKBOX 62-45-471 62-45-471 62-45-471 62-45-471 62-45-471	UNIFORMS UNIFORMS UNIFORMS UNIFORMS UNIFORMS	232.55	46.51 46.51 46.51 46.51 46.51
01 AUTO ZONE 2644596562 2644598714 2644598755 2644604113 2644609164 2644610742	62-45-830 62-45-613 62-45-613 62-45-613 62-45-830 62-45-613	SHOP TOOLS CAR 2 CAR2 ST 16 SHOP TOOLS AMBULANCE	412.16	30.00 124.62 124.62 85.94 29.99 16.99
01 B & B PRINTING 25111 25150	01-22-553 01-22-553	REFUSAL PADS RUN CARDS	415.93	218.44 197.49

cvc	DATE : 01	/22	/21

DATE: 01/22/21

# CITY OF KEWANEE A / P W A R R A N T L I S T

/21	CITY OF KEWANEE A / P W A R R A N T L I S T REGISTER # 290	SYS TIME:13:48 [NW1]
	Friday January 22 2021	PAGE 2

DATE: 01/22/21	FIIC	day January 22, 2021		FAGL Z
PAYABLE TO INV NO	G/L NUMBER	DESCRIPTION	AMOUNT	DISTR
01 B & B LAWN EQUIP 266831 268021	MENT & CYCLERY 58-36-612 01-41-830	CEMETERY CHAINSAW PAR STREET DEPT CHAIN SAV		103.26 656.10
01 BEA OF ILLINOIS 2208648	51-93-512	CHEMICAL PUMP ISSUE	363.00	363.00
01 BI-STATE REGIONA 01/21-03/21	L COMM 02-61-561	MEMBERSHIP	1360.50	1360.50
01 BOCK INC 83 83	51-93-515 52-93-515	CONTRACT PAYMENT CONTRACT PAYMENT	57126.15	15273.09 41853.06
01 BONNELL INDUSTRI 146124 146124 147207 147317	ES INC 62-45-512 62-45-612 62-45-612 62-45-612	LABOR SNOW PLOW PARTS SNOW PLOW EDGE BLADES FOR SNOW PLOW	11715.78	900.00 6674.30 2771.12 1370.36
01 BREEDLOVE'S SPOR 40721 40723 D012521 D12072020 D12092020	TING GOODS 57-44-473 01-22-471 01-22-471 01-22-471 01-22-471	CLOTHING ALLOWANCE CLOTHING ALLOWANCE CLOTHING ALLOWANCES clothing allowance CLOTHING ALLOWANCE	3567.59	57.00 12.95 3381.56 34.95 81.13
01 IL OFFICE OF THE 5125115403	STATE FIRE MA 38-71-611	ELEVATOR INSPECTION	75.00	75.00
01 CNA SURETY D01012021	01-11-549	RJONES	30.00	30.00
01 CYLINDERS PLUS L 9123	LC 62-45-513	A13	152.74	152.74
01 DES MOINES STAMP 1174683	MFG CO 01-11-651	3 CITY STAMP	102.70	102.70
01 DOUBEK, TIMOTHY D01212021	01-22-471	CLOTHING ALLOWANCE	81.18	81.18
01 EASTERN IOWA TIR 100100219	E, INC 62-45-613	STOCK	465.90	465.90
01 ELECTRICAL ENGIN 6996056-00 6996057-00 6999448-00	EERING & EQUIP 38-71-549 38-71-549 38-71-549	CITY HALL GENERAOTR FIRE STATION 2 CH GENERATOR REPAIR	664.55	250.00 225.00 189.55
01 EVERETT CONTROL 2021-170	SYSTEMS INC 52-93-512	E SIDE DRAIN PUMP	289.24	289.24
01 FARM KING OF KEW D12302020 D12302020 D12302020 D12302020 D12302020 D12302020	ANEE 51-42-652 62-45-612 62-45-652 01-52-652 52-93-619 62-45-652	KEYS SNOW PLOW PARTS HARDWARE TAPE MEASURE CHAINSAW BLADE SHOP SUPPLIES	397.60	11.56 80.45 20.26 22.99 29.07 17.26

SYS	DATE:01/22/21
-----	---------------

CITY OF KEWANEE A / P W A R R A N T L I S T REGISTER # 290 Friday January 22, 2021 SYS TIME:13:48 [NW1] PAGE 3 DATE: 01/22/21

PA	YABLE TO	o //		AMOUNT	
===	INV NO ========	G/L NUMBER =======	DESCRIPTION		DISTR
	D12302020 D12302020 D12302020 D12302020	51-42-652 52-93-653 52-93-619 52-43-652	FASTNERS BOILER DOWN SAWZALL BLADE CUT WHEELS		1.61 142.96 42.28 29.16
01	MICHAEL B FREDERI D01142021	CK 51-42-929	129 N BOSS ST	11.86	11.86
01	FRIENDS OF THE AN 627814	IMALS 01-21-539	SEMI MONTHLY PAYMENT	1333.33	1333.33
01	GALESBURG ELECTRI 110752	C 52-93-512	BREAKER	12.81	12.81
01	GETZ FIRE EQUIPME I1-792134 I1-792135	NT CO 51-93-512 51-93-512	ANNUAL SERVICE ANNUAL SERVICE	130.00	65.00 65.00
01	GOLD STAR FS, INC 13912018	54-54-571	FR PARK LP	388.42	388.42
01	THOMPSON TRUCK & x203032253:01	TRAILER, INC 62-45-612	ST 21	35.06	35.06
01	HENRY CO CLERK/RE 4006906 4007235 4007465	CORDER 01-65-549 01-65-549 01-65-549	LIENS FILED FILED LIENS LIENS FILED	174.00	58.00 58.00 58.00
01	ILLINOIS ENTERPRI D01192021	SE ZONE ASSOC 01-11-561	MEMBERSHIP	200.00	200.00
01	IMPACT NETWORKING 2003123	01-11-512	KONICA MAINT	182.11	182.11
01	INTERSTATE BATTER 10134450	Y SYSTEMS OF 62-45-612	BOCK BACK HOE	243.90	243.90
01	JAGERS, JON C D012121	38-71-549	PAINTING/LABOR	1000.00	1000.00
01	JOHNSON HEATING & ST-179331	A/C INC 52-93-512	PRIMARY LIMIT SWITCH	299.00	299.00
01	JOHN DEERE FINANC D01012021	IAL 01-52-612	ENGINE OIL	14.88	14.88
01	JULIE INC 2021-0917 2021-0917	51-42-532 52-43-532	JULIE FEES JULIE FEES	1199.08	599.54 599.54
01	KEY EQUIPMENT & S 160330	UPPLY CO 62-45-612	A13/ A14	429.58	429.58
01	LOCIS 42354 42354 42354 42354 42354 42354 42354 42354	01-11-537 01-21-537 01-22-537 01-41-537 51-42-537 52-43-537 57-44-537 62-45-537	ANNUAL MEMBERSHIP ANNUAL MEMBERSHIP ANNUAL MEMBERSHIP ANNUAL MEMBERSHIP ANNUAL MEMBERSHIP ANNUAL MEMBERSHIP ANNUAL MEMBERSHIP ANNUAL MEMBERSHIP	9343.00	922.66 922.66 922.67 922.67 922.67 922.67

01 MISSISSIPPI VALLEY PUMP INC

52-43-830

13536

# CITY OF KEWANEE A / P W A R R A N T L I S T

SYS TIME:13:48

[NW1]

PAGE 4

	A/I WAKKANI EIJI
	REGISTER # 290
DATE: 01/22/21	Friday January 22, 2021

PAYABLE TO **AMOUNT** G/L NUMBER DESCRIPTION INV NO DISTR \_\_\_\_\_ 42354 58-36-537 ANNUAL MEMBERSHIP 922.67 W-2 & 1099 FORMS W-2 & 1099 FORMS 42373 01-11-651 68.43 42373 01-21-651 68.43 42373 01-22-651 W-2 & 1099 FORMS 68.43 68.43 W-2 & 1099 FORMS 42373 01-41-651 42373 51-42-651 W-2 & 1099 FORMS 68.43 42373 57-44-651 W-2 & 1099 FORMS 68.43 W-2 & 1099 FORMS 42373 58-36-651 68.42 42389 01-11-563 LOCIS TRAINING 560.00 01 MARTIN BROS COMPANIES INC 320.84 58-36-652 SAND FOR CEMETERY 320.84 737 01 MCI 151.06 94.73 D01012021 01-21-552 **POLICE** 13.44 D01012021 01-11-552 F&A 20.78 01-41-552 D01012021 PWD D01012021 01-22-552 FIRE 1.39 CEMETERY D01012021 58-36-552 3.34 2.80 D01012021 62-45-552 **FLEET** D01012021 01-11-552 FEE 14.58 01 MCKESSON MEDICAL SURGICAL 692.18 17463728 01-22-612 510.79 MEDICAL SUPPLIES 01-22-612 17467145 MEDICAL SUPPLIES 33.43 01-22-612 01-22-612 17469857 MEDICAL SUPPLIES 62.53 17471146 MEDICAL SUPPLIES 85.43 01 MED-TECH RESOURCE LLC 11735.08 01-22-159.7 124118 MED SUPPLIES 1925.72 01-22-159.7 01-22-612 125461 MED SUPPLIES 8326.80 125515 MED SUPPLIES 1183.47 01-22-612 125663 MEDICAL SUPPLIES 299.09 01 MICHLIG ENERGY LTD 6875.85 7667090 52-93-655 WWTP DIESEL 380.93 D12312020 01-41-655 GAS PW 309.37 51-42-655 D12312020 618.74 GAS-WATER D12312020 52-43-655 GAS-SEWER 309.37 D12312020 52-93-655 GAS- WWTP 116.01 01-22-655 D12312020 GAS-FIRE 38.67 2320.29 D12312020 01-21-655 GAS-POLICE D12312020 52-43-655 **GAS-ENGINEER** 38.67 01-65-655 D12312020 GAS-COMMUNITY DEV 116.01 D12312020 01-41-655 DIESEL-PW 551.84 51-42-655 D12312020 DIESEL-WATER 26.28 D12312020 57-44-655 DIESEL-SANITATION 1629.23 01-22-655 DIESEL-FIRE 420.44 D12312020 01 MIROCHA'S AUTO SERVICE INC 50.00 62-45-513 K-9 UTILITY 50.00 17937

FLOATS @ LIFT ST

290.00

290.00

# CITY OF KEWANEE SYS TIME:13:48

[NW1]		PWARRANT L REGISTER#290	,	
PAGE 5	L	iday January 22, 2021	Fr	DATE: 01/22/21
	AMOUNT			PAYABLE TO
DISTR		DESCRIPTION	G/L NUMBER	INV NO

PA	YABLE TO INV NO	G/L NUMBER	DESCRIPTION	AMOUNT	DISTR
===	=========	==========			========
01	MOORE TIRES KEWAN K46434 K47903	EE 62-45-612 62-45-513	POLICE TRUCKS w362	177.47	150.40 27.07
01	MUNICIPAL ELECTRO 67875	NICS INC 01-21-512	RADAR CERTIFICATION	35.00	35.00
01	MUTUAL WHEEL CO I 579752	NC 62-45-613	ST 21	472.08	472.08
01	NATIONAL ELEVATOR 410956	INSPECTION S 38-71-549	ELEVATOR INSPECTION	181.50	181.50
01	NORTHERN SAFETY C 904260661	O INC 01-41-561	SUBSCRIPTION RENEWAL	149.00	149.00
01	O'REILLY AUTOMOTI 1143-428940	VE STORES, IN 52-43-652	CAMERA FOR TRUCK	38.05	38.05
01	OFFICE SPECIALIST 1090490-1 1091114-0 1091194-0 1091271-0 1091357-0 1091357-1 1091357-2 1091357-3 1095916-2 1096362-0 1097567-0 INV202970 INV203840	S INC 38-71-611 38-71-611 38-71-611 52-93-652 52-93-652 52-93-652 52-93-652 01-11-561 38-71-611 38-71-611 38-71-549 01-11-537	CLEANING SUPPLIES CLEANING SUPPLIES CLEANING SUPPLIES CLEANING SUPPLIES OFFICE SUPPLIES INK/TONER INK/TONER OFFICE SUPPLIES EPS RIBBON PAPER TOWELS CLEANING SUPPLIES PC REPAIR J ORVIS EMAIL	1586.26	101.32 114.00 26.46 46.50 118.71 214.40 114.75 14.99 3.10 52.93 80.08 646.52 52.50
01	OFFICE MACHINE CO IN215236 IN216771 IN216880 IN216881	NSULTANTS INC 01-21-512 01-22-537 01-21-512 01-22-537	COPIER MAINTENANCE COPIER MAINTENANCE COPIER MAINTENANCE COPIER MAINT	124.75	43.61 3.74 31.79 45.61
01	OSF HEALTHCARE SA 65924639 D BLACK J CALHOUN V KLUEVER	INT LUKE MEDI 01-22-563 51-42-455 01-41-455 01-41-455	KYLE BUMPHREY RANDON DRUG TESTING RANDON DRUG TESTING RANDON DRUG TESTING	550.00	288.00 101.00 101.00 60.00
01	PANTHER UNIFORMS 24070 24375	INC 01-21-471 01-22-471	N WELGAT UNIFORM A FINN	388.50	270.60 117.90
01	PDC LABORATORIES 19448320 19448816 19449004	INC 52-93-542 52-93-542 51-93-542	NPDES SPEC PERMIT CHLORIDE BY IC COLIFORM/ECOLI	931.80	697.50 154.30 80.00
01	PEST DOCTOR 28747	01-22-580	PEST CONTROL	20.00	20.00

SYS DA	TE:01/22/21
--------	-------------

DATE: 01/22/21

# CITY OF KEWANEE A / P W A R R A N T L I S T REGISTER # 290 Friday January 22, 2021

SYS TIME:13:48 [NW1]

PAGE 6

2,1121 02,22,22		,,,,		
PAYABLE TO INV NO	G/L NUMBER	DESCRIPTION	AMOUNT	DISTR
01 RACOM CORPORATI 21INV0019	ON 39-73-840	POLICE TRUCK UPFIT	10520.38	10520.38
01 RATLIFF BROS & VIADUCT	CO 31-71-814	VIADUCT	15960.00	15960.00
01 REDIGER, MICHAE D01092021	L J 01-22-471	CLOTHING ALLOWANCE	28.12	28.12
01 REHRIG PACIFIC 50100858	COMPANY 57-44-537	RVISION SERVICE	7500.00	7500.00
01 ROAD HOUSE PROP d08052020	ERTIES LLC. 51-42-929	721 N WALNUT	100.00	100.00
01 RUYLE MECHANICA 17094	L SERVICES INC 38-71-549	CITY HALL BOILERS	1307.21	1307.21
01 SADLER POWER TR 250106002	AIN 62-45-513	PTO HOUSING ST 19	3414.58	3414.58
01 SNI SOLUTIONS 140446	01-41-616	GEO SALT	16754.63	16754.63
01 SPEER FINANCIAL 211-20	INC 47-84-730	GEN OBLIG BONDS	5700.00	5700.00
01 STAR-COURIER 42353 42359	01-65-595 01-11-541	DEMO BIDS NOTICE OF HEARING	191.80	119.30 72.50
01 STOUT, JEREMY M D01082021	01-22-471	CLOTHING ALLOWANCE	54.02	54.02
01 SUPREME RADIO C 44318	OMMUNICATIONS I 14-11-591	LIGHTENING STRIKE	2021.35	2021.35
01 TRIANGLE CONCRE 9969 9971	TE INC 31-71-814 52-43-850	VIADUCT LAKEVIEW/EDGEWOOD	3263.25	1882.00 1381.25
01 VALLEY DISTRIBU 423270	TION CORP 62-45-612	HYDROLIC OIL	1106.28	1106.28
01 STATE BANK OF T D01012021 GB D01012021 KN D01012021 RXJ D01012021 RXJ D01012021 RXJ	OULON - VISA 01-11-537 01-41-652 01-41-473 01-41-473 38-71-611 01-41-651.4 52-43-830 51-42-830 62-45-613 01-11-929 38-71-611 01-22-561 01-11-929 01-11-563 62-45-652	ADOBE MEALS CLOTHING ALLOWANCE F MANNON CLOTHING AL WALL CALENDARS CANNON INK AND PAPER GAS DETECTOR GAS DETECTOR OXYGEN SENSOR AMAZON OFFICE SUPPLIES CABLE FOR EQUIPMENT CHRSITMAS PARTY TRAINING MEALS FLEET PHONE CASE		112.60 185.08 64.94 589.87 105.70 112.99 210.00 210.00 61.88 40.00 117.00 27.98 118.03 45.19 29.95

SYS DATE:01/22/21	CITY OF KEWANEE A / P W A R R A N T L I S T	SYS TIME:13:48 [NW1]
DATE: 01/22/21	REGISTER # 290 Friday January 22, 2021	PAGE 7
PAVARIE TO	ΔΜΟΙΙΝΤ	

PAYABLE TO INV NO	G/L NUMBER	DESCRIPTION	AMOUNT	DISTR
D01012021 VK	01-11-929	OIL GAUGE		33.99
01 WALMART COMMUNI D01162021 D01162021 D01162021 D01162021 D01162021 D01162021 D01162021	TY  01-21-651 01-21-651 01-21-651 01-21-651 01-11-929 01-22-652 01-22-654	OFFICE SUPPLIES TOTE FOR SQUAD OFFICE SUPPLIES CHARGE CORD OFFICE SUPPLIES MEDS SUPPLIES	191.72	32.24 7.48 21.68 24.36 51.20 22.73 32.03
01 WALZ LABEL & MA 8604 A	ILING SYSTEMS 01-11-512	POSTAGE MACHINE LEASE	180.00	180.00
01 WOODY, STEVE D12292020	01-21-455	J ORVIS PRE-EMPLOY	350.00	350.00
** TOTAL CHECKS	TO BE ISSUED	1	194798.20	

DATE: 01/22/21

#### CITY OF KEWANEE A /

Friday January 22, 2021

Ρ	WARRANT LIST	[NW1]
	REGISTER # 290	
rid	av January 22 2021	PAGE 8

SYS TIME:13:48

FUND **AMOUNT** INV NO G/L NUMBER DESCRIPTION DISTR \_\_\_\_\_\_ 51336.31 GENERAL FUND ECONOMIC DEVELOPMENT 1360.50 2021.35 INSURANCE FUND 17842.00 NHR SALES TAX INFRASTRUCTURE IMP 4518.77 CAPITAL MAINTENANCE/MUN. BLDG. ACQUISITION FUND 10520.38 2015 GO WATER/SEWER BOND 5700.00 WATER FUND 18812.58 48621.24 SEWER FUND 388.42 FRANCIS PARK 10469.08 SANITATION 1616.08 CEMETERY FUND CENTRAL MAINTENANCE 21591.49 \*\*\* GRAND TOTAL \*\*\* 194798.20 193,464.87 1,333.33 TOTAL FOR REGULAR CHECKS: TOTAL FOR DIRECT PAY VENDORS:

CITY OF KEWANEE A / P W A R R A N T L I S T SYS TIME:13:48 [NW1]

DATE: 01/22/21

Friday January 22, 2021 PAGE 9

\_\_\_\_\_\_ A/P MANUAL CHECK POSTING LIST
POSTINGS FROM ALL CHECK REGISTRATION RUNS(NR) SINCE LAST CHECK VOUCHER RUN(NCR)

	INGS FROM ALL CH					CHER RUN(NCR)
PAYABLE REG#		CHECK G/L NUMBER	DATE DESCI	CHECK NO RIPTION	AMOUNT	DISTR
01 AMER 515	EN ILLINOIS CLAIM # 9772X	01/1 52-93-929	L2/21 DAMA	58957 GAE GAS LINE	2111.61	
01 AMER 515	ICAN DREAM HOME : D12112020	IMPROVEMEN01/1 02-61-930.6	L2/21 D ROI	58955 BBINS	7500.00	7500.00
01 BRAD 515	LEY, GARY D01132021	01/1	L3/21 YMCA	58959 REIMBURSEMENT	190.62	190.62
01 CALH	OUN, JACK 01122020	01-41-473	L3/21 CLOTI	58958 HING ALLOWANCE	200.00	200.00
01 DOUB 515	EK, TIMOTHY D01132021	01-11-929	L3/21 YMCA	58963 REIMBURSEMENT	108.12	108.12
01 FORN 515	EY, JACOB D01132021	01-11-929	L3/21 YMCA	58964 REIMBURSEMENT	108.12	108.12
01 GUDA 515	T, TYLER D01132021	01-11-929	L3/21 YMCA	58965 REIMBURSEMENT	55.28	55.28
01 HAMI 515	LTON, ERIC D01132021	01-11-929	L3/21 YMCA	58960 REIMBURSEMENT	108.12	108.12
01 мото 516	R CITY CHEVROLET	-BUICK-GMC01/1 39-73-840	L5/21 21 cl	58999 hevy Silverado	34874.00	34874.00
01 NEWT	ON, KEVIN D01132021	01-11-929	L3/21 YMCA	58966 REIMBURSEMENT	108.12	108.12
01 PEED 515	, ERIC D01132021	01-11-929	L3/21 YMCA	58961 REIMBURSEMENT	108.12	108.12
01 PROF 515	ESSIONAL BILLING DEC-2020	SERVICES 01/1 01-22-579	L2/21 BILL	173 ING CHARGES	3843.50	3843.50
01 VERI 515	ZON WIRELESS 9870470657	01/1	l2/21 FIRE	58956 CELL SERVICE	115.11	115.11
	AT, NICHOLAS D01132021					108.12
74 SISC	0	01/1	12/21	ACH 0113	2085.65	

CITY OF KEWANEE SYS TIME:13:48
A / P W A R R A N T L I S T [NW1]

Friday January 22, 2021 DATE: 01/22/21

PAGE 10

A/P MANUAL CHECK POSTING LIST
POSTINGS FROM ALL CHECK REGISTRATION RUNS(NR) SINCE LAST CHECK VOUCHER RUN(NCR)

PAYABLE TO REG# INV NO	CHECK DATE CHECK NO AMOUNT G/L NUMBER DESCRIPTION	DISTR
515 D010821	74-14-451 DENTAL/VISION CLAIMS	2085.65
74 SISCO 515 D01012021	01/12/21 ACH0111 6726.00 74-14-451 DENTAL/VISION ADMIN	6726.00
74 SISCO 515 D01152021	01/19/21 ACH0119 241.56 74-14-451 DENTAL VISION CLAIM	241.56

<sup>\*\*</sup> TOTAL MANUAL CHECKS REGISTERED

58592.05

_	REPORT SUMMA	RY			
	CASH FUND	CHECKS TO BE ISSUED	REGISTERED MANUAL	TOTAL	
-	01 74	194798.20 .00	49538.84 9053.21	244337.04 9053.21	
	TOTAL CASH	194798.20	58592.05	253390.25	

DISTR FUND	CHECKS TO BE ISSUED	REGISTERED MANUAL	TOTAL	
01 02 14 31 38 39 47	51336.31 1360.50 2021.35 17842.00 4518.77 10520.38 5700.00	5053.23 7500.00 .00 .00 .00 34874.00	56389.54 8860.50 2021.35 17842.00 4518.77 45394.38 5700.00	
51 52 54 57 58 62 74	18812.58 48621.24 388.42 10469.08 1616.08 21591.49	.00 2111.61 .00 .00 .00 .00 9053.21	18812.58 50732.85 388.42 10469.08 1616.08 21591.49 9053.21	
TOTAL DISTR	194798.20	58592.05	253390.25	

# BOCK INC. MONTHLY REPORT FOR DECEMBER, 2020

SUBMITTED BY: Stur Bulouty

## <u>IEPA SUMMARY</u>

No communications with the IEPA for the month of December.

## **MAINTENANCE SUMMARY**

BOCK INC. generated 33 preventive work orders for the month. All 33 work orders were completed. In addition to the preventive work orders, there was 4 corrective maintenance work orders performed.

## <u>SAFETY SUMMARY</u>

Because safety is an important part of our daily practice, we have been without a loss time injury at the plant for 71 months.

## **OPERATIONS SUMMARY**

Flow for the month averaged 2.780 MGD with the rainfall totaling 2.46 inches.

Total KWH used for the month was 170,400.

We experienced 3 values of the outfall 001 effluent that was outside the permit limit for chloride concentration.

Sludge applied to the field totaled 0 gallons for the month.

The annual sludge report for 2020 has been prepared and sent to the IEPA. A copy of the report is attached.

#### **DMR Copy of Record**

D		

IL0029343 Permit #:

Yes Major:

KEWANEE, CITY OF

401 EAST THIRD STREET KEWANEE, IL 61443

Facility Location:

KEWANEE STP

194 FISCHER AVENUE KEWANEE, IL 61413

001 **Permitted Feature:** 

External Outfall

Discharge:

Title:

Permittee:

Permittee Address:

001-0 STP OUTFALL

Report Dates & Status

**Monitoring Period:** From 12/01/20 to 12/31/20 DMR Due Date: 01/25/21

Status:

Telephone:

Facility:

**NetDMR Validated** 

**Considerations for Form Completion** 

DMF LOAD LIMITS DISPLAYED

**Principal Executive Officer** 

First Name: Stanley Bockewitz Last Name:

Chief Operator

309-852-2789

No Data Indicator (NODI)

Form NODI:

	Parameter	Monitoring	Season #	Param. NODI				antity or Lo							or Concentration		# of	Frequency of Analysis	Sample Ty
Code	Name	Location	#	NODI		Qualifier 1	Value 1	Qualifier 2	Value 2	Units Qualifie	er Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	Ex.		
					Sample					=	9.36		9.36	=	9.19	19 - mg/L		01/07 - Weekly	GR - GRAB
0300	Oxygen, dissolved [DO]	1 - Effluent Gross	1		Permit Req.					>=	5.5 MO AV MN	>=	4.0 MN WK AV	>=	3.5 DAILY MN	19 - mg/L	0	01/07 - Weekly	GR - GRA
					Value NODI														
					Sample					=	7.68			=	7.87	12 - SU		01/07 - Weekly	GR - GRA
0400	рН	1 - Effluent	0		Permit Req.					>=	6.0 MINIMUN	1		<=	9.0 MAXIMUM	12 - SU	0	01/07 - Weekly	GR - GRAI
		Gross			Value NODI														
					Sample	=	13.0	=	28.5	26 - lb/d		=	0.6	=	1.0	19 - mg/L		01/07 - Weekly	CP - COMPOS
530	Solids, total suspended	1 - Effluent	0		Permit	<=	500.0 MO AVG	<=	1001.0 DAILY MX	26 - lb/d		<=	12.0 MO AVO	3 <=	24.0 DAILY MX	19 -	0	01/07 - Weekly	CP -
		Gross			Req. Value NODI											mg/L		,	COMPOS
					Sample									=	9.1	19 - mg/L		01/30 - Monthly	CP - COMPOS
0600	Nitrogen, total [as N]	1 - Effluent	0		Permit										Req Mon DAILY MX	19 - mg/L	0	01/30 - Monthly	CP - COMPOS
	•	Gross			Req. Value NODI											IIIg/L			COMPOS
					Sample	=	0.4	=	0.6	26 - lb/d		=	0.021	=	0.042	19 - mg/L		01/07 - Weekly	CP - COMPOS
0610	Nitrogen, ammonia total [as N]	1 - Effluent	3		Permit	<=	104.0 MO AVG	<=	179.0 DAILY MX	26 - lb/d		<=	2.5 MO AVG	<=	4.3 DAILY MX	19 - mg/L	0	01/07 - Weekly	CP - COMPOS
		Gross			Req. Value											IIIg/L			COMPOS
					NODI Sample									=	1.6	19 - mg/L		01/30 - Monthly	CP - COMPOS
0665	Phosphorus, total [as P]	1 - Effluent	0		Permit										Reg Mon DAILY MX	19 -	0	01/30 - Monthly	CP -
	· ···op···o··ao, ·o··a·· [ao · ]	Gross			Req. Value											mg/L	Ĭ		COMPOS
					NODI Sample			=	16551.0	26 - lb/d				=	580.0	19 -		01/07 - Weekly	CP -
(		1 - Effluent			Permit											mg/L 19 -			COMPOS CP -
00940	Chloride [as Cl]	Gross	0		Req. Value			<=	20850.0 DAILY MX	K 26 - ID/U				<=	500.0 DAILY MX	mg/L	3	01/07 - Weekly	COMPOS
					NODI														
					Sample	=	2.28236	=	3.890791	03 - MGD								99/99 - Continuous	
0050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0		Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							0	99/99 - Continuous	
					Value NODI														
					Sample														
0060	Chlorine, total residual	1 - Effluent	0		Permit Req.									<=	0.038 DAILY MX	19 - mg/L		CL/OC - Chlorination/Occurances	GR - GRAB
0000	Cinomie, total residual	Gross	U		Value NODI										9 - Conditional Monitoring - Not Required This Period				

				Sample	=	15.1	=	23.1	26 - lb/d	=	0.742 =	1.11	19 - mg/L		01/07 - Weekly	CP - COMPOS
80082	BOD, carbonaceous [5 day, 20 C]	1 - Effluent Gross	0	 Permit Req.	<=	417.0 MO AVG	<=	834.0 DAILY MX	26 - lb/d	<=	10.0 MO AVG <=	20.0 DAILY MX	19 - mg/L	0	01/07 - Weekly	CP - COMPOS
				Value NODI												

#### **Submission Note**

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

#### **Edit Check Errors**

	Parameter	Monitoring Location	Field	Type	Description	Acknowledge
Code	Name	Monitoring Location	rielu	Туре	Description	Acknowledge
00940	Chloride [as Cl]	1 - Effluent Gross	Quality or Concentration Sample Value 3	Soft	The provided sample value is outside the permit limit. Please verify that the value you have provided is correct. (Error Code: 1)	Yes

#### Comments

Chlorination did not occur this monitoring period.

Attachments

No attachments.

Report Last Saved By KEWANEE, CITY OF

User: bockinc1992
Name: Stanley Bockewitz
E-Mail: stanb@bockinc.net

Date/Time: 2021-01-19 09:54 (Time Zone: -06:00)

Report Last Signed By

User: bockinc1992
Name: Stanley Bockewitz
E-Mail: stanb@bockinc.net

Date/Time: 2021-01-19 10:05 (Time Zone: -06:00)

#### **DMR Copy of Record**

Date/Time:

Permit Permittee: KEWANEE, CITY OF **KEWANEE STP** Permit #: IL0029343 Facility: Yes **Facility Location:** Major: Permittee Address: 401 EAST THIRD STREET 194 FISCHER AVENUE KEWANEE, IL 61443 KEWANEE, IL 61413 003 Discharge: **Permitted Feature:** 003-0 External Outfall **EMERGENCY HIGH LEVEL OVERFLOW** Report Dates & Status **DMR Due Date:** Status: **Monitoring Period:** From 12/01/20 to 12/31/20 01/25/21 **NetDMR Validated Considerations for Form Completion** Principal Executive Officer Stanley Title: **Chief Operator** Telephone: First Name: 309-852-2789 Last Name: Bockewitz No Data Indicator (NODI) Form NODI: Monitoring Location Season # Param. NODI Quantity or Loading **Quality or Concentration** # of Ex. Frequency of Analysis Qualifier 1 Value 1 Qualifier 2 Units Qualifier 1 Value 1 Qualifier 2 Value 2 Qualifier 3 Code Value 2 Value 3 Units Sample DL/DS - Daily When Discharging GR - GRAB Opt Mon DAILY MX 19 - mg/L Permit Req. 1 - Effluent Gross 0 00310 **BOD, 5-day, 20 deg. C** C - No Discharge Value NODI Sample Permit Reg. Opt Mon DAILY MX 19 - mg/L DL/DS - Daily When Discharging GR - GRAB 00530 **Solids, total suspended** 1 - Effluent Gross 0 C - No Discharge Value NODI Sample Opt Mon DAILY MX 13 - #/100mL DL/DS - Daily When Discharging GR - GRAB Permit Req. 74055 **Coliform, fecal general** 1 - Effluent Gross 0 C - No Discharge Value NODI Sample DL/DS - Daily When Discharging Opt Mon MO TOTAL 4K - #/mo Permit Req. 74071 **Flow** 1 - Effluent Gross 0 Value NODI C - No Discharge **Submission Note** If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type. **Edit Check Errors** No errors. **Comments Attachments** No attachments. Report Last Saved By KEWANEE, CITY OF User: bockinc1992 Name: Stanley Bockewitz E-Mail: stanb@bockinc.net Date/Time: 2021-01-13 14:14 (Time Zone: -06:00) Report Last Signed By User: bockinc1992 Name: Stanley Bockewitz E-Mail: stanb@bockinc.net

2021-01-19 10:03 (Time Zone: -06:00)

#### **DMR Copy of Record**

Permit

Major:

Permit #: IL0029343

Yes

Permittee: KEWANEE, CITY OF

Permittee Address: 401 EAST THIRD STREET

KEWANEE, IL 61443

Permitted Feature: 004

External Outfall

Discharge:

004-0 EXCESS FLOW LAGOON OUTFALL- EAST LAGOON

Report Dates & Status

Monitoring Period: From 12/01/20 to 12/31/20

DMR Due Date: 01/25/21

Status: NetDMR Validated

KEWANEE STP

194 FISCHER AVENUE

KEWANEE, IL 61413

Considerations for Form Completion

NUMBER OF DAYS OF DISCHARGE:

**Principal Executive Officer** 

First Name: Stanley
Last Name: Bockewitz

Title: Chief Operator

**Telephone:** 309-852-2789

Facility:

Facility Location:

No Data Indicator (NODI)

Form NODI:

	Parameter	Monitoring Location	Season #	Param. NODI			Quantity	or Loading					Quality or Concentra	ation			# of Ex.	Frequency of Analysis	Sample Type
Code	Name				Q	ualifier 1 Value 1	Qualifier 2	Value 2	Units Qua	alifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00300	Oxygen, dissolved [DO]	1 - Effluent Gross	0		Sample Permit Req. Value NODI						q Mon MO AV MN		Req Mon MN WK A\ C - No Discharge		Req Mon DAILY MN C - No Discharge	19 - mg/L		DL/DS - Daily When Discharging	GR - GRAB
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0		Sample Permit Req. Value NODI							<=	30.0 MO AVG  C - No Discharge		45.0 WKLY AVG C - No Discharge	19 - mg/L		DL/DS - Daily When Discharging	GR - GRAB
00400	рН	1 - Effluent Gross	0		Sample Permit Req. Value NODI				>=		MINIMUM - No Discharge			<=	9.0 MAXIMUM C - No Discharge	12 - SU		DL/DS - Daily When Discharging	GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0		Sample Permit Req. Value NODI							<=	30.0 MO AVG C - No Discharge		45.0 WKLY AVG C - No Discharge	19 - mg/L		DL/DS - Daily When Discharging	GR - GRAB
00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	0		Sample Permit Req. Value NODI										Req Mon DAILY MX C - No Discharge	19 - mg/L		DL/DS - Daily When Discharging	GR - GRAB
00665	Phosphorus, total [as P]	1 - Effluent Gross	0		Sample Permit Req. Value NODI										Req Mon DAILY MX C - No Discharge	19 - mg/L		DL/DS - Daily When Discharging	GR - GRAB
50060	Chlorine, total residual	1 - Effluent Gross	0		Sample Permit Req. Value NODI									<=	0.75 DAILY MX C - No Discharge	19 - mg/L		DL/DS - Daily When Discharging	GR - GRAB
74055	Coliform, fecal general	1 - Effluent Gross	0		Sample Permit Req. Value NODI	_								<=	400.0 DAILY MX C - No Discharge	13 - #/100m		DL/DS - Daily When Discharging	GR - GRAB
82220	Flow, total	1 - Effluent Gross	0		Sample Permit Req. Value NODI			Req Mon MO TOTAL  C - No Discharge	03 - MGD									DL/DS - Daily When Discharging	CN - CONTIN

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors** 

No errors.

Comments

**Attachments** 

No attachments.

Report Last Saved By

KEWANEE, CITY OF

User: bockinc1992

Name: Stanley Bockewitz
E-Mail: stanb@bockinc.net

Date/Time: 2021-01-13 14:15 (Time Zone: -06:00)

Report Last Signed By

User: bockinc1992
Name: Stanley Bockewitz
E-Mail: stanb@bockinc.net

Date/Time: 2021-01-19 10:02 (Time Zone: -06:00)

#### **DMR Copy of Record**

Permit

Permit #: IL0029343

Major: Yes

Permittee: KEWANEE, CITY OF

Permittee Address: 401 EAST THIRD STREET

KEWANEE, IL 61443

Permitted Feature: 005

External Outfall

005-0

Discharge:

EXCESS FLOW LAGOON OUTFALL-WEST LAGOON

Report Dates & Status

Monitoring Period: From 12/01/20 to 12/31/20 DMR Due Date: 01/25/21 Status: NetDMR Validated

Considerations for Form Completion NUMBER OF DAYS OF DISCHARGE:

**Principal Executive Officer** 

First Name: Stanley
Last Name: Bockewitz

Title: Chief Operator Telephone: 309-852-2789

KEWANEE STP

194 FISCHER AVENUE

KEWANEE, IL 61413

Facility:

Facility Location:

No Data Indicator (NODI)

Form NODI:

	Parameter	Monitoring Location	Season #	# Param. NODI		Quantity or Loading						# of Ex. Frequency of Analysis S	Sample Type				
Code	Name					Qualifier 1 Va	lue 1 Qualifier 2	Value 2	Units Qualifie	r 1 Value 1	Qualifier 2	2 Value 2	Qualifier 3	Value 3	Units		
00300	Oxygen, dissolved [DO]	1 - Effluent Gross	0		Sample Permit Req. Value NODI					Req Mon MO AV MN C - No Discharge		Req Mon MN WK AV		Req Mon DAILY MN C - No Discharge	19 - mg/L	DL/DS - Daily When Discharging G	GR - GRAB
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0		Sample Permit Req. Value NODI						<=	30.0 MO AVG C - No Discharge		45.0 WKLY AVG C - No Discharge	19 - mg/L	DL/DS - Daily When Discharging G	GR - GRAB
00400	рН	1 - Effluent Gross	0		Sample Permit Req. Value NODI				>=	6.0 MINIMUM  C - No Discharge			<=	9.0 MAXIMUM C - No Discharge	12 - SU	DL/DS - Daily When Discharging G	GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0		Sample Permit Req. Value NODI						<=	30.0 MO AVG C - No Discharge		45.0 WKLY AVG C - No Discharge	19 - mg/L	DL/DS - Daily When Discharging G	GR - GRAB
00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	0		Sample Permit Req. Value NODI									Req Mon DAILY MX C - No Discharge	19 - mg/L	DL/DS - Daily When Discharging G	GR - GRAB
00665	Phosphorus, total [as P]	1 - Effluent Gross	0		Sample Permit Req. Value NODI									Req Mon DAILY MX C - No Discharge	19 - mg/L	DL/DS - Daily When Discharging G	GR - GRAB
50060	Chlorine, total residual	1 - Effluent Gross	0		Sample Permit Req. Value NODI								<=	0.75 DAILY MX C - No Discharge	19 - mg/L	DL/DS - Daily When Discharging G	GR - GRAB
74055	Coliform, fecal general	1 - Effluent Gross	0		Sample Permit Req. Value NODI								<=	400.0 DAILY MX C - No Discharge	13 - #/100m	DL/DS - Daily When Discharging G	GR - GRAB
82220	Flow, total	1 - Effluent Gross	0		Sample Permit Req. Value NODI			Req Mon MO TOTAL  C - No Discharge	03 - MGD							DL/DS - Daily When Discharging C	CN - CONTIN

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors** 

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

KEWANEE, CITY OF

User: bockinc1992

Name: Stanley Bockewitz
E-Mail: stanb@bockinc.net

Date/Time: 2021-01-13 14:16 (Time Zone: -06:00)

Report Last Signed By

User: bockinc1992
Name: Stanley Bockewitz
E-Mail: stanb@bockinc.net

Date/Time: 2021-01-19 10:01 (Time Zone: -06:00)

#### **DMR Copy of Record**

	copy of Moodia																		
Permit																			
Permit #: IL0029343		Permittee:		KEWAI	KEWANEE, CITY OF			Faci	Facility:		KEWANEE STP								
Major: Yes		Permittee Address:			401 EAST THIRD STREET KEWANEE, IL 61443			Faci	Facility Location:		194 FISCHER AVENUE KEWANEE, IL 61413								
Permitted Feature: 001 External Outfall			Disch	arge:		<b>001-S</b> SEMI <i>A</i>	NNUAL S	SAMPLING	@ 001		'								
Report	Dates & Status				ı														
Monitor	ring Period:	From 09/01/	20 to 12/31/20		DMR	Due Date:		01/25/2	21				Stat	us:		NetD	MR Vali	idated	
Conside	erations for Form Comple	etion											,						
Principa	al Executive Officer				_														
First Na	ıme:	Stanley			Title:			Chief C	perator				Tele	phone:		309-8	852-2789	9	
Last Na	me:	Bockewitz																	
No Data	a Indicator (NODI)																		
Form No		-																	
Code	Parameter Name		Monitoring Location	Season #	Param. NOD	1		uantity or Load lue 1 Qualifier		Inits Qualifie	r 1 Value 1 Qua		Concentra  2 Qualifier		Units	# of E	x. Freque	ency of Analys	sis Sample Typ
						Sample							<	5.0	19 - mg/L		09/99 -	- See Permit	GR - GRAB
00556	Oil & Grease		1 - Effluent Gross	0		Permit Req								Req Mon DAILY M	K 19 - mg/L	0	09/99 -	- See Permit	GR - GRAB
						Value NOD									"			0 5 1	22 2212
00700	Cuanida tatal Ina CNI		4 Fillment Cross	0		Sample Permit Req							<	5.0 Req Mon DAILY M	28 - ug/L X 28 - ug/L			- See Permit - See Permit	GR - GRAB GR - GRAB
00720 Cyanide, total [as	Cyanide, total [as CN]		1 - Effluent Gross	U		Value NOD								·		U			
						Sample							<	5.0	28 - ug/L		09/99 -	- See Permit	GR - GRAB
00722	Cyanide, free [amen. to ch	lorination]	1 - Effluent Gross	0		Permit Req								Req Mon DAILY M	X 28 - ug/L	0	09/99 -	- See Permit	GR - GRAB
						Value NOD													
						Sample							=	1.03	19 - mg/L			See Permit	24 - COMP2
00951	Fluoride, total [as F]		1 - Effluent Gross	0		Permit Req								Req Mon DAILY M.	19 - mg/L	0	09/99 -	- See Permit	24 - COMP2
						Sample							<	0.001	19 - mg/L		09/99 -	- See Permit	24 - COMP2
01002	Arsenic, total [as As]		1 - Effluent Gross	0		Permit Req								Req Mon DAILY M				- See Permit	24 - COMP2
						Value NOD	ı												
						Sample							=	0.055	19 - mg/L			- See Permit	24 - COMP2
01007	Barium, total [as Ba]		1 - Effluent Gross	0		Permit Req								Req Mon DAILY M	K 19 - mg/L	0	09/99 -	See Permit	24 - COMP2
						Value NOD								0.004	10 "		20/22	0 5 ;	04 001400
01027	Cadmium, total [as Cd]		1 - Effluent Gross	0		Sample Permit Req							<	0.001 Req Mon DAILY M	19 - mg/L K 19 - mg/L			See Permit See Permit	24 - COMP2 24 - COMP2
01027	Caumum, total [as Cu]		1 - Lilidelit Gloss	0		Value NOD										U			
						Sample							<	0.005	19 - mg/L		09/99 -	- See Permit	GR - GRAB
01032	Chromium, hexavalent [as	Cr]	1 - Effluent Gross	0		Permit Req								Req Mon DAILY M	X 19 - mg/L	0	09/99 -	- See Permit	GR - GRAB
						Value NOD													
						Sample Permit Req							<	0.004 Req Mon DAILY M	19 - mg/L			See Permit See Permit	24 - COMP2 24 - COMP2
01034	Chromium, total [as Cr]		1 - Effluent Gross	0		Value NOD								red Mon Byte i M.	t 13 mg/L	0	03/33	Occ i cillin	24 OOWI 2
						Sample							<	0.003	19 - mg/L		09/99 -	- See Permit	24 - COMP2
01042	Copper, total [as Cu]		1 - Effluent Gross	0		Permit Req								Req Mon DAILY M				- See Permit	24 - COMP2
						Value NOD													
						Sample							=	0.037	19 - mg/L			- See Permit	24 - COMP2
01045	Iron, total [as Fe]		1 - Effluent Gross	0		Permit Req								Req Mon DAILY M	X 19 - mg/L	0	09/99 -	- See Permit	24 - COMP2
						Value NOD Sample								0.039	19 - mg/L		00/00	- See Permit	24 - COMP2
01046	Iron, dissolved [as Fe]		1 - Effluent Gross	0		Permit Req							=	Req Mon DAILY M				- See Permit	24 - COMP2 24 - COMP2
010-10	5.1, 4.0001104 [43 1 6]		. Lindon Gross	v		Value NOD										J			
						Sample							<	0.001	19 - mg/L			See Permit	24 - COMP2
01051	01051 Lead, total [as Pb]		1 - Effluent Gross	0		Permit Req								Req Mon DAILY M	X 19 - mg/L	0	09/99 -	- See Permit	24 - COMP2
						Value NOD													

01055	Manganese, total [as Mn]	1 - Effluent Gross	0	 Sample Permit Req. Value NODI	<	0.001 1 Req Mon DAILY MX 1	9 - mg/L 9 - mg/L	09/99 - See Perm 09/99 - See Perm	
01067	Nickel, total [as Ni]	1 - Effluent Gross	0	 Sample Permit Req. Value NODI	<	0.005 1 Req Mon DAILY MX 1	9 - mg/L 9 - mg/L	09/99 - See Perm 09/99 - See Perm	
01077	Silver, total [as Ag]	1 - Effluent Gross	0	 Sample Permit Req. Value NODI	<	0.003 1 Req Mon DAILY MX 1	9 - mg/L 9 - mg/L	09/99 - See Perm 09/99 - See Perm	
01092	Zinc, total [as Zn]	1 - Effluent Gross	0	 Sample Permit Req. Value NODI	=	0.024 1 Req Mon DAILY MX 1	9 - mg/L 9 - mg/L	09/99 - See Perm 09/99 - See Perm	
01147	Selenium, total [as Se]	1 - Effluent Gross	0	 Sample Permit Req. Value NODI	<	0.001 1 Req Mon DAILY MX 1	9 - mg/L 9 - mg/L	09/99 - See Perm 09/99 - See Perm	
32730	Phenolics, total recoverable	1 - Effluent Gross	0	 Sample Permit Req. Value NODI	<	0.005 1 Req Mon DAILY MX 1	9 - mg/L 9 - mg/L	09/99 - See Perm 09/99 - See Perm	
71900	Mercury, total [as Hg]	1 - Effluent Gross	0	 Sample Permit Req. Value NODI	<	0.5 3 Req Mon DAILY MX 3	M - ng/L M - ng/L	09/99 - See Perm 09/99 - See Perm	

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors** 

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

KEWANEE, CITY OF

User: bockinc1992

Name: Stanley Bockewitz
E-Mail: stanb@bockinc.net

Date/Time: 2021-01-13 14:28 (Time Zone: -06:00)

Report Last Signed By

User: bockinc1992
Name: Stanley Bockewitz
E-Mail: stanb@bockinc.net

Date/Time: 2021-01-19 09:59 (Time Zone: -06:00)

#### **DMR Copy of Record**

E-Mail:

Date/Time:

stanb@bockinc.net

2021-01-19 10:06 (Time Zone: -06:00)


Permit IL0029343 KEWANEE, CITY OF Facility: KEWANEE STP Permit #: Permittee: Yes 401 EAST THIRD STREET **Facility Location:** 194 FISCHER AVENUE Major: Permittee Address: KEWANEE, IL 61443 KEWANEE, IL 61413 Permitted Feature: INF Discharge: INF-L Internal Outfall INFLUENT MONITORING Report Dates & Status **DMR Due Date:** Status: **Monitoring Period:** From 12/01/20 to 12/31/20 01/25/21 **NetDMR Validated Considerations for Form Completion** Principal Executive Officer Telephone: First Name: Stanley Title: **Chief Operator** 309-852-2789 Last Name: Bockewitz No Data Indicator (NODI) Form NODI: Season # Param. NODI **Quality or Concentration** # of Ex. Frequency of Analysis Sample Type Monitoring Location Quantity or Loading Qualifier 1 Qualifier 2 Units Qualifier 1 Value 1 Qualifier 2 Value 2 Qualifier 3 Value 3 Units Code CP - COMPOS Sample 19 - mg/L 01/07 - Weekly 19 - mg/L <sub>0</sub> CP - COMPOS Reg Mon MO AVG 01/07 - Weekly Permit Req. 00310 BOD, 5-day, 20 deg. C G - Raw Sewage Influent 0 Value NODI 140.0 19 - mg/L 01/07 - Weekly CP - COMPOS Sample 19 - mg/L <sub>0</sub> Permit Req. Reg Mon MO AVG 01/07 - Weekly CP - COMPOS 00530 Solids, total suspended G - Raw Sewage Influent 0 Value NODI Sample 2.780433 4.961633 03 - MGD 99/99 - Continuous Req Mon DAILY MX 03 - MGD Req Mon MO AVG 99/99 - Continuous Permit Req. 50050 Flow, in conduit or thru treatment plant G - Raw Sewage Influent 0 Value NODI If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type. **Edit Check Errors** No errors. Comments Attachments No attachments. Report Last Saved By KEWANEE, CITY OF bockinc1992 User: Stanley Bockewitz Name: E-Mail: stanb@bockinc.net Date/Time: 2021-01-19 09:59 (Time Zone: -06:00) Report Last Signed By User: bockinc1992 Stanley Bockewitz Name:


Kewanee, Illinois
Wastewater Treatment Plant
Twelve Month Moving Average Report
Submitted by
Bock Inc.


		Influent - Daily	Total	Total
		Average Flow	Electrical Usage	Rainfall
Date		(gallons per day)	(kilowatt hours)	(inches)
		(ganono per day)	(Micwall Flours)	(
1	January 2020	4,477,482	192,000	3.40
- '		1,111,102	102,000	0.10
2	February 2020	4 641 640	172 900	0.62
		4,641,649	172,800	0.02
	March	4 440 700	457.000	0.54
3	2020	4,449,766	157,200	2.54
	April			
4	2020	4,348,751	166,800	3.43
	May			
5	2020	4,845,807	170,400	4.47
	June			
6	2020	2,846,779	156,000	1.75
	July			
7	2020	2,415,542	153,600	4.22
	August	, ,	,	
8	2020	1,778,268	144,000	0.58
Ŭ		1,170,200	111,000	0.00
9	September 2020	3,632,466	154,800	7.60
9		3,032,400	134,000	7.00
40	October	0.407.047	450 400	4.00
10	2020	2,187,817	152,400	1.88
	November	0.404.045	4=4.000	
11	2020	2,421,913	154,800	2.59
	December			
12	2020	2,780,433	170,400	2.46
	Total	40,826,673	1,945,200	35.54
	Average	3,402,223	162,100	2.96
	Average	3,402,223	162,100	2.96

The Plant Design Average Flow is 2,000,000 Gallons per Day.

The Plant <u>Design Maximum Flow is</u> 5,000,000 Gallons per Day.







#### Division of Water Pollution Control Sludge Management Report Form

Year <u>2020</u>	Reporting Period (Check One)		☐ January 1 - June 30 ☐ July 1 - December 31		
	(Officer Offic)		El July 1 - December 31		
NAME OF SLUDGE GENERATOR: City of	Kewanee STP 401 Ea	st Third Street Kew	vanee, Illinois 61443		
NPDES PERMIT NUMBER: IL0029343					
Indicate the Volume (cubic yards or gall Disposed During the Above Reporting Period	ons) <u>and</u> the Numbe od:	er of <u>DRY TONS</u>	of Sludge Generated and		
,					
	<u>SEMI-ANNUAI</u> (Cubic Yards)	<u>L QUANTITY</u>	ANNUAL QUANTITY*		
	(OR GALLONS)	(DRY TONS)	(DRY TONS ONLY)		
QUANTITY OF SLUDGE GENERATED:	4,052,017 Gallons	175.5 Tons	315.5 Tons		
QUANTITY OF SLUDGE DISPOSED:					
Agricultural Land Application	480,000 Gallons	68.1 Tons	68.1 Tons		
Dedicated Land Disposal					
Disturbed Land Reclamation		5.4			
Horticultural (Sod farms, etc.)					
Landfill Utilization as Intermediate or Final Cover Landfill Waste Disposal					
Public Distribution		***************************************			
Storage Facility for Dewatered Sludge	#11		Annual Control of the		
Storage Lagoon	500 400 Online	04.0 7			
Other (Specify)	589,466 Gallons	94.3 Tons	167.2 Tons		
Sludge Hauler Name(s):					
Disposal Site Name(s):**			* 1, 2,		
*If this is the July 1 through December 31 r disposed during the preceding January thro **For Landfill Disposal Only	eport, also indicate ab ugh December.	pove the <u>DRY TON</u>	S of Sludge generated and		
Signature Stanly Boland	Date	Title	Operator - in - Charge		
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	nley Bockewitz		. (309) 852-2789		
The report shall be signed by a person that fulfills the requirements of Section 309.103(e) of Subtitle C: Water Pollution)					

This Agency is authorized to require this information under Illinois Revised Statutes, 1979, Chapter 111 ½, Section 1042. Disclosure of this information is required. Failure to do so may result in a civil penalty up to \$10,000.00 per day of violation or a fine up to \$25,000.00 per day of violation and imprisonment up to one year. This form has been approved by the Forms Management Center.



CITY OF KEWANEE CITY COUNCIL AGENDA ITEM					
MEETING DATE	January 25, 2021				
RESOLUTION OR ORDINANCE NUMBER	Resolution # 5269				
AGENDA TITLE	Awarding demolition cor buildings located at 114	ntract for the demolition of the N. Vine St.			
REQUESTING DEPARTMENT	Community Development				
PRESENTER	Keith Edwards, Director	of Community Development			
FISCAL INFORMATION	Cost as recommended:	\$7350.00			
	Budget Line Item:	01-65-595			
	Balance Available	\$8996.10			
	New Appropriation Required:	[] Yes [X] No			
PURPOSE	To award a contract to Kirk Dana of Dana Construction to demolish all buildings on the lot located at 114 N. Vine St.				
BACKGROUND	Inspections of the property and buildings located at 114 N. Vine St. provided enough evidence to execute the Fast-Track (NON-JUDICIAL) Demolition pursuant to 65 ILCS 5/11-31-1(e). As result of this Non-Judicial Demolition Process, the Director of Community Development has acquired the right to demolish the all buildings located at 114 N. Vine St. A Request For Proposal was drafted and published with a bid due date of January 20, 2021.				
SPECIAL NOTES	This project includes the removal of the dead tree located in the front yard.				
ANALYSIS	Two bids were received on January 20, 2021.	and opened by the City Clerk			





PUBLIC INFORMATION PROCESS	All legal processes required pursuant to 65 ILCS 5/11-31-1(e) to obtain the right for demolition were followed.
	Notice for the Request For Proposal was published in the Star Courier.
BOARD OR COMMISSION RECOMMENDATION	N/A
STAFF RECOMMENDATION	Staff recommends granting the contract for this demolition to Dana Construction.
PROCUREMENT POLICY VERIFICATION	
REFERENCE DOCUMENTS ATTACHED	Scope of Work for 114 N Vine St, Copies of the submitted bids.



Phone 309-852-2611, Ext. 222 Fax 309-856-6001

January 5, 2021

# Scope of Work Demolition of Building and related work at 114 N. Vine St.

Bids will be accepted by the City of Kewanee prior to 10:00 a.m., January 20, 2021 for the demolition of the building and related work located at the following address:

114 N. Vine St., Kewanee, IL, legally described as:

LOT 5 SULTZERS SUB OF BLK 17 BLISH ADD CITY OF KEWANEE [EZ], situated in the County of Henry and State of Illinois.

P.I.N.: 20-33-279-018

A bid bond or certified check for an amount equal to 10% of the total value of the bid must accompany said bid.

#### **Please note Special Provisions:**

This demolition will be utilizing Illinois State grant money. The Contractor shall be required to pay all laborers, workmen, and mechanics, performing work under the winning bidder's contract with the City, a rate of pay which is not less than the prevailing wage rate as found by the City of Kewanee or the Department of Labor as determined by the Court of Review.

It is understood and agreed that the award will be made to the lowest responsible bidder who submits the proposal that provides the City, in its opinion, the best value for the lump sum cost proposed.

Bidders must comply with the City of Kewanee Code of Ordinances Sections §150.075 - 150.081, Demolition of Buildings, which is available at City Hall. This includes providing proof of public liability insurance in the sum of \$50000.00 as required by §150.076.

Only clean debris permitted by the Illinois Environmental Protection Act section 3.160.b may be used as fill material. This means only uncontaminated broken concrete without protruding metal bars, bricks, rock, stone or soil generated from construction or demolition activities. The property MUST be inspected by the Director of Community Development after waste material has been removed and BEFORE filling of the basement or any other voids in the ground resulting from demolition. FAILURE to have the property inspected after removal of waste material will result in the contractor to excavate the property at the contractor's expense to allow for the inspection and approval of the City. The City may require an inspection of the fill material prior to it being placed in the ground as the City's discretion.



Phone 309-852-2611, Ext. 222 Fax 309-856-6001


Demolition debris shall be disposed of in accordance with all applicable ordinances, statutes and regulations both state and federal, including but not limited to the IEPA, and EPA regulations which pertain to the manner of demolition and type of refuse as well as the type of structure being demolished. All waste material shall be disposed of off-site. Weigh tickets for dumping of the debris at a lawful site shall be provided. No demolition debris shall be deposited at the Kewanee Solid Waste Transfer Station.

All work is to be completed in accordance with 65 ILCS 5/11-31-1(e) Fast-Track (Non-Judicial) Demolition and must be completed no later than April 3, 2021 after receiving notice to proceed from the City. Should the Contractor fail to perform all work by the expiration of this deadline, the Contractor acknowledges that they may be deemed an "irresponsible bidder" for the purpose of future bidding opportunities and potentially disqualified from bidding as such.

# THE CONTRACTOR IS RESPONSIBLE FOR CALLING JULIE (ILLINOIS ONE-CALL SYSTEM) TO ACQUIRE A DIG NUMBER PRIOR TO COMENCING WORK.

The work consists of:


- 1. Demolish the existing house and garage on the site.
- 2. Remove large dead tree in front yard.
- 3. Remove bushes along the front porch.
- 4. Remove remaining part of tree at North side of the back yard.
- 5. Remove driveway, private sidewalks and all other concrete pads on the site.
- 6. \*Remove and properly dispose of all rubbish, brush and debris located on the lot and in, and around, the buildings.
- 7. \*Remove all trees and vegetation around perimeter of the foundations of house and garages.
- 8. \*Break apart all foundation parts for all buildings. Clean brick or concrete can be used to fill the basement of the house. All other must be removed.
- 9. \*Demolition debris shall be disposed of in accordance with all applicable ordinances, statutes and regulations both state and federal, including but not limited to the IEPA and EPA regulations which pertain to the manner of demolition and type of refuse as well as the type of structure being demolished. All waste material shall be disposed of off-site. Weigh tickets for dumping of the debris at a lawful site shall be provided. No demolition debris shall be deposited at the Kewanee Solid Waste Transfer Station.





Phone 309-852-2611, Ext. 222 Fax 309-856-6001

- 10. \*The property MUST be inspected by the Director of Community Development after waste material has been removed and BEFORE filling of the basement or any other voids in the ground resulting from demolition. FAILURE to have the property inspected after removal of waste material will result in the contractor to excavate the property at the contractor's expense to allow for the inspection and approval of the City.
- 11. \*Provide a uniformly sloped surface, matching existing ground contours, after removing the buildings. Final layer of fill material to be clean topsoil free from clumps, stones, sticks, asphalt, bricks, or debris. Topsoil shall be applied in a layer a minimum of 12 inches thick. Said topsoil shall be capable of supporting turf grass growth. Seeding to be completed by the contractor. Failure to do so will result in the contractor removing and replacing the material at the contractor's expense.
- 12. \*Install mortar plug in the existing sanitary sewer service lateral at the property line. The inspection of the plugged sewer must be inspected by the City of Kewanee Director of Community Development or Public Works Coordinator. Failure to have this inspection will result in the contractor to excavate the site at the contractor's expense to allow for the inspection and approval of the City.
- 13. \*The City of Kewanee will obtain the required permits and cause the various utilities to be disconnected.





Phone 309-852-2611, Ext. 222 Fax 309-856-6001

#### **CITY OF KEWANEE**


Request for Demolition Bids

The City of Kewanee is seeking bids for the demolition of the building and related work located at **114 N. Vine St.** in Kewanee. Bidders must comply with the City of Kewanee Code of Ordinances Sections 150.075 - 150.081, Demolition of Buildings, which is available at City Hall. Only clean debris permitted by the Illinois Environmental Protection Act section 3.160.b may be used as fill material. This means only uncontaminated broken concrete without protruding metal bars, bricks, rock, stone or soil generated from construction or demolition activities. The work consists of demolishing the existing building on the site and disposing of the demolition debris in a legal manner. Provide a level surface upon completion. Perform other related work as indicated in the scope of work. All work is to be completed in accordance with 65 ILCS 5/11-31-1(e) Fast-Track (Non-Judicial) Demolition and must be completed no later than April 3, 2021 after receiving notice to proceed from the City. Should the Contractor fail to perform all work by the expiration of this deadline, the Contractor acknowledges that they may be deemed an "irresponsible bidder" for the purpose of future bidding opportunities and potentially disqualified from bidding as such.

Complete copies of the specifications for this demolition work are available at the City Clerk's Office, 401 E. Third Street, Kewanee, IL 61443.

Bids must be submitted, on the Proposal Forms provided, to the City Clerk, City Hall, 401 E. Third Street, Kewanee, IL, 61443-2365 in sealed envelopes marked "DEMOLITION BID 114 N. Vine St.". A bid bond or certified check for an amount equal to 10% of the total value of the bid must accompany said bid. Bids must be received by 10:00 AM on January 20, 2021 and will be opened at that time. Once the City enters into an agreement with a bidder the bid bond of unsuccessful bidders will be returned. The City of Kewanee reserves the right to reject any or all bids and to waive irregularities.

It is understood and agreed that the award will be made to the lowest responsible bidder who submits the proposal that provides the City, in its opinion, the best value for the lump sum cost proposed.





Phone 309-852-2611, Ext. 222 Fax 309-856-6001

#### **PROPOSAL**

To the City Clerk, City of Kewanee, Illinois:

The undersigned, having become familiar with the local conditions affecting the cost of the work and with the scope of work including the advertisement for the RFP, and specifications on file in the office of the City Clerk of the City of Kewanee, hereby proposes to perform everything required to be performed and to provide and furnish all of the labor, materials, necessary tools, expendable equipment, and all transportation services necessary to perform and complete in a workmanlike manner all of the work required for the Demolition and related work at <a href="https://linewidth.org

Item	Unit	Description				
1	Lump Sum	Demolition and related work at 114 N. Vine St.				
Total Price (in Writing)			Total Price (in numbers)			

It is understood and agreed that the award will be made to the lowest responsible bidder who submits the proposal that provides the City, in its opinion, the best value for the lump sum cost proposed.

In submitting this proposal, it is understood that the right is reserved by the City to reject any and all proposals. It is agreed that this proposal may not be withdrawn for a period of thirty (30) days from the opening thereof.

Official Address				



Community Development Department 401 E Third St Kewanee, IL. 61443

Everything You Need!

Phone 309-852-2611, Ext. 222 Fax 309-856-6001

#### **PROPOSAL**

To the City Clerk, City of Kewanee, Illinois:

The undersigned, having become familiar with the local conditions affecting the cost of the work and with the scope of work including the advertisement for the RFP, and specifications on file in the office of the City Clerk of the City of Kewanee, hereby proposes to perform everything required to be performed and to provide and furnish all of the labor, materials, necessary tools, expendable equipment, and all transportation services necessary to perform and complete in a workmanlike manner all of the work required for the Demolition and related work at <a href="https://linewidth.org

Item	Unit	Description					
1	Lump Sum	Demolition and related work at 114 N. Vine St.					
Total Pric	ice (in Writing)		Total Price (in numbers)				
Seven thousand three hundred fifty dollars \$7,350,00							

It is understood and agreed that the award will be made to the lowest responsible bidder who submits the proposal that provides the City, in its opinion, the best value for the lump sum cost proposed.

In submitting this proposal, it is understood that the right is reserved by the City to reject any and all proposals. It is agreed that this proposal may not be withdrawn for a period of thirty (30) days from the opening thereof.

Firm Name

By Kirk Dana

Title

Official Address



Community Development Department 401 E Third St Kewanee, IL. 61443

Everything You Need!

Phone 309-852-2611, Ext. 222 Fax 309-856-6001

#### **PROPOSAL**

To the City Clerk, City of Kewanee, Illinois:

The undersigned, having become familiar with the local conditions affecting the cost of the work and with the scope of work including the advertisement for the RFP, and specifications on file in the office of the City Clerk of the City of Kewanee, hereby proposes to perform everything required to be performed and to provide and furnish all of the labor, materials, necessary tools, expendable equipment, and all transportation services necessary to perform and complete in a workmanlike manner all of the work required for the Demolition and related work at <a href="https://linewidth.com/1141/">114 N. Vine St.</a>, for the sum set forth in the following bidding schedule. Said work shall be completed no later than April 3, 2021. Should the Contractor fail to perform all work by the expiration of this deadline, the Contractor acknowledges that they may be deemed an "irresponsible bidder" for the purpose of future bidding opportunities and potentially disqualified from bidding as such.

Item	Unit	Description				
1	Lump Sum	Demolition and related work at 114 N. Vine St.				
Total P	rice (in Writing)	Total Price (in numbers)				
Te	nThousan	d dollars & NO/100	\$10,000,00			

It is understood and agreed that the award will be made to the lowest responsible bidder who submits the proposal that provides the City, in its opinion, the best value for the lump sum cost proposed.

In submitting this proposal, it is understood that the right is reserved by the City to reject any and all proposals. It is agreed that this proposal may not be withdrawn for a period of thirty (30) days from the opening thereof.

Firm Name

Title C

Official Address

Kewanee, IL 61443

#### RESOLUTION NO. 5269

A RESOLUTION TO AWARD DEMOLITION WORK AT 114 N. VINE ST. TO KIRK DANA CONSTRUCTION, AND DECLARING THAT THIS RESOLUTION SHALL BE IN FULL FORCE IMMEDIATELY.

- WHEREAS, The City of Kewanee acquired the right to demolish the buildings located at 114 N. Vine St. pursuant to 65 ILCS 5/11-31-1(e) Fast-Track (NON-JUDICIAL) Demolition; and,
- WHEREAS, The Kewanee City Council finds it in the best interest of the City to remove the dilapidated building located on the land at 114 N. Vine St.; and,
- WHEREAS, City of Kewanee staff advertised for, and solicited, sealed lump sum bids for demolition of the building, and related work at 114 N. Vine St. in Kewanee; and,
- WHEREAS, Two firms submitted a bid, and they were opened by the City Clerk at 10:00 a.m., on January 20, 2021; and,
- WHEREAS, The bids received were:

114 N Vine St Demolition

TT TT. THE St. Bellionition					
Firm	Bid				
Kirk Dana Construction	\$7350.00				
Ratliff Bros. & Co., Inc.	\$10000.00				

WHEREAS, City staff has recommended that the demolition work at 114 N. Vine St. be awarded to Kirk Dana Construction.

NOW THEREFORE BE IT RESOLVED, BY THE COUNCIL OF THE CITY OF KEWANEE THAT:

- Section 1 The bid of Kirk Dana Construction of Kewanee as shown above, is hereby accepted, and the City Manager is authorized to sign the necessary documents in order to have Kirk Dana Construction complete the demolition and related work at 114 N. Vine St., in full compliance with the project documents prepared by City of Kewanee staff, and all applicable rules and regulations.
- Section 2 This Resolution shall be in full force and effect immediately upon its passage and approval as provided by law.

Adopted by the Council of the City of Kewane	e, Illinois this 25 <sup>th</sup> day of January 2021.
ATTEST:	
Rabecka Jones, City Clerk	Gary Moore, Mayor

RECORD OF THE VOTE	Yes	No	Abstain	Absent
Mayor Gary Moore				
Councilmember Michael Komnick				
Councilmember Steve Faber				
Councilmember Chris Colomer				
Councilmember Michael Yaklich				

#### ORDINANCE NO. 5270

AN ORDINANCE TO DECLARE A CERTAIN VEHICLE AND EQUIPMENT EXCESS AND NO LONGER REQUIRED IN THE OPERATIONS OF THE CITY OF KEWANEE AND DIRECTING THE CITY MANAGER TO DISPOSE OF SAME, AND DECLARING THAT THIS ORDINANCE SHALL BE IN FULL FORCE IMMEDIATELY.

WHEREAS, The City Manager finds, subsequent to the recommendation of the Chief of Police, the Fire Chief, and the Operations Manager, that the excess vehicles and equipment shown below are no longer necessary or useful to, or for the best interests of the City and its operations, and are considered excess; and,

WHEREAS, The items determined to be declared excess are:

Year	Make/Model	VIN #/Serial #	
2005	Saturn Ion	1G8AG52F25Z150221	
2006	Mercedes-Benz	WDBUF87JX6X200041	
2008	Dodge Charger	2B3KA43G18H244920	
2008	Ford Crown Vic	2FAFP71V88X166553	
2010	Ford Crown Vic	2FABP7BV2AX132515	
1994	International 4900 Dump Box	1HTSDAAN5SH636403	
2000	International 4900 Leach Garage Body	1HTSDAAN51H391357	
2002	International 4400	3HTMRAAN7M3N584077	
1990	GMC C30 Stake Bed	1GDHR34K6KF703183	
1997	Ford F-250 4x4	3FTHF26H5VMA52593	
2007	Pelican Street Sweeper	P5056D	
2006	Ford E-350 AEV Ambulance	1FDWE35P16HA43352	
2001	Ford E-450 MedTec Ambulance	1FDXE45F41HA36180	
1990	Spartan DS26-2042 Pumper Fire Engine	4S7PT9S03LC002852	
N/A	John Deer X495 AWS Diesel Tractor	MOX495G040390	

N/A	John Deere 430 Diesel Tractor	M00430X100874
N/A	John Deere 314 Tractor	MOO314X223533
N/A	John Deer Zero Turn Z910A	1TC910AALBT020433

# NOW THEREFORE BE IT ORDAINED, BY THE KEWANEE CITY COUNCIL, IN COUNCIL ASSEMBLED, AS FOLLOWS:

- Section 1 The vehicles listed above are hereby declared to be excess property of the City of Kewanee, and the City Manager, or designee, is authorized to execute any documents necessary to transfer ownership of said excess property.
- The City Manager, or designee, is hereby authorized to solicit bids, whether they be sealed bids, bids at public auction, or bids via electronic methods, on the items listed above. All proper commissions charged by any third party to list or sell any given item shall be deducted from the proceeds of the sale of the vehicles. The City reserves the right to reject any or all bids, or to retain the vehicles at its discretion, or to dispose of the vehicle for scrap value if not deemed appropriate for sale.
- Section 3 This Ordinance shall be in full force and effect immediately upon its passage and approval as provided by law.

PASSED by the Kewanee, Illinois City Council, this 25th day of January, 2021.

ATTEST:	
Rabecka Jones, City Clerk	Gary Moore, Mayor

RECORD OF THE VOTE	Yes	No	Abstain	Absent
Mayor Gary Moore				
Council Member Steve Faber				
Council Member Michael Komnick				
Council Member Michael Yaklich				
Council Member Chris Colomer	•			