

AGENDA FOR CITY COUNCIL MEETING Council Chambers 401 E Third Street Kewanee, Illinois 61443 Closed Session starting at 6:00 p.m. Open Meeting starting at 7:00 p.m. Tuesday, October 11, 2016

Posted by 5:00 p.m., October 7, 2016

- 1. Call to Order
- 2. Closed Session pursuant to Section 2(c)(1) of the Open Meetings Act to discuss personnel, Section 2(c)(2) to discuss collective bargaining and Section 2(c)(11) to discuss Pending Litigation.
- 3. Pledge of Allegiance
- 4. Consent Agenda
  - a. Approval of Minutes
  - b. Payroll
  - c. Staff Reports Code Enforcement, ESDA, Bock, Inc., Public Works
- 5. Presentation of Bills and Claims
- 6. Citizen Participation
- 7. Business:
  - a. Presentation and Acceptance of Fiscal Year 2015/2016 Municipal Audit.
  - b. **Consideration of an Ordinance** amending Chapter 155.086 Discontinuance of Use in regards to nonconforming use buildings.
  - c. **Consideration of a Resolution** amending the Fiscal Year 2016/2017 municipal budget as it relates to Tax Increment Financing expenditures and Fire Department equipment.
  - d. Consideration of an Ordinance declaring as excess certain fire hose.
  - e. Consideration of a Resolution amending the employment contract with City Manager Gary Bradley.
  - f. Discussion of Community and Economic Development Incentive Policies.
  - g. Proclamation declaring October 2016 as Domestic Violence Awareness Month
  - h. **Proclamation** declaring October 9-15, 2016 as Fire Prevention Week
- 8. Council Communications:
- 9. Announcements:
- 10. Adjournment



### MEMORANDUM

- **Date**: October 7, 2016
- **From**: Gary Bradley, City Manager
- To: Mayor & Council

RE: Council Meeting of Tuesday, October 11, 2016

## CLOSED MEETING AT 6:00 P.M. REGULAR MEETING AT 7:00 P.M.

- 1. **RFP's/RFQs** The City received 3 proposals for banking services and 13 Statements of Qualifications for on-call engineering services. Staff is reviewing the submittals and will be making recommendations for your consideration soon.
- 2. **Billboard** The billboard on I-80 is up. I haven't had a chance to get up there and see it yet, but will soon. I know the image and artwork that went into it looked great when they were in mock-up form.
- 3. **Newsletters** Newsletters hit mailboxes today and they look really good. Topics include our attempts to change the culture, the new website, our efforts for grounds maintenance (including the Cemetery), information about Community and Economic Development, stormwater maintenance, property maintenance, the new K-9, the new Fire Chief, and the City-wide clean up.
- 4. **Marketing** We're almost done with some great marketing materials for attracting retail. The International Council of Shopping Centers regional conference is coming up in Chicago on the 19<sup>th</sup> and 20<sup>th</sup> and the City will be handing the materials out there. I also have a meeting with Les Cohen while I'm there to talk about the future of the Midland Plaza and its potential redevelopment.
- 5. **Enterprise Zone** The consultant will be here next Wednesday to kick off the application process. They are already working with the County's GIS system for putting together some of the mapping and will lay out a schedule for the completion of the application in a timely manner.
- 6. **Methanol Plant** I'll be in a meeting with the City of Annawan, the County, and the State next week on the 13<sup>th</sup> with a company that is considering the site as a location for the construction of a new methanol plant. The facility would be similar in scale to the ethanol plants, and would have similar numbers in terms of investment and job creation.
- 7. **City-wide Cleanup** Our first such event is scheduled for Saturday, October 15<sup>th</sup>. I'm not sure what kind of turnout to expect, but with information about the event on the radio, in the paper, and on the newsletter, I'm optimistic that it will be a success.

401 E. 3rd St. Kewanee, Illinois 61443 P: 309-852-2611 F: 309-856-6001 www.cityofkewanee.net City Manager Gary Bradley

- 8. **TIF Application** The City received a TIF application today from Dan Carrington for 118 W. 2<sup>nd</sup> Street. Staff will review the application and then forward it to our TIF Consultants for their review and recommendation. Once that is completed, it will be forwarded to you for your consideration.
- 9. **Department of Corrections** The City is working with the Department of Corrections on a recruitment effort to help fill vacancies at the facilities with local residents.

## COUNCIL MEETING 16-19 SEPTEMBER 26, 2016

The City Council met in Council Chambers at 6:00 PM with the Mayor calling the meeting to order and the following answering to roll call:

Andy Koehler	Council Member
Mike Yaklich	Council Member
Kellie Wallace-McKenna	Council Member
Deann Schweitzer	Council Member
Steve Looney	Mayor

Council Member Schweitzer moved to adjourn to executive session at 6:01 PM pursuant to Section 2 (C) (1) of the Open Meetings Act for the purpose of discussing personnel. Council Member Wallace-McKenna seconded the motion. Roll call showed 5 ayes, no nays. The motion passed.

The executive session was adjourned at 6:25 PM on a motion made by Council Member Schweitzer and seconded by Council Member Wallace-McKenna. Roll call showed 5 ayes, no nays. The motion passed.

Council Meeting #16-19 reconvened at 7:00 PM with Mayor Looney stating the Council is reconvening following an executive session discussion concerning personnel.

News media present were as follows:

Mike Berry

Star Courier

The Pledge of Allegiance was said.

Mayor Looney asked for a moment of silence for our troops still fighting overseas.

Mayor Looney explained that the next items were placed on the consent agenda and were considered to be routine in nature to be passed as a whole with one vote of the Council. Mayor Looney requested that any member of the Council or the audience wishing to have an item removed from the consent agenda for individual consideration to make the request and the item would be removed and considered following the approval of the remaining consent items. The consent agenda included minutes from the September 12, 2016 Council Meeting, payroll for the pay period ending September 17, 2016 of \$219,264.98, and department head reports from Finance & Administration. The consent agenda items were approved on a motion made by Council Member Wallace-McKenna and seconded by Council Member Koehler. Roll call showed 5 ayes, no nays. The motion passed.

Bills submitted for approval totaling \$187,186.92 were approved on a motion made by Council Member Schweitzer and seconded by Council Member Yaklich. Council Member Koehler questioned the message on the billboard. City Manager Bradley reported that there had been three messages on the billboard. He would provide a copy to Council of the artwork for the most recent billboard. Council Member Yaklich questioned the soil testing invoice. City Clerk Edwards explained that the soil testing was for the farmland where the sludge was applied. Council Member

Yaklich also asked about the storm inlet repairs. City Manager Bradley advised that the storm inlet repairs were in conjunction with the street program. Roll call showed 5 ayes, no nays. The motion passed.

#### **CITIZEN PARTICIPATION**

Mayor Looney asked if anyone wished to speak. There being no such requests Mayor Looney moved on to new business.

#### **NEW BUSINESS**

Resolution #5001 to authorize a communications facilities franchise agreement with Mobilitie, LLC was approved on a motion made by Council Member Yaklich and seconded by Council Member Schweitzer. City Manager Bradley reviewed the highlights of the agreement, followed by a brief discussion with Council Members. Roll call showed 5 ayes, no nays. The motion passed.

Resolution #5002 authorizing the Mayor to execute an agreement with Henry County and Economic Development Resources LLC for economic development consulting services was approved on a motion made by Council Member Yaklich and seconded by Council Member Schweitzer. City Manager Bradley reported that he had a conference call with the ethanol plant developers, who had decided to split the cost for the agreement between them resulting in no cost to the city for the services of Economic Development Resources LLC. Roll call showed 5 ayes, no nays. The motion passed.

Resolution #5003 authorizing the Mayor to execute an agreement with Kewanee Park District in regards to sewer usage at the Aquatic Center was approved on a motion made by Council Member Schweitzer and seconded by Council Member Wallace-McKenna. Council Member Koehler noted that others may request the same for their private pools. City Manager Bradley explained that the public pool at the Park District contributed to the quality of life in Kewanee and assisted with economic development. Roll call showed 5 ayes, no nays. The motion passed.

Public Works Operations Manager Rod Johnson gave a presentation requesting funds from the 2015 bond issue be redirected from water improvement to sewer improvement for the 2016 CIPP Project. The 2016 CIPP Project would rehabilitate several locations of sewer pipe by relining the sewer pipe from manhole to manhole with a liner that would be cured in place. Mayor Looney polled the Council and gave consent to begin the process for this project.

#### **OTHER BUSINESS**

Council Member Koehler received confirmation that the next Council meeting would be held on October 11 from City Manager Bradley. He also noted that both school district homecomings were coming up soon.

Council Member Yaklich questioned the impact of the rain the previous Wednesday. Public Works Operations Manager Johnson reported that it was a non-issue.

Council Member Wallace-McKenna reminded residents of the upcoming opportunity to clean up their properties on October 15, with the Community Wide Clean Up Day. City Manager Bradley also noted that it would be a great opportunity to volunteer.

Council Member Schweitzer also commented on the Community Wide Clean Up Day, suggesting that residents reach out to assist their neighbors with their clean up efforts.

Mayor Looney thanked the committee volunteers for the Rebuilding Together Henry County Work Day. He noted that the City newsletter would be hitting mailboxes soon. He also offered condolences to the family of Donnie Christiansen, a long time member of the Plan Commission.

#### ANNOUNCEMENTS

City Clerk Edwards announced that City Hall offices would be closed on Monday, October 10, 2016 in observance of Columbus Day. There would be no landscape waste collection that week, with no other planned changes to the trash collection schedule. The annual fall clean-up by cemetery staff was scheduled to begin on October 20, 2016 and end on October 31, 2016. During this period all decorations would be picked up and discarded. Anyone wishing to save their decorations must have picked them up before October 20, 2016. The cemetery department requested that no new decorations were put out until after the clean-up was complete. The clean-up applied to Pleasant View, South Pleasant View, Mount Olivet, St. Mary's, Kewanee, Russian and Wethersfield Cemeteries.

There being no further business, Council Member Koehler moved to adjourn the meeting and Council Member Schweitzer seconded the motion. Roll call showed 5 ayes, no nays. The meeting adjourned at 7:25 PM.

MELINDA EDWARDS, CITY CLERK

DATE APPROVED

		Follow-up Needed Yes / No	Sa M	Q	<u>q</u>		2	se X	Q	8
		Pictures on file Yes / No		Ŷ	No.	2 2	2 Z		Ŋ	
		subject nas case file in CSO office Yes / No		QN	2	Ê	Ž		No	
		NTA Result		AVN	NIA	ANA ANA	AN NA		A/N	
		Date of NTA		N/A	A/A	AN N			N/A	
		7-Day Follow-up Result	9/1 Contact made with Ochoa on the property. Advised Ochoa that the City would like to see a more concentrated effort to get the work done on the house and property. 9/8 Additional siding installed. 10/3 Additional siding ristalled. Called and left victomal to the owner.	Resident taking care of the complaint upon anrival.	9/15 Complete	9/9 Complete.	9/14 Progress made. 10/3 Complete.	A notice of violation was mailed to Dana on 7/27/16 giving 30 days for compliance. Notes expired on 8/26. No efforts have been made. gib A frisch west of photos were taken and a report with the photos and report with the photos and several other documents from the street file for this address were emailed to the City Attorney to begin discussion an how to proceed.	9/19 Posted notice of requested response, 9/26 Complete.	9/14 Left message for the owner at Certury 21, 9/19 Tima Durkin activised she signed it over to Citibank 9/23 Spoke to Pat Durkin, he is going to thy to act and contact info for the agent at Citibank that might be able to help
	perable&Abandoned Vehicles	Offense/ Nuīsance	This is a follow-up to an old case that started out as a possible demolition. The owner gave the City a list of items that it and the house. The items that has gone through some changes and progress had seemed to come to a had seemed to come to a able to make contact with Ochoa on 91.	16 Bushes over the sidewalk.	Discarded furniture in front 16 vard	Mattress and bed frame and other misc trash items on and around front porch.	Unlicensed/inoperable Ford Taurus IL E460301, Ford Ranger in back yard. Two unlicensed scooters by trailer.	73	Shed in the backyard full of trash and other misc discarded items.	Fence in backyard in state 16. of disrepair.
	onec	Date of 7-day Notice Phone # Mo   Day   Yr	<u>0</u>	1	- - - - - - - - 	2 16	6 16	7 70 70	7 16 0	7 16 1
ent	and	Date Mo		თ	<b>თ</b>	თ	თ	<u>ා</u>	o.	 ത
Enforcement	&Ab	Phone t								
nfor	rable	Sumx (St, Ave, Bivd)	ŏ	ŭ	Ĭ	ភ	ಹ	ö		<i>i</i> i
	/lnope	Street Name	East	Washington	Grove	Seventh	East	BS	Washington	East
ပိ	tter	× Ψ.Υ	z	Ś	S	ш	z	z	z	S
ent	KLI	House #	302	409	511	702	1108		119	803
tm	Jun	Mid Inřt				ļ				
Kewanee Police Department Code	Trash/Junk/Litter/Ino	First Name	<u>.c</u>							
lice	ing		Martin					¥2		
Pol	<b>Tack</b>	Last Name	OChoa		Posted	Posted	Posted	Dana	Posted	Posted
nee	rce 7	Officer #	7460	7461	7461	7461	7462 F	7450	7462 F	7462
Кеwa	Nuisance Tracking	Incident Number Yr Number		16 015528	16 015602	16 015667	16 016059		16 016123	16 016124

Page 1

;

į

i

:

Page 1 of 8

		Additionar Follow-up Needed Yes / No		es Aes	Yes	P0	No	No	oN N	Ŷ	ĝ	ž	QN	
		Pictures on file Yes / No	Ż	ź	Yes	ž	Ŷ	Ň	No	N	ŝ	2	No	2
		Subject has case file in CSO office Yes / No	2 2	Ž	Yes	٩	Q.	No	Ņ	ž	Ž	Š	Ň	
		NTA Result	N	N/A		N/A	N/A	AN	A/N	N/A	NIA	A/N	NIA	
		Date of NTA	NA	NA		N/A	N/A	N/A	A/N	NA	A/N	N/A		
		7-Dav Foilow-up Result	Lawful nonconforming.	Made contact with Rich Lewis and advised him of the required building permit. Errail sent to Rich with Eurail sent to Rich with Eurail permit application lattached.	Process started.	9/15 Complete	9/15 Complete.	Advised of the City Ordinance and asked them to blow the grass off of the street.	Advised of the City Ordinance and asked them to blow the grass off of the street.	Advised of the City Ordinance and asked them to blow the grass off of the street.	9/16 Progress made. 9/22 Complete.	9/15 Couch gone, 9/22 No answer, 10/2 Complete.	9/16 Complete.	016 Dominias
	perable&Abandoned Vehicles	Offense/ Nuisance	Com conc past fie (	Improvements being made to the new building on West Second St that require a building permit.	DANGEROUS BUILDING		Accumulation of garbage behind house, tall grass and weeds.	Grass blown into the 16 roadway.	Grass blown into the 16 roadway.	Grass blown into the roadway.	ą "		Misc. trash and litter in back yard.	Large amount of trash and car parts on East and South sides of the garage. Unlicensed/inoperable yellow car in backyard. Front yard also in need of cleant afforts.
	one	Date of 7-day Notice Mo Day Yr	7 16	7 16		8 16	8 16	8 16	8 16	0 2	9 16	9 16	9 16	
nent	band	Date No	 o	<u>ත</u>	n	თ		თ	07	<del>م</del>	- 	Ø	<u>თ</u>	σ.
Enforcement	rable&Al		ð	Ave	55	St		5			Ave	tö	St	
		<u>Street Name</u>	Edgewood	Lexington	Walnut	Beach	Willow	Seventh	Fourth	8	ک م	E)		ta Do
Š	tter/	ζ <sup>Ω</sup> .>		z	z			ш	ш	N Boss	Terry	Ninth Ninth E	비교 지 지	835 N Walour
nent	ınk/Li	Mid House Init #		120	88	624	208	400	819	300	919 019	429	810	8
Kewanee Police Department Code	Nuisance Tracking Trash/Junk/Litter/Ino	Last Name First Name 1	Posted	Lewis Autobody		Posted	Posted				SS.	Posted	Posted	
<b>1</b> ee	ie Tr	Officer # L	7462 Po		7460 Mo		7461 Po:	7461	7461	7461	7461 Hill	7461 Pos	7461 Pos	7461 Posted
war	sanc			<u> </u>		016186 7	016200 7.		016228 7.	016233 74	016265 74	016266	016276 74	016277
Xe	Nui	Incident Number Yr Number	16 016125			16 016	16 016	16 016227	16 016	16 016	16	16 216 216	16 016	رة 16

Page 2 of 8

Page 2

:

		Additional Follow-up Needed Yes / No	ses X	98 ×			No	o N	Yes
		Pictures on file Yes / No	· · · _ · ·	es S			Ň	Ň	Yes
		Subject has case file in CSO office Yes / No					Nc	Ŷ	¥85
		NTA Result					A/A	N/A	
		Date of NTA				1	NA	N/A	10/14/2016
		7-Day Follow-up Result	2 그 8	R225 Contact made with property owner. Pest Doctor is scheduled to treat the house. 8/26 Met with the Pest fouse. 8/26 Met with the Pest property. The intestation is Severe and is being treating every week. Will follow up with him again in one week, with him again in one week with him again in one week good core still senting activity. 9/15 Follow-up at inprovement. 9/9 Pest Doctor still senting muor activity. 9/15 Follow-up at inght to dreek for advity. Found activity on the yard night to dreek for advity on the yard night to dreek for advity. Found activity on the yard or advised the Pest Doctor and advised.	7/26 Site inspection & photos. 7/27 Letter of violation giving 30 days for compliance sent 7/27 Letter of violation giving 30 days for compliance sent 30 days for complia		Advised of the City Ordinance and asked them to blow the grass off of the street.	Advised of the City Ordinance and asked them to blow the grass off of the street.	9/20 Time extension to 9/29 9/29 NTA
	perable&Abandoned Vehicles	Offense/ Nuisance	Unifi Chei G73 garb bum clear clear	Follow up from last month. Compaint of a roach irrestation at this property. Property is a rential that is currently empy. Roaches observed inside and outside and are migrating to neighboring properties.	7/26 Site inspection & phol           7/27 Letter of violation givi           7/27 Letter of violation & phol           30 days for compliance sen           96 Site inspection & phot           96 Site inspection & phot           97 Photo analysis, report,           98 days for compliance sen           98 days for compliance sen           98 days for compliance sen           16 busition debris           16 busition because of the           Attorney. Spoke to the City           16 busition           16 busition	Trash and broken fumiture in front yard. Tall grass and 16 weeds.	Grass blown into the 16 roadway.		Couldh and other discarded furniture, tire and other misc trash behind shed. Discarded carpet by dog 16 kennel.
t	done	Date of 7-day Notice Mo Day Yr	10		5 (5	12 16	15	13	
Enforcement	Aban	Phone # Mo	თ 	თ	0)	თ		თ	ත 
forc	rableð	Sumx (St, Ave, Bivd)	Ave			ين الا		ŏ	<del>ن</del>
	nopei	Street Name	Whitney	Cottage			Tenney	Florence	
l S S	ter/		M		88 80 8 2	Lyle	<u> </u>	Flor	E
nt	VLH	Mid House SE Init # W.	544	23 46	107	125	314	805	820
tme	Juni	Miđ Init							
Kewanee Police Department Code	ing Trash/Junk/Litter/Ino	e First Name	Francis	Betty	YUS S			1	Douglas
Pol	Tracki	Last Name	Mullen	DeWolfe	Dana	Posted			Smith
nee	ce.	Officer #	7461	7480	7460	7462 F	7462	7461	7461 S
Kewa	Nuisance Tracking	Incident Number Yr Number	16 016359			16 016495	16 016506	16 016555	16 016567

Page 3 of 8

	Kewanee Police Department Code Nuisance Tracking Trash/Junk/Litter/Inc	ent C	tode Er ≊r/Inopei	Enforcement perable&Aband	Abando	Department Code Enforcement Trash/Junk/Litter/Inoperable&Abandoned Vehicles						
Mid House S E	House SE	2 4		Sumx (St, Åve,	Date of 7-day Notice	-day		Date of	NTA	Supject has case file in CSO office	Pictures 1	Pollow-up Voodau
# W. Street	# W. Street	Street	Name	Bivd) Pho	one # Mo Day	/ Yr Offense/ Nuisance Large pile of misc trash bv	7-Day Follow-up Result	NTA	Result	Yes / No		Yes / No
Donovan 317 N Park	z	· · · ·		55	0 (0	6	9/22 No progress, warned. 9/28 Complete.	N/A	N/N	Ŷ	Ŷ	Ŷ
1022 Lake		Lake			0 0	Grass blown into the 16 roadway	Advised of the City Ordinance and asked them to blow the grass off of the street.	NIA	NIA	ø	Q	No
						Misc. junk turniture and other household items behind shed. Bikes, trash, scrapwodd priorio table, toys and other choris table, toys						
					· ·		Deguring repairs on the prouse and is hoping to have the repairs done within 6 weeks. 9/22 All trash and debris cleaned-up. 10/3					
Luann 509 E Eighth	ш				9 14	ທ່	Progress being made on house maintenance.		<b>-</b> ·			Yoe
524 N Chestnut		Chestnut	i	б	9 14		9/26 Complete.	A/N	N/A	ž	QN	
113 W Keilcgg		/ Kellogg		St	9 15	Two discarded chairs by the 16 roadway, tall grass.	9/25 Complete		All A	2 2		
106		Goodrich			0	f porch, ss ble Silver	9/27 Progress made, 9/30			2	2	DM
						gal use thout a Advised continue		47N	ANA	ŝ	g	ŝ
222 N Burr	נייט א ע	Bur		BVd	တ ထ <u></u>	Lise of the beer garden until a apecial use permit is granted from the plan commission. Also advised F Gierma to remove the sinpe u signs that have been posted a 18 around town illecably.	9/16 Glerna did corre to City Hall that same day and picked up an application packet to apply for a special use permit cor the beer carden					
801 W Fourth	8		ŝ		3 0 20		9/28 Progress made, 9/30 Complete.	N N	ANN ANN	2	4	ses .
515 E Third	ш		- 00	ţ,	· · · · ·	Pile of loose trash by the roadway.	9/22 Complete.		AN AN	Pr N	oz oz	pe og
827 Elimwood		Elmwood	<		ັດ ເ	Accumulation of garbage in front of house along with scrapwood. More garbage along West side of house with unde window frames. T 16 Lono oras and weeks	Time extension until 10/15 for City Wide Croon Lin event	r				
1	ĺ		ł		20		VITY WIDE CLEAN UP EVENT.				_	Yes

Page 4 cf 8

Page 4

-

Kewa	nee	Polic	Kewanee Police Department Code	tmei	nt C		Enfor	Enforcement	nt							
Nuisai	1ce ]	Nuisance Tracking	ng Trash/Junk/Litter/Ino	Junk	/Litt		<u>perabli</u>	s&Abar	Jobr	perable&Abandoned Vehicles			 			
Incident Number Yr Number	Officer #	Last Name	First Name	Mid House	r S asnoj #	.N S E W. Street Na	Sunx (St, Ave, Name Bivd)	Phone #	Date of 7-day Notice Mo Day Yr	-day e / <i>Yr</i> Offense/ Nuisance	7-Dav Follow-m Result	Date of NTA	NTA Pesult	Subject nas case file in CSO office Vec / No	Pictures on file Ves / No	Follow-up Needed Vac / No
16 017086	7461	Parsons	Nathan		332	Southwind	·		50 	Disc alone alone scrat	Time extension until 10/15 for City Wide Clean Up event.	C				
	7460	Posted			236 V	W McClure	ಹ		0 73	Overgrown vegetation, volunteer trees and brush around house. Thes stored outside, numerous vehicle 16 frames and misc parts.	19/26 Spoke with daughter of the property owner on the phone. They have a work onew coming to help their parents on the weekend of October Bh. Time extension October Bh. Time extension					3
16 017138	7462	Posted		·	1101	Lake	<i>5</i> 0				10/3 Gave extension til 10/7.					Yes
16 017143	7462	Posted			312 N	W Oak	ŏ	0 	34 0	Refigerator and stove on 16 front porch.	10/3 Complete.	NA	A/N	Ŷ	Ŋ	e e
16 017144	7462	Posted			407	Green	<del>ت</del>	o	21	Unlicensed/inoperable Red Buick parked in front yard with weeds growing around 16 it.	10/3 Gave extension til 10/10.					Yes
16 017150	7462	Posted		·	820	Pine	ಹ	0 		e. I front	Time extension until 10/15 for City Wide Clean Up event.					Yes
16 017151	7462	Posted			814	Pine	5	o 	2	and discarded iton behind shed near	10/3 Complete.	NA	NIA	Ŷ	Ņ	N N
16 017152	7462	Posted			823 S	Washington	л St	0	2	~	Time extension until 10/15 for City Wide Clean Up event.					Yes
16 017187	7461	Valleto	Rebecca	\	1007 N	N Chestnut	ŏ	0	8	the	9/25 Complete.	NIA	N/A	Ŋ	۶	oN N
16 017211	7461 F	Posted		· · · · · · · · · · · · · · · · · · ·	1003 N	Chestnut	<i></i>	თ	8	Unlicensed/inoperable: Unlicensed/inoperable: Read Ford truck IL 15308G, While Lincoln Navigator IL Z304092, Tan Lincoln Z304092, Tan Lincoln Navigator IL Navigator L		N/A	din N	ź	52	
16 017220	7461 F	Posted			928 N	N Grace	Ave	თ 	ន		9/23 Complete.	N/N	<b>V</b> N	2 5	2 2	
16 017255	7461 P	Posted			1100 V	W Division		<u> </u>	23	and	9/30 Spoke to owner. Stated they will get it done.					, se X
16 017260	7461 Posted	osted			<del>5</del> 16 П	Eighth	ര്	0	33	Two mattresses in backyard, mice plastic and paper litter in yard. Unticensed/inoperable teal Nissan 4 door car by house IL R925382 ap 2014. 16 Talelwision in yard.	9/30 Complete.	A/A	VN.	ĝ	Ž	°z

Page 5 of 8

7-Day

			Yes/No	sa >	, se	g	<u>.</u>									Yes			Yes
		Pictures on file	Yes / No			Ž												QN N	2
-		subject nas case file in CSO office	Yes / No			Q												S N	2
		NTA	Result			V/N												₩.	ç
		Date of	NTA			AN			· · · · · · · · · · · · · · · · · · ·									- N/A	
			7-Day Follow-up Result	Broken chair and shelt unit in yard, resingerator in driveway, trash bags along North side of garage, pile of materials/trash on South aide of garage, Chevy Monte Time extension until 10/15 for Carlo in front yard. Dity Wide Chen Up event.	Time extension until 10/15 for City Wrde Clean Up event.	10/3 Complete.			Time extension urbit 10/15 for	Uriy wride Crean up event.						10/3 No answer at the door.	Trees appeared to have been trimmed upon this visit. Sooka to home owner and	asked that they keep them trimmed back as necessary	Time extension until 10/15 for City Wide Clean Up event,
	perable&Abandoned Vehicles		Ottense/ Nuisance	Nexen cuart and shelf unit In yard, retrigerator in driveway, trash bags along North side of garage, pile of materials/trash on South side of garage, Chevy Monté Carlo in front yard.	Bag of trash by alley, pile of scrap metal and jumber in scrap and any aucher pile of wood and debris from a sind that was taken down, misc other trash fitems.	Trash on porch and in back yard. Transmission next to garage in alley. Swimming pool greater than 24 inches in depth with no fence.	Misc trash, wood fence,	scrap, other materials along North side of garage. Numerous bags of garbage,	plywood and scrap pipe by West side of garage. Siding on South side of garage. Misc boxes/trash on East	unlicensed/inoperable GMC	Jimmy IL 150WVH, numerous used tires, white	uuto tau, 4 televisioris, sarap lumber, inoperable	John Deere riding mower, small white trailer with junk on it, other misc trash on	North side of building.	Bathtub, misc scrap wood, water tank, junk basketball hoop all behind the garage. Two window A/C units by	back door.	Complaint of trees along the East side of Stanton Court that make it difficult for the garbage trucks to get	gnole	in backyard f house.
	onec	Date of 7-day Notice		23 16	23 16	24 16			u u u	2				25 16 1		20 10 10		27 16 t	16
ent	and		ABUL DWL	თ	<u>ත</u>					· .				0		03 03		יי ס	-
Enforcement	&Ab		Phone #		1														
nfor	rable	Sumx Str. Ave,	(DAG)	Ave	55	<u>ت</u>			ť	5				5		Rt		5	Ave
	/Inopei	String Manage	Hanne	Madison	Eighth	Walnut			Q.o.odrich Q.o.odrich	-	<u>.</u>			Goodrich		Washington		Second	3
U U U	itter	Mid House SE		727	707 E	921 N			327					329 G	-	N ZOL		ш	
nen	nk/L	fid Hou	#	<u>۲.</u>					м —	5				32		<u>-</u>		601	421
Kewanee Police Department Code	ing Trash/Junk/Litter/Inc	First Name		Hector	Phyllis				asu u B										Billy
e Poli	Nuisance Tracking	l ast Name	111841 3597	Interal	Faucette	Posted			on. Serio					Posted		בסאנפת			Merritt
3ne(	nce	officer #		7461	7461	7462			7461					7461	C37 L			7460	7461
Kewa	Nuisa	Incident Number Yr Number		16 017265	16 017269	16 017274		· · · · ·	16 017374					16 017376					16 017521

Page 6 of 8

		Follow-up Needed Vec / No		2			- Sec	s S	Xac		× ×	3	2
	_	Pictures on file Yes / No										2	2
		subject has case file in CSO office Yes / No											
-		NTA Result										M/A	
		Date of NTA										All All	
		7-Day Follow-up Result					New "fast track" process started. This process only used on buildings that fit certain critería.	New "fast track" process started. This process only used on buildings that fit certain criteria.	New 'fast track' process started. This process only used on buildings that fit certain criteria.	New "fast track" process started. This process only used on buildings that fit certain criteria.	New "fast track" process started. This process only used on buildings that fit certain criteria.	10/3 Met with the owner of the property as well as Southwind management. They are going to work together to resolve the issue.	
	perable&Abandoned Vehicles	Offense/ Nuisance					16 DANGEROUS BUILDING	16 DANGEROUS BUILDING	DANGEROUS BUILDING	16 DANGEROUS BUILDING	16 DANGEROUS BUILDING	vg. <u>5</u> v	Læwn mower, rubber mæt, sæment roller, radial arm sæw, trailer in front lawn, truck parked in front lawn, truck parked in front lawn, trash and misc scrap to ther trash and misc scrap
*	lone	Date of 7-day Notice Phone # Mo   Day   Yr	27 16		28 26	-f- <i>·</i>	28 16	28 16	28 16	28 16	29 16 1	29 16 16	29 16 16
nen	banc	Date		ත 	o»	<u></u>	თ 	0		0	o		თ
Enforcement	able&A	Suntx (St, Ave, Blvd) Phone		·									
		Vame	<u>نة</u> نة	5	<del>م</del>		Ave	<u></u>	ŭ	<u>ಸ</u>	<u>لم</u>	ಹ	Ave
ode	1/100	Street			Chestnu	Chestnut	Grace	Payson	Odea	Fourth	ы Ш	Lake	Rcseview
at C	Litte	nse SE # W.	314	z 832	N 803	801 801	510 N	219	629	600 W	207 N	1718	1105
mer	unk	Mid House Init #											
Kewanee Police Department Code	Trash/Junk/Litter/Ino	First Name											
lice	ing											Dean	Chad
Pol	Nuisance Tracking	Last Name	Posted	Posted	Posted	Posted	Posted	Posted	Posted	Posted		Petty	Petty
nee	ice 7	Officer #	7461	7461 F	7461	7461 P	7460 P	7460 P	7460 Pr	7460 Pc	7460	7460 Pe	7462 Pe
ewa	lisan	Incident Number Yr Number	017523	017526	16 017579	017580							
ž	Nr	Inc Nu Vr	16	16	19	16							16 017641

Page 7 of 8

7-Day

Page 7

•

. . . . . . . .

-

1.1

		Follow-up	<u>Veeded</u>									ş		Yes	i						Yes				
			on file A									Ŷ			-							-			
	-						-																		
		subject nas	CSO office Yes / No									g													
			NTA Result									AVA													
			Date of NTA									NA											-		
			7-Day Follow-up Result									rurs comprete.	Time extension until 10/15 for	City Wide Clean Up event						Time extension until 10/15 for	City Wide Clean Up event.			Time extension until 10/15 for	City/ Middo Closed in America
Kewanee Police Department Code Enforcement	I VEIIICIES		Offense/ Nuisance	Vehicles parked in front	yard. Several demo derby	cars on property, tires	throughout the property,	misc scrap/junk around	16 garage.	Trash by the roadway after	ter and		and trash on front	-	Washer and refrigerator in	back yard along with stack	of tires and other trash.	Large amount of mísc junk	West of shed. Cabinets and		16 house. Ci	Chair and couch on East	side of house along with a	ģ	18 Other small miss i unk
	2	7-day	<u>ر ۲</u>						16		ţ	2	5	2		- 7.1.	_	_			··				-
at at	3	Date of 7-day	Mo Day Yr	-		•			9 29			-		R R			_				8				22
eme	En Lx	<u> </u>	Phone # N									-					•				ອ 	-			σ
Enforcement		St.	Blvd						St		5	5	t	ŏ							Ave				tr.
de Er	201		Street Name						8		00000		ş	R							ŋg				
0 0	5	۲ <mark>س</mark>		_					Rice		<u>. о́</u> ц	1	Dice	Ē							Zang				ü u
7t (	j	Direa	#						g		0.C	4	100	3							912				ŝ
nel	3	Mid House S F	Init .																		┥				
Kewanee Police Department Code Nuisance Tracking Trash/Innk/I itter/Ino			First Name	 					·····.																Courtney
olice	R III		Last Name						g		 		Pro Lo	3							Da				
H H H			-						2 Posted		7462 Prefed		Doster								Posted				
ane nce	2	Officer	*						7462				7460	-							(461				1991
eW		Incident Number	Yr Number						16 01/642		16 017649		16 017659								16 01/686				020/10 01

·····

7-Day

Page 8 of 8

Kewá	nee Pol	lice Depi	artme	Kewanee Police Department Code Er	Enforcement	nent								
Animá	N Nuisanc	Animal Nuisance Tracking	6	 										
Incident Number	Officer			s.s		Phone	Date Of Incident			Date of		Subject has case file in CSO office	Pictures	Additional Follow-up
16 / 045640	7 # Last Name	First Name	Man		Blvd)	Number Mc	Day		Result	NTA	NTA Result	Yes/No	Ves/No	Yes/No
	1401		315	E Division	ö	on I		16 Trap no longer in use.	Trap picked-up.	NA	N/A	No	Ŋ	o <mark>N</mark> o
16 015612	7461			S Washington		on 		Complaint of a dog on a lead that is too long allowing the dog to cross 16 promeriv lines	ן ספל גייטידמימיל	1				2
16 015668	7461		300	z	ð			Complaint of a loose dog	1112 6			Q.	g	2
			901		55	ກ່ວ 	v (r)		JIZ N EAST SL Tran nicken un	AN A	NA	2	<u>٩</u>	2
16 015779	7462	•.*	300	West	St So	6	m		-	NA N	VIA			
16 015780	7462		700	E Second	St	5	κ	Complaint of horse feces 16 in the road,	<u> </u>	N N	NA	C, C	2 2	
16 015781	7462			S East & Williams		6	ო	Report of a loose dog in 16 the area.	Unable to locate.	NA	NA	2 2	2 2	2
16 015891	7462		711	E Second	St	ත 	4	Complaint of a dead cat 16 in the road.	Disposed of property.	NA	N/A	2 Q	2 4	
16 015899	7462		300	W Third		<u>б</u>	4	Complaint of a dog tied to 16 a parked car.		NIA	N/A			
16 015903	7462		727	Madison	Ave	- O3 	4	Report of a loose Mastiff In the area.	Captured and placed in the City Pound.	NA	N/A	2 9	2 2	P P
46 14 80720	1180 Doctor				 i		L							
16 016199	7461		820	Golden	Ave	<b>თ</b> თ	2 a	16 with no workers present. 16 Tran no longer in use	NTA Tran ninkari in	9/23/2016 Mix		Yes	Q.	Yes
16 016207	7461		315	w	55	0	+		Tran nickad-un	ANN ANN	NI/A	N	2	2
16 016237	7461		415		StSo	0	f	Complaint of an injured 16 souined in the vand	Captured and enthanized			2	2	g Z
16 016271	7461		200		Ave	0			Retimed to the owner		VIN	2	8	2
16 016423	7461		835	u u	tõ	0		Report of a loose dog in the area	Returned to the owner at 1108 Cambridge Rd			2	2	on i
16 016426	7461		1850	Lake	ŭ	5		confined.	Returned to the owner at agartment number 305	ANN ANN	VIN VIN	2		2
16 016497	7462		1600	Lake	St	<u></u>	12	Complaint of a loose cat 16 in the area.	Unable to locate.	A/N	NIA	2		
16 016507	7462		403	Dwight	3	თ	-	Complaint of a dead rabbit in the vard.	Was not dead. Unable to capture.	NIA	NIA	2 2		
16 016529	7461		1135	Railroad	Ave	GD	13 16	Trap no ionger in use.	Trap picked-up.	AN	NIA	202	22	2 Q
16 016551	7461		21617	Kentiville	Rd	o 	13 16	6	Checked along the East edge of town. Unable to (locate.	A/N	VIN	, - CZ		Q
16 016560	7461		426	E Ninth	55	თ 	13	Complaint of a dog left outside with no water or sheiter.	Dog taken inside.	MA	AIN	2		2 2
16 016563	7461		403	E McClure	St	o 	13 16	Report of a lost beagle 16 from this address.	Returned home		N/A		2	
16 016572	7461			Wiltard	St	σ		Misc animal complaint.	Unfounded.	NIA	NA	2 2	22	g g
16 016623	7462		811		ž.	ග 	14 15	Complaint of a subject beating a pitbull.	No answer at the door, Posted notice advising of the complaint. Will follow- up. 9/19 Contact made. Advised of the complaint.	NIA	MA	oN N	2 2	Yes
														1

----

Animaí

Page 1 of 3

_	
a B B	
ŝ	
1	

Kewanee Police Department Code	ee Poli	ce De	par	tme	ant		Enforcement	nem	t			<u> </u>				
Animal Nuisance Tracking	Vuisance	e Track	ing											-		
Incident Number Offi Yr Number #	Officer # Last Name	<i>First Nam</i> e	Mid Init	House Number	SE W.	Street Name	Suffix (St,Ave, Bivd)	Phone I	Date Of Incident Mo Day Yr	Of ent V Yr Offensev Nuisance	Berrit	Date of MTA	ATA Doct	Subject has case file in CSO office VociNO	Pictures on file	Additional Follow-up Needed
	7460				ŭ z	हित्र सि	<u></u>	·		0 10 10 10 10 10 10 10 10 10 10 10 10 10	Turned ove County Ani	N N	ANA ANA		2	
16 016634 74	7462 Austin	Michael		Q		Soutinima			0 7 7	16		10/14/2016		Xes Yes	2 2	s s
16 016635 7462	62			820		Golden	Ave		9 14	16	Captured and euthanized.	NA	N/A	o N	No	g Z
16 016707 7461	61			500	ш	Eighth	St		9 72		Unable to locate.	N/A	NA	C Z	ź	2 2
16 016752 7461	61			5	Ĕ	N Tremont	, či				Taken to KPD. Attempting to contact DNR.	N/A	N/A	- S	2 S	e e
016/60	61			631	א א	ourth	5		9 9	Ĕ.	Trap picked-up.	NA	NA	Q	2 P	22
16 016762 7461	61			815		Rockwell	ŭ		9 16	16	Attempting to contact owner.	N/A	A/A	Ŋ	92	Yes
15 016830 7462	62			200	ы О М	¥	š		9 17	ę	Unable to locate.	Y/N	NA	Q	Ř	CZ
16 016828 7462	83			512		Odea	St		9 17	Complaint of a loose dog 16 from this address.	Confined by the owner.	NA	NA	2	2	
16 016836 7462	62 Rivera	Amy		416	ш	Seventh	St		9	Complaint of a loose dog 16 from this address.	Complainant signed an NTA	10/01/0016			2	2
16 016911 7462	52			833		David	び		9 18	Complaint of possible 16 animal neglect	Unfounded_	NA	NA	S C	2 2	SEL CN
16 016994 7462	32			722	N Bur	L.	St		9 19	Complaint of a dog out 16 side with no water.	Spoke to owner and advised. Corrected.	NA	NA	C Z	S S	2
16 017053 7461	31			525	W Fourth	urth	ŭ		07 07	Animal ordinance 16 question.	Information.	N/A	N/A	2	2 2	No.
16 017185 7461	~~~~~			730	E E S	រស	ŭ			Complaint of animal neglect of a horse and a lama in a pasture on E. Division St just past the 16 intersection of S. East St.	Henry County Animal Control is handing this case.	N/A	NIA	<u>Q</u>	2	ę
16 017200 7461				815		Rockwell	ಸ		3	i i i	Unfounded.	NA	NA	Ž	ž	ğ
16 017256 7461	31			200	Ĩ	Hepner	ŭ	0	3. 8.		Unable to focate.	NA	N/A	0 N	P	No.
16 017327 7462	8		+	605	ш	Church	St	0	54	Report of a loose dog in 16 the area.	Unable to locate.	NIA	N/A	۶	R	PZ
16 017402 7462	52 Wykle	Jennifer		1105		Roseview	Ave	<b>5</b>	9 25		Issued 2 NTAs. Harbouring a swine within the city limits and running at large.	10/21/2016		Yes	£	Yes
16 017351 7461	34			519	Eig	Eighth	۵ţ		52		Unable to locate.	AVA	N/A	N	Ŷ	No
16 017377 7461	34		-	326			Аие	o	25	×	Removed.	N/A	NA	Q	Ŷ	°N N
16 017431 7462	2		+	711	Ш	Second	ö	<u></u>	<u>3</u> 8		Disposed of property.	NIA	N/A	ę	Š	0 Z
16 017465 7462	2			700	N Grace		Ave	0 	5e	Complaint of an injured 16 record in the road.	Captured and euthanized.	N/A	N/A	ON No	No	oN N

Page 2 of 3

Jepai	ŭ	Bht	Kewanee Police Department Code En	Enforcement	men	Ť								
<b>Animal Nuisance Tracking</b>														
		~		į							-	Subject has		Additional
House	Se	• • • •		StAve,	Phone		Incident			Date of		Case file in Pictures Follow-up	Pictures on filo	Follow-up
Last Name First Name Init Number	뉈	×	Street Name	Blvd)	Number	Mo D	Mo Day Yr	Offense/ Nuisance	Result	NTA	NTA Result	Yes/No	Yes/No	Yes/No
	Ą		Reenve Mest			c		Complaint of a loose dog	Complaint of a loose dog Captured and confined by					
			increase of former			+	2-0 Ja	III LIE AI CC.	ute owner.	ΝA	NA	°2	2 N	۶
	ę	1		i				Complaint of a barking	Dog was inside the house					
	470	ш	Ninth	<u>is</u>		о О	28 16	16 dog at this address.	upon arrival.	A/A	NA	Ŷ	Ŋ	c <mark>N</mark>
-	ş			į				Report of a loose dog in						
	3		Lake	5		יי ה	28 16	16 the area.	City Pound.	NA	NA	8	No No	Ňo
	2	2					e. 12		Owner picked it up prior to					
	813 8	z	Main	5		с О	29 16	16 Report of a loose pitbull.	arrival.	NVA	N/A	Ñ	٩	8
	L.							Animal ordinance						
=	3		Kośevięw	Ave		о 0	29 16	16 question.	Information.	N/A	NA	2	QN	Ŋ
								Having problems with an						
:	1							unknown animal						
1012	ମ୍		May	õ		9 2	29 16	16 nuisance.	Trap released.	A/N	N/A	No	ç	yes
	1	I						Complaint of a loose						3
	13	ш	Seventh	õ		6	30 16	16 brown and white pitbull.	Unable to locate.	N/A	N/A	Ň	<sup>Q</sup> N	QN
`	5		5 <del>-</del> <del>-</del>					Three stray kittens				-	1	!
	110		Midland	ŭ	_	ი თ	30 15	15 confined.	Placed in the City Pound.	N/A	N/A	No	QN	No

Animal

.....

;

Page 3 of 3

			CONTINUENTS														
nent	Euthanized,	Placed in Pound,	C	Diacod in Devind	Fighterized	Futhanized	Frithanized		Diacod in Dound	Placed in Dound	Fithanized	Placed in Prund	Futhanized	Fithanized	Futhanized	Fithanized	Decod in Dound
artment Code Enforcement		Yr Contents Of Tran	16 Oncerim	16 Stray Cat	16 Onossim	16 Opossium	16 Ground Hon	16 Onosei m	16 Strav Cat	16 Strav Cat	16 Raccoon	16 Strav Cat	16 Raccoon	16 Opossum	16 Ground Hog	16 Raccoon	16 Strav Cat
Code	Date Of Incident	Mo Dav Yr	4	- 4	. o		9 10 16	9 10 16	202	5	15		9 18 16	9 21 16		+	
nent	· · · · · · · · · · · · · · · · · · ·	Phone Number				-											
bartn	Suffix	(St,Ave, Blvd)	5	あ	St	お	St St	St	St	õ	Ave	あ	St	ы С	St St	お	St
Kewanee Police Dep Trap Activity		Street Name	109 W Division	Second	High	High	Perkins	David	Second	Second	Madison	Second	David	High	Boss	David	Second
	ح ل	о И.	R	ш	S	လ			ш	ш		ш	_	თ	z		щ
e Po ity		Number	109	711	102	102	336	839	711	711	734	711	839	102	129	839	711
Activ	Officer	· · · · ·	7461	7462	7462	7462	7461	7461	7461	7462	7461	7462	7462	7462	7461	7461	7461
Kewanee F Trap Activity	Incident Number	Yr Number	015598	015885	016057	_			016362	016437						017251	16 017381
メア	ri v	≻	16	16	16	10	<u>6</u>	16	9	<del>0</del>	16	9	16	9		9	9

Traps

Page 1

i

Weeds

		2.	p	2		<u> </u>	Г	Γ			Γ			<u> </u>		Г	1	T-				<b></b>		[	<b></b> ]
		Handed In For	Mowing	Yes/No	٩	Ň	Yes	No	Ŷ	Yes	g	Yes	۶	å	g	Yes	g	Yes			٩	Yes	٩	Ŷ	e na
				Follow-up Result	Mowed	Mowed	Not Mowed	Mowed	Mowed	Not Mowed	Mowed	Line Trimming Need	Mowed	Mowed	Mowed	Not Mowed	Mowed	Not Mowed	See note on	Nuisance sheet for	this same address.	Line Trimming Need	Mowed	Mowed	Not Mowed. Spoke to the owner who is planning on taking care of the issue.
			Date	*	16	9		16		16	16	16	16	16	9	9						16		16	16
			Follow-Up Date	Day	9	2	~	7	7	1	13	22	22	22	ង	ង	33	2			26	28	28	-	4
			Folic	Mo	σ	ß	6	6	თ	თ	B	თ	0	G	တ	თ	თ	0			თ	6	<del>ں</del>	<del>,</del>	6
		bed (	-	*	16	16	16	16	16	16	16	16	16	16	16	16	9	16			16	16	16	16	16
		Date of Weed	Notice	Day	-	2	2	2	2	ø	ω	16	16	16	16	16	9	17			21	23	23	26	29
		Date	_	Мo	<b>о</b>	6	<u>б</u>	ი	ი	თ	თ	თ	<b>ი</b>	თ	თ	00	60	6			6	6	თ	6	
nt			Phone	Number																					
mer		Suffix (St.	Ave,	Bivd)	5	5	Ave	ŭ	ŭ	ಹ	, Tu	ಹ	5	お	ಹ	び	あ	あ			ŭ	s	ನ	õţ	<u>ਲ</u>
nt Code Enforcement				Street Name	Commercial	Church	Beach	Walnut	Division	Florence	Holiday	Willard	McClure	Rockwell	Ninth	Lyle	Burr	Tenney			W McClure	East	Williams	Williams	Lake
θF		2	SΕ	Ņ.		≯ t	10	z	ш	(			N	_	ш		z					z		- 4	
Cod			House	Number	512	234	335	101	445	829	1105	102	232	434	712	125	927	218			236	431	511	513	1718
			Mid	Init																					
artme				First Name	Building LLC	Madolyn	Mortgage	Cari	Gabriel	Michael	Fred	Carol	Jessica	Miguel	Alan	Dustin	Lucia	Fred			Raymond	Dzelil	Vicki	Shelli	Sherman
Kewanee Police Departme	Weed Notice Tracking			Last Name	Burlington Ave	Keller	Federal National		Rosas	7462 Huggins		Taets	Nevarez	Estrella	vski	Stone		Stollenwerk					cJ	Sauer	Petty
Pol	e Tr		Officer	#	7461		7460	7460 Haun	7460 Rosas	7462	7460							7462				1	ļ	7461	7460
66	otic	Weed Notice		#	240	241	242	243	244	245	246	247	248	249	16 251	252	253	254			255	16 256	257	258	259
uε	Nc	Not	Nun	ž	16	16	9	16	16		16	16	16	16	16			9			9	9		16	<b>1</b> 6
Kew	Weed	Incident	Number	Yr  Number	16 015607					16 016054		16 016754	16 016755	16 016756	16 016757			16 016827				16 017213	- 1	16 017529	

Page 1

ī

							6		l						Г
N <sup>c</sup>	ane			Newanee Police Departm	nen	E E	ŏ	3 C	Ц	ğ	Cel	ient Code Entorcement			·
W T	ag 7	<b>Tow Tag Tracking</b>	6												··
			N.								-				T
Incident		House	S		St		Date Of		-	Follc	Follow-Up	_	Reason For Tow Tag.		
Number	Officer	Officer Number Or	щ		Ave		Incident			0	Date		Abandoned Vehicle		
Yr Number	#	Block	W.	Street Name	Blvd	Mo	Blvd Mo Dav Yr	F	Time	Mo I	Mo Dav IYr	4028	Traffic Victorian Other		
016066	16 016066 7462	431	S	431 S Tremont	Ŀ.	σ	l U	19	-		18		Currer	Follow-Up Kesult	Т
	1012	C L			5	,	, !	2		»	2 >			venicie gone.	
+00015	1047	DI C		Pleasant	st	ກ	<u>5</u>	0 0	13   16   3:50PM   9   16   16	თ	16 16		Z271972 Abandoned	Vehicle cone	r-
16 016784 7462	7462	210 S Park	S	Park	St	თ	17 1	16 1(	17 16 10:30AM 9 20 16	თ	20 16	N/A	Abandoned	Moved	Т
								ŀ		-	-				

1

Tow Tags

:

		, ) 	)									
0	F	ckets /	U)	Parking Tickets / Complaints		ļ			-			
		House	N.				-	-				
		Number Or	S		Ş	<u></u>	Date Of	ጽ				
0	Officer	Block	щ		Ave		Incident	nť				
Yr Number	#	(Location)	W.	Street Name	Blvd	Мo	Mo Day Yr	7	Time	1028	Violation Description	Comments
											Complaint of an illegally	
I	7461	517	≥	517 W Central	Blvd	თ	ഹ	16	N/A	N/A	parked vehicle.	Vehicle towed by Mirocha's.
											Complaint of an illegally	
016218	7461	102	တ	Maple	Ave	ი	8	16	N/A	N/A	parked vehicle.	Unfounded.
											Complaint of an illegally	
I	7461	800	z	Burr	õt	ത	თ	16	N/A	N/A	parked vehicle.	Vehicle moved.
											Complaint of an illegally	
16 016730	7461	300 E	ш	Eighth	ಸ	თ	15	9	N/A	N/A	parked vehicle.	Already had citation on it.
										•	Complaint of an illegally	
	7461	200 N		Boss	<u>ಸ</u>	თ	ដ	16	N/A	N/A	parked vehicle.	Ticket
											Complaint of an illegally	
	16 017272 7461	126 N Vine	z	Vine	お	თ	3	<del>1</del> 0	N/A	N/A	barked vehicle.	Vehicle moved.

Parking

Page 1

•

. . . . .

Buming

Кеwа	nee	Kewanee Police Department Cod	se De	Dal	rtme	int C	ode E	le Enforcement	cen	Jen	nt						
Illegal	Bur	legal Burning Activity	ctivity		·		: 										
							Suttix	, xi							Subject has		Additional
Incident					-1	2	S.		8 	te of		<u> </u>			case file in   Pictures   Follow-up	Pictures	Follow-m
Number Officer	Officer			Mid	Wid House SE	щ	AVE	<i></i>		ident			Date of		CSO office on file	on file	Needed
Yr Number	#	Last Name	Last Name   First Name   Init	Init	4 4	# W. Street Name		Blvd) Phone # No Day Yr	# No 1	Oay   Y	77 Offense/ Nuisance	Result	NTA	NTA Beent		Vac / No	Vac / No
16 015998	7462				418	418 N West	ŭ		თ	5	E	av. Extinguished.	N/A		UN N	No.	No
16 016421	7461				406	406 W Fourth	ŭ		6	11 16	11 16 Burning on a non-burn day.	ay. Extinguished.	NA	AN	CN CN	CN N	29
16 016573	7461				713	May	55		თ	13 16	9 13 16 Burning on a non-burn day. Extinguished.	ay. Extinguished.	NA	N/A	CN N	Z	2 N
16 016913 7462	7462	4			726	Harbour	St		<b>ത</b>	18 11	9 18 16 Burning on a non-burn day. Extinguished	ay. Extinguished.	AN	N/A	N	e v	

Page 1

-----

Kewanee Police Department Code Enforcement		Impounded	St Date Of Or	Ave Incident Returned	Street Name   Blvd   Mo   Day   Yr   To Owner   Bicycle Description   Comments	đ	ole Ave 9 8 16 Impounded Bike.	Yellow, Boys, 20", Next,	2
		Impounded			To Owner	đ	8 16 Impounded Bike,	Yellow, Boys	9 18 16 Impounded BMX Bike
					Blvd Mo				о 5
a repairing	es				Street Name		Maple		1015 N Elm
5	Vcl	ν.	r S	Щ	) <u>(</u>		320		2 2
5	<b>Abandoned Bicycles</b>	House	Number Or	Block	(Location)		32		101
בכ	one			Officer	#		7461		7462
C VV C	and		Incident	Number	Yr Number		16 016197 7461		16 016908 7462
Ż	AŁ		Inc	Nu	노		9		<u>რ</u>

Bikes

ုလ္
ወ
Ō
÷
ဟ
5
£
0
Ш

Kewane	Kewanee Police Departmen	Departn	Jer		t Code Enforcement	seme	nt			
Miscellan	eous Activ	ity: Traff	ic C	conti	Miscellaneous Activity: Traffic Control, Citizen/Motorist Assist, etc	lotori	st Ass	ist,	et	
Incident					N <sup>-</sup>	Suffix (St,		Da	Date Of	
Number Officer	er		Mid h	asno	SE	Ave,		ы	Incident	
Yr Number #	Last Name	First Name	Init	* #	W. Street Name / Location	on Blvd)	Phone #	Mo	Day	Yr Incident Description
16 015626 7461				812	N Tremont	St		- ი		16 Misc ordinance complaint.
16 015528 7461				1119	Rose	ĩ		თ		16 Misc ordinance complaint.
16 015618 7461				445	E Division	St		6	1	16 Misc ordinance complaint.
	2 Hog	Jog			Various			6	_	16 Traffic control Hog Jog.
16 015788 7462	2 Hog Days	Parade			Various			6	3	16 Traffic control Hog Days Parade.
16 016209 7461				228	Willard	St		ი	8	16 Unfounded ordinance complaint.
16 016219 7461				616	E Sixth	5		6	, 8	16   Deliver citation for police officer.
	×			606	Pleasantview	Ave		თ		16 Dispute between neighbors Civil matter
				944	N East	お		თ	11 .	16 Return lost and found item to owner.
16 016728 7461	1			421	Green	st		<u></u> б	15 、	16 Dispute between neighbors Civil matter
	-			702	Madison	Ave		6		16 Ordinance questions.
16 016833 7462	2			006	Rockwell	お		6	17	16 Unfounded ordinance complaint
	5			1600	Longview	Ave		- Б	-	16 Complaint of a falten tree Public Works advised.
017004	2			100	E Oak	St		6		16 Motorist assist.
					S Main St & Central	Blvď		9	-	16 Remove debris from the roadway
017139	~			300	Tenney	ŭ		ი		16 Wire down Comcast notified.
017273				606	Harbour	õ		_	_	16 Misc ordinance complaint.
017275	2			301	Southwind			თ	-	16 Civil matter.
	2				N Elm	St				16 Unfounded ordinance complaint.
017462	2			_	S   Main	۵ţ		ŋ	-	16 Remove debris from the roadway.
017275	2			301	Southwind			6	-	16  Ordinance questions.
16 017534 7461	1				Page St & Beach	St So		თ	27	16 Remove debris from the roadway.
017582	~-					Ave				16 Unfounded ordinance complaint.
017608	2				E Third	ಹ				16 Ordinance questions.
16 017647 7462				1718	Lake	お		 റ	53	16 Ordinance questions.

# *Kewanee E.S.D.A.* Severe Weather Spotters Network

Keith Edwards, ESDA Director kedwards@cityofkewanee.net 401 East Third Street, Kewanee, Illinois 61443 Telephone (309)853-1911 Extension 267 Fax (309)852-0948

September 30, 2016

To: Gary Bradley, City Manager Cc: Chief Dison, Fire Chief Shook From: Keith Edwards, KPD CSO/ESDA Director Subject: September ESDA Report

September 2: Hog Days. Received the Weekend Weather Outlook from the National Weather Service and forwarded to all Department Heads.

September 6: Siren Tests. The siren at Dwight and Emmons failed again. Supreme Radio believes that the radio control box is not repairable due to age. New control box ordered.

September 7: Severe Weather Threat. Spotters not needed. Watched a line of storms on radar to our Southwest in the Burlington Iowa area that produced radar indicated rotation according to the National Weather Service. That system lost its energy before getting to our area.

P3: WX.002:

LINE OF THUNDERSTORMS WITH TORRENTIAL RAINFALL MOVING THROUGH SOUTHEAST IOWA INTO WEST CENTRAL ILLINOIS, AT 709 PM CDT,RADAR INDICATED A LINE OF THUNDERSTORMS WITH VERY HEAVY RAINFALL EXTENDING FROM NEAR NEW BOSTON ILLINOIS TO NEAR MEMPHIS MISSOURI. THESE STORMS WERE MOVING EAST AROUND 25 MPH AND WILL PRODUCE RAINFALL OF AN INCH OR GREATER IN LESS THAN AN HOUR AS THEY MOVE OUT OF FAR SOUTHEAST IOWA INTO WEST CENTRAL ILLINOIS BETWEEN 7 AND 8 PM,

LOCATIONS IMPACTED INCLUDE,

BURLINGTON, MACOMB, KEWANEE, FORT MADISON, KEOKUK, MONMOUTH,

ALEDO, CARTHAGE, KAHOKA, MEMPHIS, OQUAWKA, NAUVOO, BUSHNELL,

WEST BURLINGTON, HAMILTON, GALVA, BURGESS,

NEW LONDON AND WARSAW.

TORRENTIAL RAINFALL IS OCCURRING WITH THESE STORMS, AND MAY CAUSE LOCALIZED FLOODING. DO NOT DRIVE YOUR VEHICLE THROUGH FLOODED ROADWAYS.

Event duration expressed in local time (Central Standard Time):

Starting: Wed 09/7/2016 07:15PM Central Standard Time

Ending: Wed 09/7/2016 08:15PM Central Standard Time

September 19: Severe Weather Threat. Spotters not needed.

THIS HAZARDOUS WEATHER OUTLOOK IS FOR PORTIONS OF NORTH CENTRAL ILLINOIS...NORTHWEST ILLINOIS...WEST CENTRAL ILLINOIS...EAST CENTRAL IOWA...NORTHEAST IOWA...SOUTHEAST IOWA AND NORTHEAST MISSOURI. .DAY ONE...TODAY AND TONIGHT THUNDERSTORMS ARE EXPECTED THIS AFTERNOON AND EVENING. THE STORM PREDICTION CENTER HAS A SLIGHT RISK OF SEVERE STORMS FOR THE AREA. THE INITIAL THUNDERSTORM DEVELOPMENT IS EXPECTED BETWEEN 2 AND 5 PM. ONCE STORMS DEVELOP...SEVERE STORMS WILL BE POSSIBLE BETWEEN 4 AND 10 PM WITH THE PRIMARY THREATS BEING DAMAGING WINDS AND HAIL, ALTHOUGH THE OVERALL RISK IS LOW ... AN ISOLATED TORNADO CANNOT BE RULED OUT. AREA RIVERS ARE EXPERIENCING FLOODING. PLEASE SEE THE LATEST FLOOD STATEMENTS AND FLOOD WARNINGS FOR DETAILS. .DAYS TWO THROUGH SEVEN...TUESDAY THROUGH SUNDAY THERE IS A DAILY THREAT OF THUNDERSTORMS STARTING TUESDAY NIGHT AND CONTINUING THROUGH SUNDAY. AT THIS TIME IT IS TOO EARLY TO DETERMINE ANY SEVERE WEATHER OR HEAVY RAIN THREAT. .SPOTTER INFORMATION STATEMENT... SPOTTER ACTIVATION IS LIKELY THIS AFTERNOON AND EVENING.

September 22: Severe Weather Threat. Spotter activation not required. Called the National Weather Service after receiving a report of a possible tornado Southwest of town moving away from town. NWS stated no rotation was indicated on radar and that the report was most likely a gustnado which is not life threatening.

A LINE OF STRONG THUNDERSTORMS WILL AFFECT HENRY, BUREAU, PUTNAM AND SOUTHEASTERN WHITESIDE COUNTIES UNTIL 130 PM CDT, AT 1212 PM CDT, RADAR INDICATED STRONG THUNDERSTORMS WERE LOCATED ALONG A LINE EXTENDING FROM NEAR MENDOTA TO NEAR GALVA. MOVEMENT WAS SOUTHEAST AT 35 MPH. WINDS IN EXCESS OF 30 MPH AND HALF INCH HAIL ARE POSSIBLE WITH THESE STORMS. LOCATIONS IMPACTED INCLUDE, STERLING, KEWANEE, ROCK FALLS, PRINCETON, CAMBRIDGE, HENNEPIN, GENESEO, SPRING VALLEY, COLONA, GALVA, HENRY, PROPHETSTOWN, DEPUE, GRANVILLE, WALNUT, LADD, WYANET, ATKINSON, SHEFFIELD AND ANNAWAN. THIS INCLUDES THE FOLLOWING HIGHWAYS, INTERSTATE 80 IN ILLINOIS BETWEEN MILE MARKERS 7 AND 72. INTERSTATE 88 BETWEEN MILE MARKERS 34 AND 44.

TORRENTIAL RAINFALL IS ALSO OCCURRING WITH THESE STORMS, AND MAY CAUSE LOCALIZED FLOODING. DO NOT DRIVE YOUR VEHICLE THROUGH FLOODED

ROADWAYS.

Event duration expressed in local time (Central Standard Time):

Starting: Wed 09/21/2016 12:13PM Central Standard Time


Ending: Wed 09/21/2016 01:43PM Central Standard Time

OUTFLOW BOUNDARY WILL PRODUCE GUSTY WINDS AND POSSIBLE GUSTNADOES,

AT 1230 PM,A LINE OF THUNDERSTORMS WAS PUSHING SOUTHWARD TOWARD KNOX AND STARK COUNTIES. AHEAD OF THIS LINE,A NARROW OUTFLOW BOUNDARY WILL LIKELY PRODUCE WIND GUSTS OF 30 TO 40 MPH AS IT MOVES

SOUTHWARD. WHILE THIS BOUNDARY WAS MOVING THROUGH HENRY COUNTY, A REPORTED GUSTNADO FLATTENED SOME CORN NEAR BISHOP HILL. GUSTNADOES ARE CIRCULATIONS THAT DEVELOP ALONG A STRONG GUST FRONT, PRODUCED BY A THUNDERSTORM OR CLUSTERS OF THUNDERSTORMS. THESE CIRCULATIONS ARE OFTEN MISTAKEN FOR TORNADOES, HOWEVER, UNLIKE TORNADOES, GUSTNADOES ARE NOT CONNECTED TO THE BASE OF THE PARENT THUNDERSTORM. GUSTNADOES, PARTICULARLY DURING DRY GROUND CONDITIONS, MAY PICK UP SIGNIFICANT AMOUNTS OF DUST AND DIRT, MAKING THE CIRCULATION VISIBLE SEVERAL HUNDRED FEET ABOVE THE GROUND. GUSTNADOES NORMALLY DO NOT PRODUCE DAMAGE. HOWEVER, THEY ARE OFTEN INDICATIVE OF STRONG STRAIGHT LINE WINDS, ASSOCIATED WITH A THUNDERSTORM GUST FRONT. OCCASIONALLY, THESE WINDS WILL HAVE THE POTENTIAL TO PRODUCE DAMAGE, PROMPTING THE NATIONAL WEATHER SERVICE TO ISSUE A SEVERE THUNDERSTORM OR HIGH WIND WARNING. SINCE GUSTNADOES ARE NOT TORNADOES, A TORNADO WARNING WILL NOT BE ISSUED FOR THESE RELATIVELY WEAK CIRCULATIONS. &&

Event duration expressed in local time (Central Standard Time): Starting: Wed 09/21/2016 12:34PM Central Standard Time Ending: Wed 09/21/2016 02:04PM Central Standard Time



# IEPA SUMMARY

No communications with the IEPA for the month of August.

## MAINTENANCE SUMMARY

BOCK INC. generated 33 preventive work orders for the month. All 33 work orders were completed. In addition to the preventive work orders, there was 6 corrective maintenance work orders performed.

# **SAFETY SUMMARY**

ł

Because safety is an important part of our daily practice, we have been without a loss time injury at the plant for 19 months.

## **OPERATIONS SUMMARY**

Flow for the month averaged 3.277 MGD with the rainfall totaling 7.06. inches.

Total KWH used for the month was 150,000.

All permit limits on the effluent were meet for the month. Sludge applied to the field totaled 372,000 gallons for the month.

Kewanee, Illinois Wastewater Treatment Plant Twelve Month Moving Average Report Submitted by Bock Inc.

ł

	,,			
		Influent - <u>D</u> aily	Total	Total
		Average Flow	Electrical Usage	Rainfall
	Date	(gallons per day)	(kilowatt hours)	(inches)
1	January 2016	4,496,298	152,400	0.73
2	February 2016	2,821,806	135,600	0.66
3	March 2016	3,546,714	135,600	3.46
4	April 2016	2,843,939	135,600	2.35
5	May 2016	3,274,294	146,400	3.66
6	June 2016	2,991,209	154,800	6.15
7	July 2016	3,147,261	148,800	5.59
8	August 2016	3,277,934	150,000	7.06
9	September 2015	2,121,272	152,400	3.76
10	October 2015	1,669,365	160,800	2.54
11	November 2015	3,285,228	168,000	4.73
12	December 2015	5,694,994	169,200	5.22
	Total	39,170,314	1,809,600	45.91
	Average	3,264,193	150,800	3.83

The Plant Design Average Flow is 2,000,000 Gallons per Day.

The Plant Design Maximum Flow is 5,000,000 Gallons per Day.


3.00

2.00


1.00

0.00

1 2 3 4 5 6 7 8 9



10 11 12



;

	50050 <sup>3</sup> -low, in conduit or thru treatment plant		•	00940'Chioride [as C[		•	Jubes Phosphorus, total jas Pj			00610.Nitrogen, ammonia total jas Nj		•	00610Nitrogen, ammonia total (as Nj		:	00600Ntrogen, total [as N]			00530-Solids, total suspended			00400.pH	•	:00300 Oxygen, dissolved [DO]	Painnetie Code Code	No Data Indicator (NOD)	Last Name:	First Name:	Principal Executive Officer	DMF LOAD LIMITS DISPLAYED	monutring renou: Considerations for Form Comm	Report Dates & Status	Permitted Feature:	Majorr	Permit #:	Permit
	1 - Effluent Gross		• • •	1 - Effluent Gross			1 - Etiluent Gross		•	o - Onier Reenvery, Augusta Complete			1 - Effluent Gross			1 - Effluent Gross			1 - Effluent Gross		•	1 - Effluent Gross		1 - Effluent Gross	stonitoning Location	· · ·	Bockewitz	Stanley					081 External Outfail	Yes	IL0029343	•
	C	Sanpi	NOD	0 -	Same	NOD	1	Santi	NO	2 . Req	Si a	. Value NODI	2 – Per	Sam	Val		Sem	Valiee	0 1 Permit		10	0 ( JRa	NOD	1 1	Supron WOOL						oldistino.					
1. 1.	AVG	1- <b>P</b> _						¥ <b>X</b>		• • • • • • • • • • • • • • • • • • •	1		nir 🚑 38 MO AVG 👄	0.5					DIE AR SOO MO AVG	pie 110	4				ousimer Muur ( oug			Title:			i neur noe nate:		Discharge:	Permittee Address:	Permitteet	
	Req Man DAILY 03 - MX MGD		:			•				=	0.8 26 - Jb/d		= 250 DAILY MX 28 - 16/H	0.9 26 - Ib/d	· · · · · · · · · · · · · · · · · · ·				= .1001 DAILY MX .26 - Ibid	232 26 - Ib/d			-	• • • • • • • • • • • • •	nny or Loading: Cuadher Walas 2 2 2					-				 		
									:	e.	. <b>u</b>				•				î	52. II		>≐ 8 MINIMUM	= 7.59	MN			-	Operator-in-Charge			09/25/16		801-0 STP OUTFALL	401 EAST THIRD STREET KEWANEE, (L.61443	KEWANEE, CITY OF	
			• • • • •	Req			Req	4,4 4,4	•	- 234	'≓ 0.015		a MOAVG ≍= a DA	0.015 = 0.015	· ·	Req	11 11 50 50		12 MO AVG <= 24 E	21 = 3.8	· ·	A 9M	= 7.68	AV >= 3.51	Opening of						· · ·					
				Req Mon DAILY MX			Req Mon DAILY MX			2.3 WKLY AVG	ŬĪ.	r	S DAILY MX	- <i>t</i> i		Req Mon DAILY MX	•		24 DAILY MX			9 MAXIMUM	7.68	3.5 DAILY MN	peetination. Vyhitees	; ;		Telephone:			Status:			Facility Location:	Facility:	
				. 19 - mg/L 0	19 - mg/L		19 - mg/L 0	19 - mg/L	•	19 - mg/L 0	19 - mg/L		19 - mg/L 10	19 - mg/L		19 - mg/L 0	19 - mg/L		19-mg/L 0	19 - mg/L		12-SU 0	12 - SU	19 - mg/L 0				309-852-2789			NetDigR			194 FISI KEWANI	KEWANEE STP	
	99/99 - Continuous	95/89 - Continuous		D1/07 - Weekly	01/07 - Weekty	•	91/39 - Monthly	,01/30 - Monthly	•	01/07 - Weekty	01/07 - Weekly	•	,91/07 - Weakly	01/07 - Weekly		01/30 - Monthly	01/30 - Monthly	:	01/07 - Waekly	21/07 - Weekly		01/07 - Weekty	01/07 - Weekly	01/07 - Waekly	5 Frequency of Analysis Sample Sys 0107 - Meeky GR - GRAS			-2789	•		NetDMR Validated		• • •	194 FISHER AVENUE KEWANEE, IL 81443	E STP	t. L
	•	:	-	COMPOS	COMPOS	- -	COMPOS	CP •	. -	COMPOS	CP -		CP -	COMPOS	COMPUS		COMPOS		CP-	CP .		GR - GRAB	GR - GRAB	GR - GRAB	Sample Type GR - GRAS	· · ·		•	-		- - -			۰.		

E-Mait:	KEW	No atta Repú	Attac	No enors. Comment	Edit	Subr If a p	74071 Fish	74055	0030	00310	Form	No D	His	Prin	Con	Mon	Rep	Major:	Pern	Permit
	unee, cit	No attachments Report Last Saved By	Attachments	No errors. Comments	Edit Check Errors	Submission Note If a parameter row does n		74055 Coliform, tecal general 1 - Effluent Gross	00530 Solids, "total suspended 1 - Effluent Gross	00310,800,5-day,20 dag.C 1 - Effluent Gross	Form NODI:	No Data Indicator (NODI)	Pirst Name:	Principal Executive Officer	<b>Considerations for Form Completion</b>	Monitoring Period:	Permitted Feature: Report Dates & Status	ä	Permit #:	<b>.</b>
stanb@bockinc.net	Y OF stanb@bocklinc.net		•			ot contain any value	1 - Effluent Gross 0	- Effluent Gross	- Effluent Gross 0	- Effluent Gross 0	NODI: Feiranstein Nome Nome Nome		Stanley	5 <b>8</b> ,	1 Completion	From 08/01	003 External Outfall	Yes	L0029343	
	· · · ·	· ·	· · ·		•	s for the Sample no	1	1	- 1 - 1 	1	ason#Taran, NGD)	- - -	. •	2 - -		From 08/01/16 to 08/31/16				-
		.*	· · ·			r Effluent To	Permit Req.	ernit Req.	Adue NODI	Semple		· · ·			•.	· ·	.*			•
	· · · · · · · · · · · · · · · · · · ·					ading, then none of the follow	Raq				Chency of Coalery Million Value, 1 Chenthery Value,		Title:			DMR Due Date:	Discharge:	Permittee Address:	Permittee:	
	<b>D</b> ate <b>Tring</b>					Submission Note	Req Mon MO TOTAL 4K - #/me C - No Discharge		•		Dualitary' Value) Country or Loading . Dualitary' Value) Country or Maine 2		Operator-in-Charge			09/25/16	003-0 Emergency High Level Overflow	401 EAST THIRD STREET KEWANEE, IL 63443	KEWANEE, CITY OF	
žų:p-us-	<b>77</b>					ow: Units, Number of Excut					Austry Consentration						OVERFLOW	•	-	
2016-09-23 10:12 (Time Zone: -05:00)					alter Vandrater en Gantanland - de ser	sions. Frequency of Analysis, and		Req Man DAILY MX 13 - #100mL C - No Discharge	Req Mon DAILY MX 19 - mg/L c - No Discharge	Req Mon DAILY MX 19 • mg/L C - No Discharge			Telephone:			Status:	•	Facility Location;	Facility:	
					e eveninger i Jhee	Samnie ∓vne	DL/DS - Dally When Discharging	DL/DS - Daily When Discharging GR - GRAS	DL/DS - Daily When Discharging GR - GRAB	DL/DS - Daily When Discharging GR - GRAB	seores "Requeers/or Acadiyas" Sample Type Disc		309-852-2789			NetDMR Validated		194 FISHER AVENUE KEWANEE, IL 61443	KEWANEE STP	

Starte         Fundad         Section	Permit						
Yes         Permittee Address:	Permit #:	1L0029343	Permittee:	KEWANEE, CITY OF		Facility:	KEMANEE STP
Behave:         COM         Discharge         Discharge         Discharge         Discharge           S & Status         From 60071/16 to 00371/16         ANR Due Data:         Piller         60253           Sond F // From 60071/16 to 00371/16         Sanay         The:         00253         60253           DNK G // FDISCHARGE:         Sanay         The:         00253         60253           Sondevit:         Sanay         The:         00253         60253           Sector FMODI         -         Sanay         50254         60253         60253           Sector FMODI         -         Estender fMODI         -         Sanay         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         60354         603564         603564         603566	Major:	YB	Permittee Address:	401 EAST THIRD STREET KEWANEE, IL 61443		Facility Location:	194 FISHER AVENUE KEWANEE, IL 81443
s 4 Status sons for Form Completion sons for Form Completion Eactor (NOD) Hadro Fuel Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Status Stat	Permitted Feature:	004 External Outfail	Discharge:	1044-0 EXCESS FLOW LAGOON OUTFALL: EAST 1	AGOON		
Period:         From 08/01/16 to 08/01/16         DMR Due Date:         19/25 (1)           Down for Form Completion:         Stanley         Inte:         Operand Completion:         Press         Stanley         Inte:         Operand Completion:         Press         Stanley         Inte:         Operand Completion:         Stanley         Inte:         Operand Completion:         Stanley         Inte:         Operand Completion:         Stanley         Inte:         Operand Completion:         Operand Completion:         Stanley         Inte:         Operand Completion:         Operand Completion:         Stanley         Stanley         Completion:         Stanley	Report Dates & Status						
The     Operation       Earlor (NOD)	Monitoring Period: Considerations for Form Comm	From 98/91/16 to 98/31/16	DMR Due Date:	09/25/16		Status	NetDMR Validated
Stanley Bockewiz         The:         Operation           Stanley Bockewiz         Note:         The:         Operation           Stanley Bockewiz         Bockewiz         Inter:         Operation         Operation           Stanley Bockewiz         Bockewiz         Inter:         Operation	NUMBER OF DAYS OF DISCHA	ARGEN .					•
Stanley Bockevitz     Tttle:     Operation Tube:       seator (NOD) Seators     File:     Operation Seators     Operation Seators <td>Principal Executive Officer</td> <td></td> <td></td> <td>•</td> <td></td> <td></td> <td></td>	Principal Executive Officer			•			
Bockevitz       Counting Journetto Seaver & Paran J. VODI         Seaver (POCD)         Seaver (POCD)       Counting Coun	First Name:	Stanley	178e:	Operator-in-Charge		Telephone:	309-852-2789
Beater (NOD)       Server:     Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Server: Ser	Last Name:	Bockewitz				•	
Stanwart         Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart Stanwart	No Data Indicator (NODI)						
Isserved (PO) 1 - Erfluent Gross 0 - Granute supported 1 - Erfluent Gro		Henricology Constant Noble	Qualizer 7 Value 3 Qualify or C	and in the second s	Quality of Concentration		EX. Francescy of Analysis Simpl
Ny Jing C         1 - Ethane Consi         0         -         Ny Mark CC Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Market Ma		1			Reg Mon MN WK AV	Reg Mon DAILY MN 19 - mg/L	DL/DS - Daily When Discharging GR - Gi
By Jung C     I - Ethand Cona     0     -     Spring Sect     -     -     Spring Sect     -     -     Spring Sect     -     -     Spring Sect     -     Spring Sect     -     -     Spring Sect     -     -     -     Spring Sect     -     -     -     -     -     -     -     -     -     -     -<		Value	NOD		C - No Discharge	C - No Discharge	: :
1-Elband     1-Elband     0     -     Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Humanion Hu		- Effluent Gross 0 - Perceit		· · · · · · · · · · · · · · · · · · ·	30 MD AVG		DL/DS - Daily When Discharging GR - Gi
1. Effuent Cosa     0     -     Financia Scala     -     Financia Scala     -     Financia Scala     -     -     Financia Scala     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     -     - <t< td=""><td></td><td>Lies Santas</td><td>ple</td><td></td><td>C - No Ultonarge</td><td>C + NO LIBONARGE</td><td>• • • • • • •</td></t<>		Lies Santas	ple		C - No Ultonarge	C + NO LIBONARGE	• • • • • • •
an crase and i - Effaver Grass 0 - Register Statistics Statistics - St	•		Ron		ĥ		
annone tabilare N1 - Efficient Grass D - Simplify Simplif	00530 Solids, total suspended 1			>= & MINIMUM C - No Discharge			ULUS - Daty When Disonarging on - or
annoal seal as N1 1- Effaver Grea 0 - Semiality Constrained for the Clouring fields will be submitted for the for writing fields will be submitted for the Semiality Constrained for the Clouring fields will be submitted for the Semiality Constrained for the Semiality Constrained for the Clouring fields will be submitted for the Semiality Constrained for the Semiality Constrained for the Clouring fields will be submitted for the Semiality Constrained for the Semiality Constrained for the Clouring fields will be submitted for the Semiality Constrained for the Clouring fields will be submitted for the Semiality Constrained for the Clouring fields will be submitted for the Semiality Constrained for the Clouring fields will be submitted for the Semiality Constrained for the Clouring fields will be submitted for the Semiality Constrained for the Clouring fields will be submitted for the Semiality Constrained for the Clouring fields will be submitted for the Semiality Constrained for the Clouring fields will be submitted for the Semiality Constrained for the Clouring fields will be submitted for the Semiality Constrained for the Clouring fields will be submitted for the Semiality Constrained for the Semiality Constrained for the Clouring fields will be submitted for the Semiality Constrained for the Clouring fields will be submitted for the Semiality Constrained for the Clouring fields will be submitted for the Semiality Constrained for the Clouring fields will be submitted for the Semiality Constrained for the Semiality Constrained for the Clourin		- Effluent Gross 0 - Reprint		arge	30 MO AVG		DL/DS - Daily When Discharging GR - G
us brail las P]     1 - Effaunt Grass     0     -     New Pression Res     C     No With X MC 18 - ng/L       brain rescalar     1 - Effaunt Grass     0     -     No With X MC 18 - ng/L     Res Non X MC 18 - ng/L     Res Non X MC 18 - ng/L       brain rescalar     1 - Effaunt Grass     0     -     No With X MC 18 - ng/L     Res Non X MC 18 - ng/L     Res No X MC 18 - ng/L     Res No X MC 18 - ng/L	0610 Nitrogen, ammonia totai [as N] 1.	- Effluent Gross 0 - Pennik Walite			30 MO AVG	1.1.1	uruns - Qaiy When Discharging GR - G DUDS - Daily When Discharging GR - G
a. Ideal [s P]       1 - Effavor Grass       0       -       National State       State Mark	•	D D I I Personal		enge .	30 MO ANS C - No Diadange Rea Mon NO AVG	ā	DL/DS - Daily When Discharging GR - GI DL/DS - Daily When Discharging GR - GI DL/DS - Daily When Discharging GR - G
trainsettaal 1. Erflwart Grees 0 Ground State faan Group faan Grees 0 Ground State faan Grees of Contain any values for the Sample .nor Effluent Trading, then cone of the following fields will be submitted for that row. Units, Number of Ecursions, Frequency of Analysis, and Sample Type. State By State By State By State Boockevitz state Boockevitz state Boockevitz state Boockevitz		0 - Permin Xultur 0 - San D - San San Value Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur Xultur			30 MO AVS C- No Diacharge Req Mon NC AVG C- No Diacharge	6	DL/DS - Daily When Discharging GR - Gr DL/DS - Daily When Discharging GR - Gr DL/DS - Daily When Discharging GR - G
Instruct Occes       0		C D O O O	10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 1000000		30 MO AVG C- No Discharge C- No Discharge C- No Discharge C- No Discharge C- No Discharge C- No Discharge	6 6	DL/DS - Daily When Discharging GR - G DL/DS - Daily When Discharging GR - G DL/DS - Daily When Discharging GR - G
feasi general       1 - Effuent Gross       0       -       Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency Interfaciency I		T I I I I State of the second				C MAXIMIM C No Discharge C No Discharge C No Discharge Reg Mon Wift Y AVG C No Discharge Reg Mon Wift Y AVG C - No Discharge	DUDS - Daily When Discharging GR - Gi DUDS - Daily When Discharging GR - Gi OUDS - Daily When Discharging GR - G DUDS - Daily When Discharging GR - G
1     1 - Effluent Gross     0     - Semili Bridginginginginginginginginginginginginging		T I I H State Malace State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State State Sta				<ul> <li>- Ne Discharge</li> </ul>	DLDS - Daily When Discharging GR - Gi DLDS - Daily When Discharging GR - Gi (DLDS - Daily When Discharging GR - G (DLDS - Daily When Discharging GR - G
Note     From does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for first row. Units, Number of Eccursions, Frequency of Analysis, and Sample Type.       Provs     Samed By       Samed By     Samed By       Starb@bockinc.net     2019-09-23 10:13 (Time Zone: 45:00)       Starb@bockinc.net     2019-09-23 10:13 (Time Zone: 45:00)		C C C D D D D D D D D D D D D D D D D D	1000 1000 1000 1000 1000 1000 1000 100			S - No Discharge G - No Discharge G - No Discharge Rag Mon Wick Y AN C - No Discharge Rag Mon Wick Y AN C - No Discharge C - No Discharge	DL/DS - Daily When Discharging GR - G DL/DS - Daily When Discharging GR - G DL/DS - Daily When Discharging GR - G DL/DS - Daily When Discharging GR - G
r row does not contain any values for the Sample.nor Effluent Trading, then none of the following fields will be submitted for that row Units, Number of Excursions, Frequency of Analysis, and Sample Type. Errors Saved By Stan Bockewitz Stan Bockewitz Stan Bockewitz		B G B B B B B B B B B B B B B B B B B B		je sinnvinstva S− No Discharge		<ul> <li>MAXINUM C. MARANAN C. NO Bacharge 45 WALY AVG C. No Discharge C. No Discharge C.</li></ul>	DLDS - Daily When Discharging GR - G DLDS - Daily When Discharging GR - G (DLDS - Daily When Discharging GR - G DLDS - Daily When Discharging GR - G DLDS - Daily When Discharging GR - G
arrors Saved By Stanb@pockinc.net Stan Bockewitz Stan Bockewitz Stan D@pockinc.net	ubmission Note			jé sinningkan G- No Discharge		5 MAXIMUM 5 MAXIMUM 5 MAXIM AVG 6 No Discharge 7 No Discharge 7 No Discharge 8 Ag Mon WKLY AK 6 No Discharge 7 No Discharge	DLDS - Daily When Decharging GR - G DLDS - Daily When Decharging GR - G OLDS - Daily When Discharging GR - G DLDS - Daily When Discharging GR - G DLDS - Daily When Discharging GR - G DLDS - Daily When Discharging GR - G
Saved By Saved By stanb@bockinc.net Stan Bockewitz Stan Bockewitz Stan Dobockinc.net	ubmission Note a parameter row does not conti	-Effluent Gross 0 - Reconstruction - Effluent Gross 0 - Reconstruction - Reconstruction - Reconstruction - Reconstruction - Effluent Gross 0 - Reconstruction - Effluent Gross 0 - Reconstruction	Table Control of the following the provide the provided t	sa é MiNikiUM Co-No Diecharge Mon MC TCTAL Ce - Me2 No Discharge Bald's will be sub mitted for that row: Units, Number	90 MO AVG C - No Discharge G - No Discharge C - No Discharge G - No Discharge	2. NAXAMMA A. Discharge (J. No Discharge Raq Min WiCLY AVG (J. No Discharge C. No Discharge C. No Discharge (J. S. Burbharge C. No Discharge (J. S. Burbharge (J. S. Burbharge (J. S. Burbharge) (J. S. Burbharge)	DL/DS - Daily When Decharging GR - GI DL/DS - Daily When Decharging GR - GI OL/DS - Daily When Decharging GR - GI DL/DS - Daily When Decharging GR - GI DL/DS - Daily When Decharging GR - GI DL/DS - Daily When Decharging GN - G
Saved By Saved By Stanb@bockinc.net Stan Bockevitz Stan Bockevitz Stanb@bockinc.net	ubmission Note a parameter row coes not contr dit Check Errors o errors.	-Effluent Gross 0 - Kenni Sant Effluent Gross 0 - Sant Effluent Gross 0 - Sant Effluent Gross 0 - Nation -Effluent Gross 0 - Nation Sant Effluent Gross 0 - Nation Sant Sant Sant Sant Sant Sant Sant San	Trading, then none of the following	son wo ro⊤v. 0eenerge	30 MO AVG C No Discharge C No Discharge C - No Discharge	2. No Discharge 4.5 WKLY AVG C. A UKLY AVG Bag Mon WKLY AVG 19. mg/L C. A Discharge Bag Mon WKLY AVG 19. mg/L C. No Discharge C. No Discharge C. No Discharge C. No Discharge	DL/DS - Daily When Discharging GR - G DL/DS - Daily When Discharging GR - G
Saved By CITY OF Stanb@bockinc.net Shan Bockewitz Stanb@bockinc.net 2018-09-23 10:13 (Time Zone: 56:00)	ubmission Note a paraméter row does not contr dir Check Enrors o enrors o enrors	- Effluent Gross 0 - Report Mailue - Effluent Gross 0 - Mailue Series - Effluent Gross 0 - Mailue - Effluent Gross 0 - Mailue - Effluent Gross 0 - Mailue - Effluent Gross 0 - Neural Series - Effluent Gross 0 - Mailue Series - Effluent Gross 0 - Mailue Series - Effluent Gross 0 - Mailue - Baunt - Baunt	Tading then none of the following to a	se á MiNikulwi Kon MC TCTAL 03 - M60 No Discharge No Discharge	30 MO AVG C No Discharge Geg Mon MC AVG C - No Discharge C - No Discharge	2. No Discharge 12SU 2. No Discharge 19mg/L CNo Discharge Rag Mon WiCLY AVG 19mg/L CNo Discharge Hag Aon WiCLY AVG 19mg/L CNo Discharge CNo Discharge CNo Discharge CNo Discharge	DL/DS - Daily When Discharging GR - G DL/DS - Daily When Discharging GR - G
Saved By CITY OF Stanb@bockInc.net Shan Bockewitz Stanb@bockInc.net 2018-09-23 10:13 (Time Zone: 56:00)	ubmission Note a parameter row does not oont dit Cheek Errons o errors. ommenits	- Effluent Gross 0 - Percent Second - Effluent Gross 0 - Second - Effluent Gross 0 - Huent - Effluent Gross 0 - Second - Effluent Gross 0 - Huent - Effluent Gross 0 - Second - Effluent Gross 0 - Huent - Effluent Gross 0 - Second - Second - Effluent Gross 0 - Huent - Second - Effluent Gross 0 - Huent - Second - Effluent Gross 0 - Huent - Second - Huent - Huent	Tading then none of the following (1.2 mag	G- NA Discharge	30 M/O AV/S C - No Discharge Reg Mon N/O AV/G C - No Discharge G - No Disc	2. in MAXIMIM C. in Discharge G. No Discharge Req Man WiKLY AVG 19 - mg/L C No Discharge C No Discharge (19 - mg/L C No Discharge (19 - mg/L C No Discharge (13 - #rt00mL C No Discharge (13 - #rt00mL	DL/DS - Daily When Discharging GR - Gi DL/DS - Daily When Discharging GR - Gi
4XEE, CTYY OF stanb@bookinc.net 2019-03-23 10:13 (Time Zone: -05:00) 2 stanb@bookinc.net	a parameter row does not contr dif Cheek Erruns o errors. o errors. erroritectiments	- Effluent Gross 0 - Recent Status - Effluent Gross 0 - Samo - Sa	Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Taday Ta	se introductive item MC TOTAL 03 - MéD Ro Discharge Ro Discharge Ro Discharge	30 MO AVIS C - No Discharge Reg Mon NO AVIS C - No Discharge G - No Discharge	<ul> <li>C. No Discharge 12 - SU G. No Discharge 19 - Ing/L G. No Discharge</li> <li>Raq Man Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Raq Man Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Raq Man Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No Discharge</li> <li>Rad Nam Wir(LY AVG 19 - Ing/L G. No</li></ul>	DL/DS - Daily When Discharging GR - Gi DL/DS - Daily When Discharging GR - Gi
stanb@booktrc.net Stan Bookewitz t stanb@bookinc.net	a parameter row does not conb dir Check Errors o errors. ontments attachments attachments attachments	- Effluent Gross 0 - Record - Record - Effluent Gross 0 - Record - Rec	Tading then none of the following of a province of the following of the province of the province of the province of the following of the province of the provin	G- No Discharge Mon MO TOTAL (3 - MOD No Discharge No Discharge	30 MAO AVIS C - No Discharge Req Mon MO AVIS C - No Discharge G - No Discharge	ւսունի հայորությունը՝ հայորությունը՝ հայորությունը՝ հայորությունը՝ հայորությունը՝ հայորությունը՝ հայորությունը Հայությունը՝ հայորությունը՝ հայորությունը՝ հայորությունը՝ հայորությունը՝ հայորությունը՝ հայորությունը՝ հայորությ	
•	a parameter row does not conb dit Check Errors o errors. omments attachments attachments attachmets eport Last Saved By EWANEE, CITY OF	-Effluent Gross 0 - Period -Effluent Gross 0 - Sample -Effluent Gross 0 - Sample Effluent Gross 0 - Sample Effluent Gross 0 - Mailai -Effluent Gross 0 - Mailai Effluent Gross 0 - Mailai -Effluent Gross 0 - Mailai Effluent Gross 0 - Mailai -Effluent Gross 0 - Mailai - Mailai - Effluent Gross 0 - Mailai - Mailai - Effluent Gross 0 - Mailai - Mailai - Effluent Gross 0 - Mailai - Mai	Target (1000) Target	tinninum taon MO TOTAL 02 - MGD No Discharge No Discharge	ap MAC AVS C - No Discharge Req Mon ND AVC C - No Discharge G - No Discharge G - No Discharge C - No Discharge C - No Discharge G - No Di - No Discharge G - No Discharge G - No Discharge G - No	terneting and the second se	
	a parameter row does not conb dif Check Errors o errors. omments attachments attachments attachmets set: set: set: set: Stah Booket	-Effluent Gross 0 - Pergin Status - Effluent Gross 0 - Pergin - Pergin	Target (1999) Target	s unividue C - No Diecharge Mon MO TOTAL (2 - Moj No Discharge Balds will be submitted for faat row: Units: Number faalds will be submitted for faat row: Units: Number	30 MAO AVIS C - No Discharge C - No Discharge C - No Discharge G - No Discharge C - No Disc		

Permit Permit#: Major:	IL0028343 Yes	Permittee: Permittee Address:	KEWANEE, CITY OF 401 EAST THIRD STREET KEWANEE, JL 61443		Facility: Facility Location:	KEWANEE STP 194 FISHER AVENUE KEWANEE, IL 61443
Permitted Feature:	005 External Outfall	Discharge:	005-0 EXCESS FLOW JAGOON ØUTFALL-WEST LAGOON	NOX		
Report Dates & Status Monitoring Period:	From 08/01/16 to 08/31/16	DMR Due Date:	09次近15		Status:	NetDMR Validated
Considerations for Form Completion	pletion					
NUMBER OF DAYS OF DISCHARGE:	ARGE					
Principal Executive Officer						
First Name:	Stanley	Title:	Operator-In-Charge	-	Telephone:	309-852-2789
Last Name:	Bockewitz	. <u></u>				
No Data Indicator (NODI)		· · · ·				
romineceu Paranoler Code	everen Parameter Nume	Omanity or Loading	Dublin Cualifier d	Quality or Concentration (2 // Walne 2 // Qualifier)		Saning of Consentration Bunning 2: Manual 2: Constant of Manual 2: Constant of Constant of Constant of Constant of Constant of Constant
00300 Oxygen, dissolved [DO] 1 -	1 - Effluent Gross 0 -	PetriltRed		Req Man MN WK AV	Red Man DAILY MN 19-mg/L	DUDS - Daily When Discharging GR - GRAB
		Value NODU Sample (1		C - NO LISOPARDA	e - No Discretige	· · · · · · · · · · · · · · · · · · ·
00310 BOD, 5-day, 20 deg. C 1-	1-Effluent Gross 0 -	Permit Req.	: : : : : :	30 MC AVG	45 WKLY AVG 19 - mg/L C - No Discharge	DL/DS - Daily When Discharging GR - GRAB
00400.pH .1.	1 - Effluent Gross .0 -	Sample - Permit Req.	>= 6 MINIMUM	1	3 MAXIMUM 12-5U	DL/DS - Daily When Discharging GR - GRAB
• • •			akininsin nn - A.		<ul> <li>✓ No Decision Participation</li> </ul>	
00530 Solids, total suspended 1	1 - Efluent Gross 0 1	Permit Req. Value NODI	: : : : :	C - No Discharge	45 WKLY AVG 19 - mg/L C - No Discharge	DUDS - Daily When Discharging GR - GRAB
00610 Nitrogen, ammonia total [as N] 1 + Etiluent Gross	- Effluent Gross 13 1	"Sample Permit Req Value NOD		Req Man MO AVG C - No Disphange	Req Mon WKLY AVG 19 - mg/L C - No Discharge	DL/DS - Daily When Discharging GR - GRAS
00665;Phosphorus, total [as P] 1 -	1 - Effluent Gross D -	Sample Permit Req		6	Reg Mon WKLY AVG 18 - mg/L	DUDS - Daily When Discharging GR - GRAB
		Value WODI		C - No Discharge	C - No Discharge	
50050°Chlorine, total residual t	t - Effluent Gross j0 +	Permit Req Value NOD2		.75 MC AVG C - No Discharge	19 - mg/L	DL/DS - Daily When Discharging GR - GRAB
74055 Coliform, fecal general 1	1 - Effluent Gross D	Sample. Permit Ting Value NODY		î	400 DAILY MX 13 - #/100mL C - No Discharge	DL/DS - Daily When Discharging GR - GRAB
82220 Flow, total 1	1 - Effluent Grose 0		Reg Man MO TOTAL 03 - MGD			DL/DS - Daily When Discharging CN - CONTIN
Submission Note	tiin antuisluee for the Cample for FA	needing then none of the following	Submission Note	voltable Fierliebon of Araj	Jele and Kample Type	
Edit Check Errors	and the second se					
Comments						
Atlachments						
No staduments. Report Last Saved By						
KEWANEE, CITY OF	76 TO		Data/Time	nne contract	2016-09-23 10:14 (Time Zone: -05:00)	
,,	71M					
E-Mail: stanb@bockinc.net	nc.net	· ·				



401 E. Third Street Kewanee, IL 61443-2365 Voice: 309/852-2611 ext. 229

Fax: 309/856-6001

September 2016 Public Works Department Report

The Sanitation Division picked up 545,580 lbs of curbside garbage, 46,600 lbs of curbside recycling, and 41,660 lbs of curbside landscape waste in the month of August 2016.

The Water Division replaced 2 curbstops and repaired 1 leaking water service line. The Water Division repaired 1 water main break. They delivered 112 red tag notices that resulted in 22 water services being shut-off at the curbstop. Of those delinquent accounts 10 have been paid and service re-instated. Water staff finished up the Rose Street mainline water valve replacement project this month. The crew has started the new water main replacement on W. 13<sup>th</sup> street. The Water staff tapped 2 new water services for new construction. The water staff replaced 48 mxu/meters and had 86 water account transfers. The water crew preformed 8 leak checks for water account customers. The water division had 4 after hour's customer assist service calls.

The Street Division has established new base for W. Garfield spot repairs for the road program. They have also been assisting the Engineering Department with measuring and evaluation of sidewalks and ADA ramps for the road program. The newly purchased sweeper is getting serviced by Fleet before it is put into service. The Street and Sanitation Divisions have been trimming trees throughout the city. The Street Division has started parking lot striping at the city hall and downtown parking lots. Void under the roadway at 200 N. East St. was filled by the Street Division. The street division operators have been mowing the ROW areas and drainage ditches with the boom mower. The temp worker has assisted the boom mower with trimming and trash clean up. The temp worker has also mowed weeds and cut volunteer trees at the old #2 water well sight (5<sup>th</sup> St) along with the salt dome lot (Commercial St.), the public works yard at 5<sup>th</sup> St. and the transfer station.

#### Announcements:

Public Works hours of operations have changed back to 7:00 A.M. - 3:30 P.M. Transfer station will be open Saturday October 15<sup>th</sup> from 8:00 am -11:45am in conjunction with the city wide clean up. NOTE: normal fees will apply at the transfer station.

Rod Johnson Public Works Operation Manager

SYS DATE:10/07/16 A / P	CITY OF KEWANEE W A R R A N T L I S T REGISTER # 70	SYS TIME:08:46 [NW1]
DATE: 10/07/16 Frid	day October 07,2016	PAGE 1
PAYABLE TO INV NO G/L NUMBER	AMOUNT DESCRIPTION	DISTR
01 AEP ENERGY D092216LS&H 52-93-571 D092216M&T 01-11-571 D092216S&T 01-11-571 D092316WW5 51-93-571 D092416F&M 01-11-571 D092416F&M 01-11-571 D092416SWC 01-11-571 D092416SWC 01-11-571 D092716T&M 01-11-571 D092816FLS 52-93-571 D092816KFER 62-45-571 D092916M 58-36-571 D092916MWTP 51-93-571 D092916NWTP 51-93-571 D092916FZ 62-45-571 D092916FZ 62-45-571 D092916TCL 52-93-571 D093016LC 52-93-571 D093016L 52-93-571 D093016S5&P 01-11-571 D100416WW3 51-93-571	15308.21 LIFT ST SOUTH & HOLLIS MCCLURE & TENNEY TRAFFIC LIGHT SOUTH & TENNEY TRAFFIC LIGHT WELL 5 ELECTRIC FIRST & MAIN TRAFFIC PROSPECT & MAIN TRAFFIC WCHURCH SIREN THIRD & MAIN TRAFFIC FISHER AVE LIFT ST WWTP ELECTRIC XFER ST ELECTRIC NWTP ELECTRIC NWTP ELECTRIC PW BLDG ELECTRIC ST 2 ELECTRIC TOC LIFT ST CAMBRIDGE RD LIFT ST LAKE ST LIFT ST SIREN 5TH & PARK WATER WELL 3 ELECTRIC	$\begin{array}{c} 18.20\\ 19.88\\ 25.25\\ 58.21\\ 7.53\\ 10.88\\ .19\\ 7.14\\ 12.75\\ 6944.68\\ 80.66\\ 2.62\\ 6710.61\\ 166.95\\ 122.57\\ 4.18\\ 6.38\\ 64.39\\ .18\\ 1044.96\end{array}$
01 AIRGAS MID AMERICA 9055637651 01-22-612	49.24 OXYGEN	49.24
01 ALEXIS FIRE EQUIP CO 0057228-IN 01-22-830	7528.00 FIRE HOSE	7528.00
01 AMERICAN TEST CENTER 2162425 01-22-513	560.00 ANNL SAFETY INSP AERIAL	560.00
01 ANDERSON, GRANT 16-15E 01-22-562	126.60 REIMB TRAVEL EXPENSES	126.60
01 ANIMAS, GEORGE M D092216 51-42-929	.05 REF OVERPAYMENT	.05
01 AUTOMOTIVE ELECTRIC OF KEWANEE 65587 62-45-613	100.00 STARTER	100.00
01 BARASH & EVERETT, LLC D093016 21-11-533	7118.12 RETAINER&REIMB EXPENSES	7118.12
01 BI-STATE REGIONAL COMM D100116 02-61-561	1511.75 QTRLY MEMBERSHIP DUES	1511.75
01 BRADLEY, GARY 16-19E 01-11-562	45.67 REIMB IML EXPENSES	45.67
01 CAMBRIDGE TELCOM SERVICES INC D100716 01-11-537	485.00 FIBER INTERNET	485.00
01 CHAMLIN & ASSOCIATES INC 2016594 33-49-532	372.00 ENG/WWTP CLARIFIERS	372.00
01 CHEMSEARCH 2458411 52-93-512	629.03 CUT THRU DEGREASER	629.03
01 CITY OF KEWANEE - HEALTH CARE	103110.41	

SYS DATE:10/07/16 A /	CITY OF KEWANEE P W A R R A N T L I S T	SYS TIME:08:46 [NW1]
,	REGISTER # 70 iday October 07,2016	PAGE 2
PAYABLE TO INV NO G/L NUMBER	AMOUNT	DISTR
нстн-10/16 01-11-451	HEALTH INS/F&A	 1725.96
HLTH-10/16 01-21-451	HEALTH INS/PD	39757.66
HLTH-10/16 01-22-451 HLTH-10/16 01-41-451	HEALTH INS/FD HEALTH INS/PW	28032.69 7547.58
HLTH-10/16 01-52-451	HEALTH INS/PARKS	392.18
HLTH-10/16 51-42-451 HLTH-10/16 52-43-451	HEALTH INS/WATER HEALTH INS/SEWER	10037.38 2767.65
HLTH-10/16 57-44-451	HEALTH INS/SAN	8023.65
HLTH-10/16 58-36-451 HLTH-10/16 01-65-451	HEALTH INS/CEM	2211.12 1307.27
HLTH-10/16 01-03-431 HLTH-10/16 62-45-451	HEALTH INS/CODE HEALTH INS/FLT MAINT	1307.27
01 COLWELL, BRENT	275.00	
991273 01-65-549	ELECTRICAL INSPECTION	50.00
991274 01-65-549 991275 01-65-549	ELECTRICAL INSPECTION ELECTRICAL INSPECTION	50.00 50.00
991276 01-65-549	ELECTRICAL INSPECTION	50.00
991277 01-65-549 991278 01-65-549	ELECTRICAL INSPECTION ELECTRICAL INSPECTION	25.00 50.00
01 IL DEPT OF CENTRAL MANAGEMENT	506.40	
T1706837 01-21-552	LEADS LINE	506.40
01 COMCAST CABLE	273.70	
D091516S 51-93-552	INTERNET VPN/SWTP	188.80
D092616 51-42-537 D092616 62-45-537	INTERNET CONNECTION/PW BLDG INTERNET CONNECTION/PW BLDG	42.45 42.45
01 COMPLETE INTEGRATION AND SERVI	8605.00	
331893 51-93-512	SWTP/EQUIPMENT REPLCMNT LIGHTNIN	G 8605.00
01 COSTIN MACHINE & PARTS CO	52.90	
49195 62-45-613	36" HOSE	52.90
01 CUMMINS CENTRAL POWER, LLC	109.13	
070-95052 62-45-613	PRESSURE SENSOR	109.13
01 D&D OF KEWANEE INC	202.77	
110972 62-45-613	CLUTCH	202.77
01 D&D OF KEWANEE INC	38.65	20 CF
110983 62-45-613	RELAY	38.65
01 DOOLEY BROS PLUMBING 4.616 51-93-512	626.25 INSTL FLOW METER WELL 5	626.25
		020.23
01 DOUBEK, TIMOTHY 16-18E 01-22-562	247.67 REIMB TRAVEL EXPENSES	247.67
		211101
01 EAGLE ENTERPRISES RECYCLING IN D093016 57-44-583	2419.50 RECYLCING	2419.50
01 EASTERN IOWA TIRE, INC	927.60	
100016710 62-45-613	TIRES/STOCK	733.18
100016710 58-36-512	TURF TIRES	194.42
01 ERDMANN, BERTHOLD	1575.74	1575 74
D092116 01-41-617	SIDEWALK REPLACEMENT	1575.74
01 FACTORY TIRE OUTLET	25.00	25 00
D092316 62-45-513	MOUNT/BAL 2 TIRES	25.00

SYS DATE:10/07/16	A / P	CITY OF KEWANEE W A R R A N T L I S T	SYS TIME:08:46 [NW1]
DATE: 10/07/16	Frida	REGISTER # 70 ay October 07,2016	PAGE 3
PAYABLE TO INV NO	G/L NUMBER	AMO DESCRIPTION	JNT DISTR
01 FELT, ANGIE D092116	01-41-617	156 SIDEWALK REPLACEMENT	.56 156.56
01 FOSTER COACH SALE 10402	62-45-613	216 ROTARY DOOR LATCH	33.95
10422 10486	01-22-513 62-45-613	4 TERMINAL RELAYS SPEAKER/RELAY/CIRCUIT BREAK	22.55 ER 159.55
01 FRONTIER COMMUNIC D091916 D091916 D091916 D091916 D091916 D091916 D091916 D091916 D091916 D091916 D091916 D091916PD	CATIONS CORPOR 01-41-552 54-54-552 01-11-552 01-22-552 52-93-552 57-44-552 51-93-552 01-21-552 58-36-552 01-21-552	1435 LOCAL PH/PW LOCAL PH/PARKS LOCAL PH/F&A LOCAL PH/FD LOCAL PH/WTP LOCAL PH/SAN LOCAL PH/WTP LOCAL PH/PD LOCAL PH/CEM PD/LOCAL PHONE	.11 213.96 34.61 301.67 123.08 112.76 38.11 45.12 169.13 53.89 342.78
01 GUSTAFSON FORD 3407	62-45-613	92 CORE ASSY	.56 92.56
01 GUSTAITIS, FRED D092216	51-42-929	77 REFUND OVERPAYMENT	.43 77.43
01 HAYES, RAY JR 3025 3025	51-42-515 52-43-515	2850 PUSH SPOIL PILES PUSH SPOIL PILES	.00 1425.00 1425.00
01 HAYES, RAY D092016	01-41-617	345 SIDEWALK REPLACEMENT	.93 345.93
01 HD SUPPLY WATERWO G001341 G069661 G069661 G102901 G141346 G165401 G165401	ORKS LTD 51-42-615 51-42-615 52-43-615 51-42-615 32-42-850 51-42-615 52-43-615	19723 2" METER/MXU/FLANGE KIT METERS METERS WATER PARTS STOCK 13TH ST WATER MAIN PARTS METERS METERS	.54 1088.21 130.00 130.00 1900.00 10670.33 2902.50 2902.50
01 HENRY COUNTY HUMA D100416	ANE SOCIETY 01-21-539	1024 POUND CARE	.00 1024.00
01 HENRY SCHEIN, ING 34448490 34579761	01-22-612 01-22-612	1377 MEDICAL SUPPLIES MEDICAL SUPPLIES	.10 678.05 699.05
01 HORRIE, LANDON 16-21E	01-22-562	193 REIMB TRAVEL EXPENSES	.01 193.01
01 HUBER TECHNOLOGY CD10014785 CD10014797	, INC 52-93-512 52-93-512	1500 LIMIT SWITCH, STEP SCREEN VALVE, PRESS CONTROL	.00 325.00 1175.00
01 I/O SOLUTIONS INC C37840A	2 01-11-541	159 PROMO TESTING SUPPLIES	.00 159.00

S	SYS DATE:10/07/16	A / P	CITY OF KEWANEE WARRANT LIST	SYS TIME:08:46 [NW1]
D	DATE: 10/07/16	Frida	REGISTER # 70 ay October 07,2016	PAGE 4
P ==	PAYABLE TO INV NO	G/L NUMBER	AMOUN DESCRIPTION	r DISTR
0	11 INTERSTATE BATTER 10114479 1011480	Y SYSTEMS OF 51-42-612 38-71-611	272.83 BATTERIES BATTERIES FOR BACKUP	3 122.89 149.94
0	01 KEISTER'S INC 8023833 8023889	62-45-513 62-45-512	69.24 PATCH TIRE MOUNT TIRE/ORINGS	3 16.00 53.28
0	)1 KEWANEE FIRE PENS D093016	5ION FUND 71-14-462	183690.55 DIST#2 PROP TAX	5 183690.55
0	1 KEWANEE COMMUNITY D092116CB D092116ELM	7 UNIT SCHOOLS 01-41-617 01-41-617	1516.00 SIDEWALK REPLACEMENT SIDEWALK REPLACEMENT	) 544.00 972.00
0	)1 KEWANEE POOL & SP 13258	°A 51-42-652	32.25 CHLORINE TABLETS/13TH ST	5 32.25
0	1 KEWANEE VETERINAR 304332	Y CLINIC 01-21-539	566.00 CITY POUND FEES	566.00
0	1 KEWANEE POLICE PE D093016	NSION FUND 72-14-462	197236.79 DIST#2 PROPERTY TAX	9 197236.79
0	)1 KEWANEE ROTARY CL D103116	UB FOUNDATION 01-11-562	76.00 MEETING MEALS	76.00
0	01 LACKY & SONS D081716	14-11-591	1495.00 REPL DAMAGED MARKER	) 1495.00
0	1 LAWSON PRODUCTS, 9304379723 9304379723		265.20 ZINC COPPER SLEEVES CRIMP TOOL	5 6.10 259.16
0	1 LACAL EQUIPMENT I 0244013-IN	NC 62-45-613	328.04 BLADES, BOLTS, CYLINDERS	4 328.04
0	1 MARTIN EQUIPMENT 228706	OF IA-IL, INC 62-45-612	509.08 PARTS/SAN BACKHOE	3 509.08
0	1 MARTIN BROS COMPA 4222 4222	NIES INC 51-42-615 52-43-615	2111.10 ROCK & TRUCKING ROCK & TRUCKING	) 1055.55 1055.55
0	)1 MARTIN SULLIVAN I 13710478	NC 39-73-840	14185.00 UTILITY VEHICLE/CEM	) 14185.00
0	01 MARTINEZ, JESUS D100416	01-41-617	311.10 SIDEWALK REPLACEMENT	) 311.10
0	01 MIDWEST WHEEL COM 493139-00 550284-00 550286-00 550877-00	IPANIES INC 62-45-613 62-45-613 62-45-613 62-45-613	216.7 RETURN ITEMS BRAKE CHAMBER/RED LAMPS OPTIC LENS/MUTLIFUNCTION RED LED LIGHTS.GROMMETS	5 24.24 99.34 104.09 37.56
0	01 MIROCHA'S AUTO SE 12758 12766	RVICE INC 62-45-513 62-45-513	215.84 AC SERVICE AC SERVICE	3 116.32 99.56
0	)1 WALLEN, PETE D093016	38-71-549	JANITOR SERVICES	) 1250.00
0	)1 OFFICE SPECIALIST	S INC	1465.90	5

SYS DATE:10/07/16	A / P	CITY OF KEWANEE WARRANT LIST	SYS TIME:08:46 [NW1]
DATE: 10/07/16	Frida	REGISTER # 70 ay October 07,2016	PAGE 5
PAYABLE TO INV NO	G/L NUMBER	AMOUNT	DISTR
950898-0 950899-0 951067-0 951325-0 951325-1 951600-0	38-71-611 38-71-611 38-71-611 52-93-552 52-93-652 01-11-537	PAPER TOWELS CHAIR MAT RECYCLE BAGS INK CARTRIDGES & OFFICE SUPPLIES INK CARTRIDGE TABLETS	85.03 57.75 7.18 148.29 91.71 1076.00
01 OFFICE MACHINE CO IN96717 IN96718	NSULTANTS INC 01-22-651 01-22-651	34.65 COPIER MAINT AGREEMENT COPIER MAINT AGREEMENT	26.05 8.60
01 ORDAZ CONSTRUCTIO 2016-15	N 31-71-813	10464.50 SIDEWALK REPLCMNT/ADA	10464.50
01 PDC LABORATORIES 843470s 843471s	INC 51-93-542 52-93-542	210.33 WATER TESTING CHLORIDE/NITROGEN TESTING	95.75 114.58
01 PEST DOCTOR 22980 22981	38-71-549 01-22-580	80.00 MUN BLDG/PEST CONTRL ST 2 PEST CONTROL	60.00 20.00
01 RODNEY R DORMAN 389	52-93-586	13875.04 SLUDGE HAULING	13875.04
01 SUPREME RADIO COM 37435	MUNICATIONS I 01-22-556	468.65 LAEP MICS/ANTENNAS/BATTERIES	468.65
01 TRUCK COUNTRY OF x106283722:01	IOWA 62-45-613	214.18 SURGE TANK & CAP	214.18
01 UNDERWOOD, HAROLD D092116	01-41-617	240.94 SIDEWALK REPLACEMENT	240.94
01 USA BLUEBOOK 64061	51-42-652	183.05 FREEAGENT CL2 TESTS	183.05
01 U.S. CELLULAR 156061431 156061431	01-41-552 01-11-552	280.91 CELLULAR SVC/PW CELLULAR SVC/CM	183.10 97.81
01 VERIZON WIRELESS 9772615345	58-36-552	38.01 CEM/INTERNET ACCESS	38.01
01 VISA D092616GB D092616GB	01-11-562 01-00-159.7	3242.54 IML TRAVEL EXPENSES REIMBURSED IML EXPENSES	3126.54 116.00
01 WALLACE-MCKENNA, 16-20E	KELLIE J 01-11-562	73.19 REIMB IML EXPENSES	73.19
01 WALMART COMMUNITY 2198 2979 3013 3013 3013 3127 3127 3207 5397	01-22-612 01-21-651 01-22-513 01-22-651 01-22-651 01-22-654 01-22-513 01-21-651 01-21-652	348.09 BATTERIES/INK PENS RANGE SUPPLIES VEHICLE CLEANING SUPPLIES FILTERS MEDICAL SUPPLIES BATH TISSUE VEHICLE CLEANING SUPPLIES USB FLASH DRIVES STAPLES	9.92 16.60 11.74 2.94 71.76 22.94 13.78 25.94 2.64

SYS DATE:10/07/16	A / P	CITY OF KEWANEE W A R R A N T L I S T	SYS TIME:08:46 [NW1]
DATE: 10/07/16	Frida	REGISTER # 70 ay October 07,2016	PAGE 6
PAYABLE TO INV NO	G/L NUMBER	AMOUN DESCRIPTION	T DISTR
8057 827 8851	01-22-654 01-21-651 38-71-611	LAUNDRY SOAP PD OFFICE SUPPLIES JANITOR SUPPLIES	18.94 29.29 121.60
01 WC MEDIA 39047	02-61-913	400.0 INSTALL BILLBOARD VINYL	0 400.00
01 WILSON PAPER COMF 285211	PANY 38-71-611	51.4 TRASH BAGS	8 51.48
01 win-911 software 1608047357	52-93-652	495.0 ANNL SOFTWARE SUPPORT	0 495.00
01 ZALEWSKI, DANIEL D092116	01-41-617	341.8 SIDEWALK REPLACEMENT	8 341.88
** TOTAL CHECKS	TO BE ISSUED	618834.9	9

SYS DATE:10/07/16	A / P	CITY OF KEWANEE W A R R A N T REGISTER # 70	LIST	SYS TIME:08:46 [NW1]
DATE: 10/07/16	Frid	ay October 07,2016	5	PAGE 7
FUND INV NO	G/L NUMBER	DESCRIPTION	AMOUNT	DISTR
GENERAL FUND			103136.83	
ECONOMIC DEVELOPM	ENT		1911.75	
INSURANCE FUND			1495.00	
PUBLIC BENEFITS F	UND		7118.12	
NHR SALES TAX INF	RASTRUCTURE IMP		10464.50	
WATER IMPROVEMENT			10670.33	
SEWER IMPROVEMENT			372.00	
CAPITAL MAINTENAN	CE/MUN. BLDG.		1782.98	
ACQUISITION FUND			14185.00	
WATER FUND			36371.46	
SEWER FUND			32297.69	
FRANCIS PARK			34.61	
SANITATION			10481.26	
CEMETERY FUND			2500.06	
CENTRAL MAINTENAN	CE		5086.06	
FIRE PENSION FUND			183690.55	
POLICE PENSION FU	ND		197236.79	
*** GRAND TOTAL	***		618834.99	
TOTAL FOR R	EGULAR CHECKS:		618,834.99	

#### A/P MANUAL CHECK POSTING LIST POSTINGS FROM ALL CHECK REGISTRATION RUNS(NR) SINCE LAST CHECK VOUCHER RUN(NCR)

PAYABLE TO REG# INV NO	CHECK DA G/L NUMBER	ATE CHECK NO DESCRIPTION	AMOUNT	DISTR
01 PAYROLL ACCOUNT 222 PR100516 222 PR100516 222 PR100516 222 PR100516 222 PR100516 222 PR100516 222 PR100516	10/03/ 01-00-243 51-00-243 52-00-243 54-00-243 57-00-243 58-00-243 62-00-243	/16 50506 PAYROLL/F&A PAYROLL/WATER PAYROLL/SEWER PAYROLL/FR PK PAYROLL/SANIT PAYROLL/CEMET PAYROLL/FLT MNT	182525.45	134440.36 19100.40 5050.88 1264.60 11939.37 8272.23 2457.61
01 PAYROLL ACCOUNT 222 PRD100516 222 PRD100516 222 PRD100516 222 PRD100516	10/03/ 01-11-929 16-00-243 19-00-243	/16 50913 PAYROLL/ACH FEES PAYROLL/IMRF PAYROLL/SOC SEC	16120.96	10.00 8446.73 7664.23
44 GUSTAFSON, KURT & CA	RRIE 10/05/	/16 107	1250.00	1250.00
222 RES 4992 PART	44-84C-929	REIMB PART LOT 53	31 e div	
44 HYPE, INC	10/05/	/16 BC201610	1475.81	1475.81
222 2015 PAY 2016	44-84E-919	TIF REDEVELOP AGE	REEMENT	
44 JOHNSON THEATERS, IN	C 10/05/	/16 BC100516	10000.00	10000.00
222 RES 4998	44-84E-919	RES 4998 FORGIVAE	BLE LOAN	
44 SJ RUSSELL LC	10/05/	/16 BC161005	5206.33	5206.33
222 2015 PAY 2016	44-84E-919	TIF AGREEMENT REI	IMBURSEMENT	
44 WHITCHER'S MAIN STRE	ET LLC 10/05/	/16 BC1005	9290.52	9290.52
222 2015 PAY 2016	44-84E-919	TIF REDEVELOP AGE	REEMENT	
74 MUTUAL OF OMAHA 221 000577772842	09/26/ 74-14-452	/16	331.80 -16	331.80
74 SISCO	09/01/	/16 1055a	3.34	3.34
221 180049A	74-14-451	DENTAL/VISION ADM	MIN	
74 SISCO	09/26/	/16 1061	304.00	304.00
221 D092616	74-14-451	DENTAL/VISION CLA	AIMS	
74 SISCO 221 D093016				1177.56
74 SISCO	10/01/	/16 1064	6762.71	462.71
222 180780	74-14-451	DENTAL/VISION ADM	MIN	

SYS DATE:10/07/16	CITY OF KEWANEE	SYS TIME:08:46
	A/P WARRANT LIST	[NW1]
DATE: 10/07/16	Friday October 07,2016	PAGE 9

### DATE: 10/

# A/P MANUAL CHECK POSTING LIST POSTINGS FROM ALL CHECK REGISTRATION RUNS(NR) SINCE LAST CHECK VOUCHER RUN(NCR)

	AMOUNT	CHECK NO	======= <		=====================================	PAYABLE
DISTR	AMOUNT	CRIPTION		G/L NUMBER	INV NO	REG#
6300.00		LY BROKER FEE	QTR	======================================	 180780	222

\*\* TOTAL MANUAL CHECKS REGISTERED

234448.48

REPORT SUMMARY

CASH FUND	CHECKS TO BE ISSUED	REGISTERED MANUAL	TOTAL	
01 44 74	618834.99 .00 .00	198646.41 27222.66 8579.41	817481.40 27222.66 8579.41	
TOTAL CASH	618834.99	234448.48	853283.47	

DISTR	CHECKS TO	REGISTERED		
FUND	BE ISSUED	MANUAL	TOTAL	
01	103136.83	134450.36	237587.19	
02	1911.75	.00	1911.75	
14	1495.00	.00	1495.00	
16	.00	8446.73	8446.73	
19	.00	7664.23	7664.23	
21	7118.12	.00	7118.12	
31	10464.50	.00	10464.50	
32	10670.33	.00	10670.33	
33	372.00	.00	372.00	
38	1782.98	.00	1782.98	
39	14185.00	.00	14185.00	
44	.00	27222.66	27222.66	
51	36371.46	19100.40	55471.86	
52	32297.69	5050.88	37348.57	
54	34.61	1264.60	1299.21	
57	10481.26	11939.37	22420.63	
58	2500.06	8272.23	10772.29	
62	5086.06	2457.61	7543.67	
71	183690.55	.00	183690.55	
72	197236.79	.00	197236.79	
74	.00	8579.41	8579.41	
TOTAL DISTR	618834.99	234448.48	853283.47	

CI	CITY OF KEWANEE TY COUNCIL AGENDA IT	EM	
MEETING DATE	October 11, 2016		
RESOLUTION OR ORDINANCE NUMBER	N/A		
AGENDA TITLE	Presentation and Accept 2016 Municipal Audit	ance of the Fiscal Year 2015-	
REQUESTING DEPARTMENT	Administration		
PRESENTER	Adam Pulley, CliftonLars	sonAllen LLP	
FISCAL INFORMATION	Cost as recommended:	N/A	
	Budget Line Item:	N/A	
	Balance Available	N/A	
	New Appropriation Required:	[]Yes [X]No	
PURPOSE	What purpose does the item serve? Provides overview of the City's annual audit for Fiscal Year 2015-2016 (May 1, 2015 through April 30, 2016).		
BACKGROUND	Per state statutes, the City contracts with CliftonLarsonAllen LLP to conduct an independent audit of the City's financial statements of the governmental and business-type activities of the City, as well as our internal control systems that help to ensure the stewardship of public funds. The audit identified deficiencies in internal controls that in the opinion of the auditor constitute a material weakness. Each deficiency identified has been part of a long-term practice.		
SPECIAL NOTES	N/A		
ANALYSIS	N/A		

PUBLIC INFORMATION PROCESS	N/A
BOARD OR COMMISSION RECOMMENDATION	N/A
STAFF RECOMMENDATION	Staff recommends acceptance.
REFERENCE DOCUMENTS ATTACHED	FY 2015-2016 Audit, Management response letter in response to the internal control portion of the audit.



The City of Kewanee engaged CliftonLarsonAllen LLP to conduct an audit of the cash basis financial statements of the governmental activities, the business-type activities, each major fund, and the aggregate remaining fund information of the City as of and for the year ended April 30, 2016, in accordance with auditing standards generally accepted in the United States. As a part of the audit, CliftonLarsonAllen provided an internal control letter with certain findings regarding deficiencies within the City's internal controls, along with recommendations for mitigating such concerns. The audit identified two material weaknesses in internal controls, one significant deficiencies, but nevertheless provide an opportunity for the City to improve its policies and practices for ensuring that adequate internal controls are in place.

Below are the findings, recommendations, and management's response to each deficiency.

#### 1. Financial statement preparation and audit adjustments (material weakness)

The City does not have an internal control policy in place over annual financial reporting that would enable management to prepare its annual financial statements and ensure related footnote disclosures are complete and presented in accordance with the cash basis of accounting.

Additionally, during the course of our audit, we proposed many adjustments that individually and in the aggregate had a material effect on the City's financial statements. Adjustments were made to properly record various cash items.

The potential exists that a material misstatement of the annual financial statements could occur and not be prevented or detected by the City's internal controls. Management should continue to evaluate their internal staff capacity to determine if an internal control policy over the annual financial reporting is beneficial.

#### Recommendation: None Given

**Management Response**: Management concurs with the auditors' finding. The appearance of this item as a material weakness is a result of a change in auditors, as opposed to a change in the City's processes. The City has not prepared its own financial statements during the employment of the current Finance Director, and Management cannot say for sure when the City last prepared such documents on its own. The City certainly could not do so as easily as simply paying a team of trained accountants that are familiar with our books because they are conducting an audit.

401 E. 3rd St. Kewanee, Illinois 61443 P: 309-852-2611 F: 309-856-6001 www.cityofkewanee.net City Manager Gary Bradley Staff will identify appropriate training through Government Finance Officers Association (GFOA) on the preparation of financial statements and make arrangements to attend such classes. Management expects that it will take a year or two until such statements can be confidently completed without some level of input from accounting professionals.

#### 2. Uncollateralized cash balances (material weakness)

During our audit of the cash balances, we noted the City's bank balances were not fully collateralized which poses a risk of loss in the event the bank failed. Approximately 3.4% (\$703,030) of the City's cash was exposed to custodial credit risk at April 30, 2016.

**Recommendation**: We recommend the City continuously monitor the amount of cash held at the banks and determine if additional collateral is necessary.

**Management Response**: Management concurs with the auditors' finding. As before, the appearance of this item as a material weakness is a result of a change in auditors, as opposed to a change in the City's processes. In a letter dated October 26, 2015, Doyle and Keenan, P.C., following its discussion of deficiencies that did not constitute significant deficiencies or materials weaknesses with the following conclusion: "In addition, the following are comments and suggestions with respect to matters that came to our attention in connection with our audit and they are offered as constructive suggestions to be considered part of the ongoing process of modifying and improving the City's practices and procedures:

• Consider obtaining additional collateral for unsecured funds. There was approximately \$313,000 of uncollateralized funds at April 30, 2015."

While the amount of uncollateralized funds was considerably larger on April 30, 2016 than on the same day one year earlier, it may not be a reflection of the level of collateralization throughout the year. As the auditor notes, the risk is a small percentage of the City's cash accounts and only poses a risk in the event of bank failure. In this instance, because the under collateralization was split between two banks, the full risk would not have been realized unless two banks in the community failed.

Staff recently accepted proposals from financial institutions for the City's banking services (A GFOA recommended Best practice). As part of the process for awarding such services, staff will ensure that the selected institution is reminded of the need to fully collateralize all deposits and ensure compliance through the implementation of a monthly reporting requirement.

#### 3. Negative Cash in Pooled Bank Accounts

We noted during the audit that several funds (accounts) had a negative cash balance at year end. This implies borrowing from funds with a positive cash balance. Since loans from certain funding sources are restricted, unauthorized loans may also lead to noncompliance with external restrictions.

**Recommendation**: We recommend close tracking of these negative balances and appropriate approval in advance of interfund loans.

**Management Response**: Management concurs with the auditors' finding. While the practice remained during the fiscal year as it had in the past, this concern had not been raised in previous audits. Staff will compile a list of accounts in which this occurred or is at risk of occurring and ensure that proper steps are taken to obtain City Council approval prior to any interfund loans or transfers, if needed.

#### 4. Bank accounts not recorded in general ledger

The City maintains bank accounts which are not recorded in the City's general ledger activity.

Activity for these accounts are not recorded in the City's general ledger.

**Recommendation**: We recommend that the City review the possibility that all bank accounts, including receipt and disbursement activity, are recorded in the general ledger to ensure the financial information is complete. Reconciliations that are being prepared should be compared to balances maintained in the general ledger. Specifically, we would recommend the following accounts be recorded in the general ledger: Illinois Funds – E-Pay Water Billing Illinois National Bank – E-Pay Water Billing

**Management Response**: Management concurs with the auditors' finding. Management expects to soon migrate away from the use of Illinois Funds and Illinois National Bank for the processing of online utility bill accounts. Staff was hesitant to establish new accounts in the accounting software only to see them no longer in use within the next few month. Management believes this deficiency will be mitigated within the next 120 days and will ensure that any accounts of the City are recorded in the general ledger.

#### 5. Approval of treasurer's pay rate

We noted that the City Treasurer's pay rate for fiscal year 2016 was \$1,000 per year. However, the City had approved the Treasurer's pay rate at \$2,000 per year.

**Recommendation**: We recommend the City review salaries paid according to the approved pay rate.

**Management Response**: Management concurs with the auditors' finding. Approval of the Treasurer's rate of pay at \$2,000 was made in April 1981. All staff currently in place, along with the Mayor and Treasurer, had no reason to expect that the position should be compensated any higher than it was when they assumed their positions.

Upon notification of this deficiency, staff took the appropriate action to correct the matter.

#### 6. No formal information technology policies or procedures

We noted that the City does not have any formal IT policies or procedures. Additionally, passwords are the same for different users of the financial system.

**Recommendation**: We recommend the City implement formal policies and procedures and specifically include policies relating to passwords and the changing of passwords periodically.

**Management Response**: Management concurs with the auditors' finding. The City's lack of formal IT policies and procedures is likely a result of the lack of IT staff and the organization's historical approach towards the integration of technology into the City's processes. Management believes that the use of Passwords will help with security and accountability. We will research, develop, and adopt policies and procedures that address this deficiency within the current fiscal year.

#### 7. Substantial interfund transfers

We noted that the City has a substantial amount of interfund transfer activity. Additionally, we noted that some of these transfers would be better classified as revenue and expenditures (expenses) in various funds due to the nature of the activity.

**Recommendation**: We recommend the City record these transactions appropriately so that the activity in each fund is transparent to a reader of the financial statements. Below are interfund transfers that were reclassified on the financial statements.

- o Transfers from various funds to the Liability Insurance and Illinois Municipal Retirement Funds to make up the shortfall in liability expenditures and retirement contributions.
- o Transfers from various funds to the Police Pension and Fire Pension special revenue
  - funds to make up the shortfall in pension contributions.
- o Transfers from various funds to the Health Insurance Fund for health insurance expenses.
- o Transfers from various funds to the Central Maintenance Fund for maintenance of fleet.

**Management Response**: Management generally concurs with the auditors' finding. While the system in place is cumbersome, it does not lack transparency, in that all transfers are public. Staff concedes that the transfers can be confusing and that the budget overall lacks a certain amount of clarity. The current budget is more clear than the previous ones, and staff continues to identify way to streamline the process and the accounting functions which go with it. We will continue to do so in the administration of the current budget and in the development of future budgets. The stewardship of public funds is an important part of the City's mission. The audit completed by CliftonLarsonAllen LLP and their findings related to such work are an important component in fulfilling that mission. Management looks forward to implementing measures that will address all deficiencies in internal controls identified by the auditor during the course of their work.

Please let me know if you have any questions or concerns.

Best regards,

Hary Bradley

Gary Bradley City Manager

CITY OF KEWANEE CITY COUNCIL AGENDA ITEM			
MEETING DATE	October 11, 2016		
RESOLUTION OR ORDINANCE NUMBER	Ordinance #3849		
AGENDA TITLE		nance Amending Chapter of Use (Nonconforming Use)	
REQUESTING DEPARTMENT	Community Developmen	t	
PRESENTER	Keith Edwards, Director of Community Development		
FISCAL INFORMATION	Cost as recommended: N/A		
	Budget Line Item:	N/A	
	Balance Available N/A		
	New Appropriation Required:	[]Yes [X]No	
PURPOSE	This would give the City Council the authority to extend the term of a nonconforming use.		
BACKGROUND	The City has a select few buildings that have or had nonconforming uses, but the building itself has no realistic use that is not nonconforming given the adjacent zoning and uses. These are a handful of cases. This change gives the City Council the discretion to apply common sense, rather than requiring a new property owner to jump through a variety of hoops navigating a zoning process that can be cumbersome and time consuming.		
SPECIAL NOTES	N/A		

ANALYSIS	There are some nonconforming properties in our City where it makes sense to allow the nonconforming status to be discontinued. There are also those properties where staff believes the nonconforming status should be allowed to continue versus the possibility of the property becoming stagnant and remaining empty serving no good purpose to our community.
	The Director of Community Development and the City Manager discussed this topic and arrived at this proposed amendment as a viable solution to such challenges. The City Attorney concurred with the more customer oriented approach that helps to ensure a use of properties rather than vacancy.
PUBLIC INFORMATION PROCESS	N/A
BOARD OR COMMISSION RECOMMENDATION	N/A
STAFF RECOMMENDATION	Staff recommends passing the amendment.
REFERENCE DOCUMENTS ATTACHED	

#### ORDINANCE NO. 3849

AN ORDINANCE AMENDING CHAPTER 155.086 CITY CODE WHICH ESTABLISHES AN EXCEPTION ALLOWING THE CITY COUNCIL TO GRANT THE RE-ESTABLISHMENT OF A NONCONFORMING USE THAT MAY BE CONSIDERED DISCONTINUED OR ABANDONED, AND DECLARING THAT THIS ORDINANCE SHALL BE IN FULL FORCE UPON PUBLICATION AS REQUIRED BY LAW.

- **WHEREAS,** The City of Kewanee has previously established standards by which a nonconforming use shall be considered discontinued or abandoned and shall then be in conformity with the regulations of the zoning district in which it is located; and
- **WHEREAS,** The City Council has found that the current ordinance fails to allow any authority to reconsider and allow a nonconforming use to lawfully continue; and,
- **WHEREAS,** The City Council believes that it is important to remain business friendly and be able to consider the possibility of allowing a nonconforming use to continue if the nonconforming use is not detrimental to the surrounding properties and zoning district in which the nonconforming use is located; and,

NOW, THEREFORE, BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF KEWANEE, ILLINOIS, IN COUNCIL ASSEMBLED, AS FOLLOWS:

Section 1 The City Council hereby amends Chapter 155.086 of the City Code by inserting text shown as **underlined** as follows:

(D) Exception. Whenever a nonconforming use of a building or structure, or part thereof, has been discontinued for a period of six consecutive months, or for a continuous period of 12 months if the building was originally designed and constructed or modified for a nonresidential use, the owner may appeal to the City Council for a continuance of the nonconforming use. The City Council may grant a continuance of the same or more restricted zoning use but may not grant a less restricted use.

**Section 2** This ordinance shall be in full force and effect immediately upon its passage, approval and publication as provided by law.

Passed by the Council of the City of Kewanee, Illinois this 11<sup>th</sup> day of October, 2016. ATTEST:

Melinda K. Edwards, City Clerk

RECORD OF THE VOTE	Yes	No	Abstain	Absent
Mayor Steve Looney				
Council Member Andy Koehler				
Council Member Deann Schweitzer				
Council Member Kellie Wallace-McKenna				
Council Member Michael Yaklich				

СІТ	CITY OF KEWANEE Y COUNCIL AGENDA IT	EM	
MEETING DATE	October 11, 2016		
RESOLUTION OR ORDINANCE NUMBER	Resolution #5004		
AGENDA TITLE	Consideration of a Resolution amending the Fiscal Year 2016/2017 municipal budget as it relates to Tax Increment Financing expenditures and Fire Department equipment		
REQUESTING DEPARTMENT	Administration		
PRESENTER	Gary Bradley, City Manager		
FISCAL INFORMATION	Cost as recommended: \$70,000 & \$38,000		
	Budget Line Item:	44-84E-919 & 01-22-830	
	Balance Available	\$	
	Budget Amendment [X] Yes [] No Required		
PURPOSE	Amends the municipal budget to allow for the expenditures related to the existing redevelopment agreements, as well as future agreements and the purchase of a new AED.		
BACKGROUND	The budget was prepared eliminating the just in case budgeting process previously used.		
SPECIAL NOTES	N/A		

ANALYSIS	At the time the budget was prepared, the value of the redevelopment agreements already approved was unknown, so the amount was left at \$0 until such time as an accurate estimate could be made based on reassessment of the subject properties by the County assessor. The TIF advisors have reviewed the documents filed by the developers and issued a notice to reimburse each of developers. With that amount known, as well as the amount of revenue from the TIF, it is appropriate to budget for the payment of these expenses
	Also, at the time of the budget our AEDs had been newly refurbished with an expected life span of 2 years. One of the AEDs is experiencing some electrical issues, and as such with the desire to provide our customers with the highest level of service, it is necessary to replace the unit.
PUBLIC INFORMATION PROCESS	N/A
BOARD OR COMMISSION RECOMMENDATION	N/A
STAFF RECOMMENDATION	Staff recommends adoption
REFERENCE DOCUMENTS ATTACHED	N/A

#### **RESOLUTION NO. 5004**

#### A RESOLUTION AMENDING THE FISCAL YEAR 2016-2017 MUNICIPAL BUDGET ESTABLISHED BY RESOLUTION 4988, AND DECLARING THAT THIS RESOLUTION SHALL BE IN FULL FORCE IMMEDIATELY.

- WHEREAS, In response to expenses related to current and future redevelopment agreements of the Downtown TIF District; and
- WHEREAS, It is important for the City to have the equipment necessary to provide a high level of service to our customers, the City Council finds it necessary to amend the Fiscal Year 2016-2017 municipal budget established on June 13, 2016 by Resolution 4988.

NOW THEREFORE BE IT RESOLVED, BY THE KEWANEE CITY COUNCIL, IN COUNCIL ASSEMBLED, AS FOLLOWS:

Section 1 The budget line items shown in Section 2 hereof shall be, and hereby are amended as shown below.

#### Section 2

D	owntown TIF District Fund	44-84E	Current Amount	Amended Amount
919	Redevelopment Projects		\$0	\$70,000

#### *Expense Change* + /(-) +\$70,000

Increased to provide an adequate amount to cover the costs for the redevelopment agreements and allowing for additional projects in the fiscal year.

General Fund		01-22	Current	Amended
		01-22	Amount	Amount
830	Equipment		\$20,000	\$58,000

*Expense Change* +/(-) +\$38,000

Increased to provide adequate amount to purchase an automated external defibrillator. This is a capital purchase and will be paid from existing fund balances.

- Section 3 Except for the amendments contained in Section 2 hereof, the remainder of the fiscal year 2016-2017 municipal budget shall remain unchanged and in full force and effect.
- Section 4 This Resolution will also approve the payment of the amounts due to Hype Inc., Johnson Theaters, Inc., SJ Russell, LC., and Whitcher's Main Street, LLC as provided for in their respective redevelopment agreements, and reflected on the warrant list.
- **Section 5** This Resolution shall be in full force and effect immediately upon its passage and approval as provided by law.

Adopted by the Council of the City of Kewanee, Illinois this 11<sup>th</sup> day of October 2016 ATTEST:

Melinda Edwards, City Clerk

RECORD OF THE VOTE	Yes	No	Abstain	Absent
Mayor Steve Looney				
Council Member Deann Schweitzer				
Council Member Andrew Koehler				
Council Member Kellie Wallace-McKenna				
Council Member Michael Yaklich				

CITY OF KEWANEE CITY COUNCIL AGENDA ITEM			
MEETING DATE	October 11, 2016		
RESOLUTION OR ORDINANCE NUMBER	Ordinance #3850		
AGENDA TITLE	Consideration of an Ordinance declaring excess certain fire hose		
REQUESTING DEPARTMENT	Fire Department		
PRESENTER	Kevin Shook, Fire Chief		
FISCAL INFORMATION	Cost as recommended:	N/A	
	Budget Line Item:	N/A	
	Balance Available	N/A	
	New Appropriation Required:	[] Yes [X] No	
PURPOSE	Allows for the sale of excess 5" fire hose		
BACKGROUND	The aerial truck came with 5" fire hose. All other hose lengths used in the fire department and supported by the fire hydrants is 4". Our steamers on the hydrants are 4 $\frac{1}{2}$ " and will not support a 5" hose.		
SPECIAL NOTES	N/A		
ANALYSIS	Many lengths of the 5" hose have deteriorated due to lack of use/age. The remaining lengths have been recently replaced by 4" hose to match all other lengths used in the fire department. It is proposed to sell the remaining lengths of 5" hose to offset some of the cost of the current hose replacements needed.		
PUBLIC INFORMATION PROCESS	N/A		

BOARD OR COMMISSION RECOMMENDATION	N/A
STAFF RECOMMENDATION	Staff recommends adoption
REFERENCE DOCUMENTS ATTACHED	N/A

#### ORDINANCE NO. 3850

#### AN ORDINANCE TO DECLARE CERTAIN EQUIPMENT EXCESS AND NO LONGER REQUIRED IN THE OPERATIONS OF THE CITY OF KEWANEE AND DIRECTING THE CITY MANAGER OR HIS DESIGNEE TO DISPOSE OF SAME, AND DECLARING THAT THIS ORDINANCE SHALL BE IN FULL FORCE IMMEDIATELY.

- **WHEREAS,** The City Manager finds, subsequent to the recommendation of the staff, that various vehicles and equipment are no longer necessary or useful to, or for the best interests of the City and its operations, and are considered excess; and,
- WHEREAS, The items determined to be excess are:

MISCELLANEOUS	
500 feet of 5" Fire Hose	

## NOW THEREFORE BE IT ORDAINED, BY THE KEWANEE CITY COUNCIL, IN COUNCIL ASSEMBLED, AS FOLLOWS:

- Section 1 The items listed above are hereby declared to be excess property of the City of Kewanee, and the City Manager, or his designee, is authorized to execute any documents necessary to transfer ownership of said excess property.
- Section 2 The City Manager, or his designee, is hereby authorized to solicit bids, whether they be sealed bids, bids at public auction, or bids via electronic methods on the items listed above. All proper commissions charged by any third party to list or sell any given item shall be deducted from the proceeds of the sale of the item. The City reserves the right to reject any or all bids, or to retain any item or piece of equipment at its discretion, or to dispose of any item or piece of equipment for scrap value if not deemed appropriate for sale.
- Section 3 This Ordinance shall be in full force and effect immediately upon its passage and approval as provided by law.

Passed by the Council of the City of Kewanee, Illinois this 11<sup>th</sup> day of October, 2016. ATTEST:

Melinda Edwards, City Clerk

RECORD OF THE VOTE	Yes	No	Abstain	Absent
Mayor Steve Looney				
Council Member Deann Schweitzer				
Council Member Andrew Koehler				
Council Member Kellie Wallace-McKenna				
Council Member Michael Yaklich				

#### RESOLUTION NO. \_\_\_\_\_ A RESOLUTION TO AUTHORIZE THE MAYOR TO EXECUTE AN ADDENDUM TO THE EMPLOYMENT AGREEMENT FOR GARY W. BRADLEY'S EMPLOYMENT AS CITY MANAGER

**WHEREAS**, the mayor and the City Council feel it is the best interest of the city to modify the terms of the original employment agreement executed between Gary W. Bradley and the City of Kewanee executed on September 14, 2015 in light of his employment review after one year of service, and

**WHEREAS**, the City of Kewanee feels it is the best interest to increase the amount of severance and the procedures and mechanism to attribute severance in the event of the termination of Gary W. Bradley.

#### NOW THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF KEWANEE, HENRY COUNTY, ILLINOIS, IN COUNCIL ASSEMBLED AS FOLLOWS:

**Section 1.** The Mayor of the City of Kewanee and the City Clerk are hereby authorized to execute the Addendum to the Employment Agreement on behalf of the City of Kewanee attached hereto as Exhibit A.

**Section 2.** Said addendum will be effective as of the one year anniversary of his employment on September 14, 2016.

**Section 3.** This resolution shall be of full force and effect immediately upon its passage and approval as provided by law.

**ADOPTED** by the Council of the City of Kewanee, Illinois this day of October 2016.

ATTEST:

Melinda K. Edwards, City Clerk

RECORD OF THE VOTE	Yes	No	Abstain	Absent
Mayor, Steve Looney				
Councilmember, Kellie Wallace-McKenna				
Councilmember, Andrew Koehler				
Councilmember, Michael Yaklich				
Councilmember, Deann Schweitzer				

#### ADDENDUM

#### 1.00. PARTIES.

- 1. Gary W. Bradley,
- 2. City of Kewanee by Steve Looney, its mayor

#### 2.00. BACKGROUND.

- 1. On September 14, 2015, the City of Kewanee and Gary W. Bradley entered into an employment agreement wherein he was appointed the City Manager for the City of Kewanee.
- 2. At that time, Section 10 set forth the severance package in the event that Gary W. Bradley was terminated pursuant to Section 9 of the agreement.
- 3. On the one year anniversary of the employment of Gary W. Bradley, the City Council did meet to evaluate his performance and found his performance acceptable.
- 4. In light of his performance and in reviewing all factors the City has determined that it is in the best interest of the City of Kewanee to amend the original employment agreement to set forth a greater amount of severance and a procedure for the calculation of severance in the future.

#### 3.00. TERMS MODIFIED.

1. Section 10 is removed in its entirety and replaced with the following language:

Section 10: Severance

- A. Severance shall be paid to the employee when employment is terminated as defined in Section 9, upon termination the employer shall provide a minimum severance payment as follows:
  - 1. A payment equal to seven (7) months salary at the current rate of pay at the time of his termination.
  - 2. This severance shall be paid in a lump sum unless otherwise agreed to by the employer and employee.
  - 3. In addition to the lump sum payment of severance, employer shall pay the costs to continue health insurance for the employee and all dependants as provided for in Section 4A of the employment agreement.

- 4. In addition to the seven (7) months as set forth in Section 1 above, for every year Gary W. Bradley remains in the employment of the City of Kewanee, he shall be eligible to receive an additional one month of severance in the event of termination. For the purposes of evaluating this, a year is celebrated on the date of the employment anniversary which is September 14. For the purposes of illustration, on September 14, 2017 this agreement shall provide for eight (8) months of severance in the event of termination.
- B. The employee shall also be compensated for accrued vacation time, personal leave, and accrued sick leave per Section 5 of the employment agreement.
- C. If the employee is terminated because of a conviction of a felony or any illegal act involving theft or personal gain then the employer is not obligated to pay severance under this section.

#### 4.00 OTHER TERMS.

- 1. Except as herein modified all remaining terms as set forth in the original employment agreement remain in full force and effect.
- 2. In the event that any terms in the original agreement are contrary to the terms as set forth herein, this addendum shall control for the purpose of interpretation.

#### 5.00 SEVERABILITY.

1. The invalidity or partial invalidity of any portion of this addendum will not affect the invalidity of any other provision of this addendum as set forth and reincorporated by Section 19(D) of the original employment agreement.

Gary W. Bradley

Steve Looney

ATTEST:

Melinda K. Edwards, City Clerk

СІТ	CITY OF KEWANEE Y COUNCIL AGENDA IT	EM	
MEETING DATE	October 11, 2016		
RESOLUTION OR ORDINANCE NUMBER	Discussion Only		
AGENDA TITLE	Discussion of Community and Economic Development Incentive Policies		
REQUESTING DEPARTMENT	Administration		
PRESENTER	Gary Bradley, City Manager		
FISCAL INFORMATION	Cost as recommended:	TBD	
	Budget Line Item:	Varied	
	Balance Available	N/A	
	New Appropriation Required:	[] Yes [X] No	
PURPOSE	Establish Additional Ince	ntive Policies and Guidelines	
BACKGROUND	Both the Economic Development and Community Development Plans contain a recommendation to establish incentives for Economic and/or Community Development.		
SPECIAL NOTES	N/A		
ANALYSIS	most likely to be used or adopted first. Those incl Program, Sidewalk Repla	ut together so that the ones most currently in demand are lude Façade Improvement acement Program and a list of e consideration for guidance	
PUBLIC INFORMATION PROCESS	N/A		

Item	F
------	---

BOARD OR COMMISSION RECOMMENDATION	N/A	
STAFF RECOMMENDATION	Staff will present the basics of each program and is soliciting input from Council in regards to recommended programs.	
REFERENCE DOCUMENTS ATTACHED	N/A	

#### FAÇADE IMPROVEMENT PROGRAM

#### PURPOSE

The purpose of the Façade Improvement Program is to assist building owners within the Downtown area with improvements to street facing storefronts or areas with a high degree of public visibility. Projects that assist with the restoration of a building's character and streetscape compatibility are encouraged. Such aesthetic improvements are designed to promote, stimulate and develop the general and economic welfare of the historic heart of the community and serving as a catalyst for other enhancements to the area.

#### AUTHORIZATION


The City of Kewanee is the administrator of this program and where applicable will facilitate implementation of the program through identification of properties and structures eligible for the program. Budgetary approval for the program rests with the authority of the City Council, while authorization for program implementation is the responsibility of the City Manager and assigned staff.

#### **ELIGIBLE AREAS**

Eligible projects must take place within the area generally bounded on the north by the southern boundary to the BNSF railroad right of way, on the east by the alley ½ block east of Main street, on the west by Park Street, and on the south by Central Boulevard.

#### **ELIGIBLE APPLICANTS**

The applicant must be the owner of property located within the downtown area. The property must be up to date on all real estate taxes and be unencumbered by liens, and must be in need of improvements or maintenance, the completion of which would serve the goals of the program.



#### **PROGRAM BENEFITS/ELIGIBLE USES**

The program encourages enhancement to the appearance of one of the City's key commercial areas. Eligible use of program funds include but are not limited to:

- Awnings, canopies, and shutters
- Lighting (exterior)
- Painting and Specialty Painting
- Restoration of original architectural features
- Tuckpointing
- Windows
- Doorways and entrances

Qualified Applicants may serve as their own contractor/labor force, but in such cases program funds will only be used for the costs of materials.

#### FUNDING INFORMATION

The program operates year round, with applications accepted on a continual basis and funded on a first come, first served basis until budgeted resources are exhausted. The program will reimburse for 50% of eligible project costs up to \$10,000 per project.

#### APPLICATION/APPROVAL PROCEDURE

Applications are available at City Hall and online through the City's website. The City will evaluate applications based on the information submitted (Plans, renderings, etc.) and the project's conformance with adopted Council, is conducted at the staff level based plans and design guidelines adopted by the on project eligibility and applicability, and City, if applicable.

A completed application form and required Applicants shall apply for and receive a submittals shall be submitted to the City, including a detailed description of the work to be completed, appropriate drawings, budget estimates, proposed project schedule, and proof of ownership.

Projects should adhere to the following principles as closely as possible:

- Paint will only be used on surfaces that have previously been painted (i.e. no painting of brick buildings that have not been painted in the past)
- The historic character of a property shall be retained and preserved. The historic removal of materials or alteration of features and spaces that characterize be а property shall avoided.
- Distinctive features, finishes, and construction techniques or examples of craftsmanship characterize that а property shall be preserved.
- Deteriorated historic features shall be repaired rather than replaced. Where the deterioration severity of requires replacement of a distinctive feature, the new feature shall match the old in design, color, texture, and other visual qualities and, where possible, materials. Replacement of missing features shall be substantiated by documentary, physical or pictorial evidence.
- Chemical or physical treatments, such as sandblasting, that cause damage to historic materials shall not be used. The surface cleaning of structures, if appropriate, shall be undertaken using the gentlest means possible.

Approval of applications, though dependent upon available funding as budgeted by the City requires no action from the governing body.

building permit prior to undertaking any work requiring a permit under the Building Code. Construction shall proceed according to the approved plans and subject to periodic inspections. Construction must be completed within 180 days of execution of award, unless a written extension is granted by the City.

The Property Owner shall agree and consent to the City recording a lien on the property in the amount of the grant. Said lien will remain in the property until the end of the third year following the payment of the grant when it will then be released by the City. If the property is sold prior to the end of the third year, the lien shall be repaid to the City on a prorated annual basis. (i.e. if the property is sold during the first year following a grant award, 100% of the grant must be repaid. If it is sold during the third year following a grant award, 33% of the grant shall be repaid).

#### **CONTACT**

**City of Kewanee** Gary Bradley, City Manager

401 E. Third Street, Kewanee, IL 61443 Phone: (309)853-4200 Email: gbradley@Cityofkewanee.net Website: www.Cityofkewanee.com

Keith Edwards, Director of Community Development 401 E. Third Street Kewanee, IL 61443 Phone: (309)853-2611 Ext. 267 Fax: (309)856-6001 Email: kedwards@Cityofkewanee.net Website: www.Cityofkewanee.com

### **Community Development Incentives**

#### SIDEWALK REIMBURSEMENT PROGRAM

#### PURPOSE

property owners with the costs of rebuilding existing Public Sidewalks that abut their create a safety hazard, or have a blighting property within the City limits of Kewanee. The City will reimburse the property owner the sum of either \$1.50 per square foot for all sidewalk constructed at residential standards (min. of 4 inch thickness concrete) or \$2.50 per square foot for all sidewalk constructed at commercial standards (min. of 6 inch thickness The program will improve the concrete). overall appearance of the community, enhance the flow of pedestrian traffic, restore neighborhood pride, better the quality of life for residents and create a sense of public equity by encouraging reinvestment in distressed areas which will help to stabilize and improve our declining tax base.

#### **AUTHORIZATION**

The City of Kewanee is the administrator of **PROGRAM BENEFITS/ELIGIBLE USES** this program and where applicable will facilitate implementation of the program through identification of properties with Public sidewalks eligible for the program. Budgetary approval for the program rests with the improve their property value. the City Council, authority of while authorization for program implementation is FUNDING LIMITS the responsibility of the City Manager and Program funding will be available to property assigned staff.

#### **ELIGIBLE AREAS**

The program is city-wide and can be utilized on residential or commercial properties having an existing Public Sidewalk already in place that is determined to be in need of replacement by City Staff.

#### **ELIGIBLE APPLICANTS**

Applicants who own real property on which a Public Sidewalk abuts, which is deemed by the City to be deteriorated, damaged or in some other way in need of replacement.

#### **ELIGIBILITY CRITERIA**

The purpose of this program is to assist All Public Sidewalks being applied for under this program must be in a state of disrepair, influence on neighboring properties of the City. The City may approve or deny an application based on available budget, total cost of the sidewalk and location. All sidewalks must be inspected and determined to be in a state of disrepair by the City Engineering Department or the Community Development Department prior to application for the program.

#### **ELIGIBLE SIDEWALKS**

Only those Public sidewalks that are wholly upon the City Right Of Way. Private sidewalks are not eligible. Sidewalks upon the City Right Of Way that abut a private driveway but not including the entrance of the driveway between the roadway and the sidewalk.

By participating in this program residents will be able to replace a blighted Public Sidewalk with a brand new sidewalk that will enhance the curb appeal of their property which may

owners at the rate of \$1.50 per square foot for constructed at residential all sidewalk locations, with the exception of any sidewalk immediately abutting a driveway, which must be constructed at commercial standards. Sidewalks required to be constructed at commercial standard will be reimbursed at the rate of \$2.50 per square foot.

#### **CONSTRUCTION SPECIFICATIONS**

Forms: 2"x4"s may be used for side • forms of residential sidewalks not crossing a driveway. 2"x6"s may be used for side forms of driveway

## **Community Development Incentives**

sections of sidewalk.

- Slope: There must be a slope of <sup>1</sup>/<sub>4</sub>" per foot to drain water toward the street.
- Thickness: All residential standard sidewalks not including driveway sections must be 4" thick. Driveway sections and all commercial standard sidewalks must be 6" thick.
- Subgrade: All subgrade material must be well tamped and watered before concrete is poured.
- Concrete: Concrete must be "Class B" State mix.
- Contraction Joints: Same as the width. (The length of each slab should be the same as the width).
- Finish: Broom Finish (Smooth finish sidewalks are prohibited).
- Curing: Concrete must be covered with burlap and kept wet or covered with impermeable paper of polyethylene sheeting method for 72 hours or other methods approved by the City.
- Inspections: An inspection must be performed by the City Engineering Department or the Community Development Department after the forms are set. This inspection MUST be performed before concrete is poured.
- Final Inspection: After the concrete is poured, call the City Engineering Department or the Community Development Department again and we will measure the sidewalk. You will be reimbursed \$1.50 per square foot for residential 4" sidewalk and \$2.50 per square foot for 6" driveway sections and 6" commercial sidewalk.

#### APPLICATION/APPROVAL PROCEDURE

Applications are available at City Hall and online through the City's website and must be completed and approved prior to the commencement of work on the project.

Approval of applications, though dependent upon available funding as budgeted by the City Council, is a ministerial act conducted at the staff level based on project eligibility and applicability, requiring no action from the governing body.

#### CONTACT

#### City of Kewanee

Dale Nobel, City Engineer 401 E. Third Street Kewanee, IL 61443 Phone: (309)852-2611 Ext. 231 Fax: (309)856-6001 Email: <u>dnobel@cityofkewanee.net</u> Website: www.cityofkewanee.com

Keith Edwards, Director of Community Development 401 E. Third Street Kewanee, IL 61443 Phone: (309)853-2611 Ext. 267 Fax: (309)856-6001 Email: <u>kedwards@cityofkewanee.net</u> Website: www.cityofkewanee.com



#### DOMESTIC VIOLENCE AWARENESS MONTH, October 2016 PROCLAMATION

WHEREAS, domestic violence is a prevalent societal problem harming victims, their children, family, friends and communities at large; and

WHEREAS, domestic violence knows no boundaries, and impacts women, men, and children of every age, race, ethnicity, economic background, sexual orientation, and belief; and

WHEREAS, nearly 1 in 4 women and 1 in 7 men in the United States have suffered physical violence by an intimate partner; and

WHEREAS, many victims are deprived of their autonomy, liberty, and security, and face tremendous threats to their health, safety, and economic security, and the health, safety, and economic security of their children at the hands of their batterers; and

WHEREAS, Domestic Violence Awareness Month provides an excellent opportunity for citizens to learn more about preventing domestic violence and to show support for the numerous organizations and individuals who provide critical advocacy, services, and assistance to victims.

**NOW, THEREFORE, IT IS PROCLAIMED**, that the Mayor and City Council of the City of Kewanee, IL proclaims the month of October as Domestic Violence Awareness Month and urge the citizens of Kewanee, IL to work together to eliminate domestic violence from our community; and

**THEREFORE**, I, Kewanee's Mayor Steve Looney, do hereby proclaim October 2016 as DOMESTIC VIOLENCE AWARENESS MONTH in Kewanee, IL, to raise awareness about the societal problem of domestic violence throughout our community and its devastating effects on families and communities, and to urge all victims to seek help by calling *Freedom House* at 1-800-474-3031 or visit their website at www.freedomhouseillinois.org.

IN WITNESS WHEREOF, I have hereunto set my hand this \_\_\_\_\_ day of \_\_\_\_\_, 2016.



Steve Looney, Mayor of Kewanee, IL

### **City of Kewanee Mayor's Proclamation**

WHEREAS, the city of Kewanee, IL is committed to ensuring the safety and security of all those living in and visiting Kewanee; and

WHEREAS, fire is a serious public safety concern both locally and nationally, and homes are where people are at greatest risk from fire; and

WHEREAS, U.S. fire departments responded to 369,500 home fires in 2014, according to the National Fire Protection Association (NFPA); and

WHEREAS, U.S. home fires resulted in 2,745 civilian deaths in 2014, representing 84 percent of all U.S. fire deaths;

WHEREAS, in one-fifth of all homes with smoke alarms, the smoke alarms are not working; and

WHEREAS, working smoke alarms cut the risk of dying in reported home fires in half; and

WHEREAS, Kewanee's first responders are dedicated to reducing the occurrence of home fires and home fire injuries through prevention and protection education; and

WHEREAS, Kewanee's residents are responsive to public education measures and are able to take personal steps to increase their safety from fire, especially in their homes; and

WHEREAS, the 2016 Fire Prevention Week theme, "Don't Wait – Check the Date! Replace Smoke Alarms Every 10 Years" effectively serves to educate the public about the vital importance of replacing the smoke alarms in their homes at least every ten years, and to determine the age of their smoke alarms by checking the date of manufacture on the back of the alarms.

THEREFORE, I Steve Looney Mayor of Kewanee do hereby proclaim October 9-15, 2016, as Fire Prevention Week throughout this city.

ATTEST:

Melinda Edwards Clerk