


Attachment 1

To MDEQ Stormwater Discharge Permit Application

(Section IV map)

(Section V Table 1)

Vienna Township MS4 Outlets



Legend

- ☆ Outfall
- Point of Discharge
- Roads
- ~ Waterbodies
- Urbanized Area
- Watershed Boundary
- Community Boundary

Outfalls or Points of Discharge
 Table 1
 Vienna Township

ID #	Outfall/POD	Receiving Water	Latitude	Longitude	Priority	Priority Explanation
9614762	Point of Disch	Pine Run & Tryon Drain	-83.719936	43.17766	High	Predominantly Commercial Area
9615520	Point of Disch	Pine Run	-83.748677	43.178733	Low	Sampled as #9615513
9622001	Point of Disch	Haven & Dexter Street Outlet	-83.746237	43.177322	Low	Sampled as #9615522
9622002	Point of Disch	Haven & Dexter Street Outlet	-83.745026	43.177328	Low	Sampled as #9615522
9622003	Point of Disch	Haven & Dexter Street Outlet	-83.746098	43.17676	Low	Sampled as #9615522
9622004	Point of Disch	Haven & Dexter Street Outlet	-83.745	43.176711	Low	Sampled as #9615522
9629004	Outfall	Brent Run	-83.791947	43.160989	None	Non-Urbanized Area