

APPLICATION FOR SITE ADDRESS - Marker

In unincorporated areas of Adams County, Washington

Site Address marker = metal 5" x 12" reflective blue sign with 4" reflective white numbers

\$10.00 Fee

per address marker

Submit to Adams County Building and Planning.

- Mail: 449 E Cedar Blvd, Othello WA
- In Person: 449 E Cedar Blvd, Othello WA
- Hours: M-F 8 am – 4 pm

Questions?

Email : [Building and Planning](#)
Or Call 509-488-9441

Site Address:

Address Marker Quantity:

Assessor's
Parcel No.

Don't know the parcel number? Check your tax statement or go to adamswa-mapsifter.publicaccessnow.com and search by owner name

Applicant's
Name

Applicant's
Mailing Address

Telephone
(optional)

E-mail
(optional)

Property Owner's
Name

Same as
Applicant

Property Owner's
Mailing Address

Same as
Applicant

Posting
Your
Address

I have read "Posting Addresses" on page 2 of this form and I understand the importance of proper address posting. I/We hereby declare that the number(s) will be posted in accordance with the Adams County code within 15 days of notification or before occupancy of a new residence or building.

Signature

Date

COUNTY USE ONLY

Building App #

TRS

Posting Addresses

Posting of addresses is required by Adams County code in order for fire, law enforcement and medical personnel to find you quickly during an emergency.

Adams County, Washington, Code 12.12 Title
12- ROADS, BRIDGES AND PUBLIC PLACES
Chapter 10.36 GRANT COUNTY ROAD NAMING AND SITE ADDRESSING

12.12.080 Address display.

The following requirements are intended to complement the currently adopted International Building Code Section 502.1, Site Address:

- A. Each property owner shall display and maintain the address number assigned to the property, structure, unit, or improvement.
- B. Display of a uniform address marker inside the owner's property line at the primary access is required in the following circumstances:
 - 1. The addressed structure is located more than one hundred feet from the road designated in the address.
 - 2. The addressed structure is not clearly visible from the road designated in the address.
- C. Display of a numerical address marker is recommended in the following circumstance:
 - 1. The addressed structure is located one hundred feet or less from the road designated in the address and is clearly visible from said road.
- D. Address numbers displayed on a structure shall be a minimum of four inches in height, with a minimum stroke width of one-half inch and shall be placed in a location that can be easily identified from the roadside from which the building is addressed. For maximum daylight visibility, the numbers shall contrast with the background they are placed upon. For maximum nighttime visibility, the numbers shall be illuminated or receive illumination from a nearby light source.
- E. Corner lot addresses shall be displayed facing the road designated in the assigned address.
- F. Shared Access. Addressable structures or sites located along an unnamed driveway approach or private road must be posted at the intersection of the driveway approach or private road and the county road designated in the assigned address. Additional posting may be required at the location of any subsequent intersections along the private road. The structure or site shall display posting at the structure location or the site. (Ord. O-03-23 § 1)