

# City of Menasha COVID-19 Pandemic Resilient Plan

## Data Updates: April 22, 2021

### Summary/What's New

- On April 13, WI DHS announced that all vaccinators in the state must pause administration of the Johnson & Johnson (Janssen) COVID-19 vaccine out of an abundance of caution. The CDC and FDA are reviewing data of 6 reported cases of a rare and severe blood clot called cerebral venous sinus thrombosis (CVST). All J&J vaccine administration is paused so the CDC and FDA can meet to discuss these events and so the healthcare community can have time to be educated on how to recognize and treat this extremely rare side effect. Fortunately, there are two other very safe and effective COVID-19 vaccines, the Pfizer and Moderna vaccines. Please continue to seek an appointment to receive either of these two vaccines.
  - If you previously received the J&J vaccine, you should watch for the following signs and symptoms for 3 weeks after receiving the vaccine: severe headache, abdominal pain, leg pain, or shortness of breath. Please contact your healthcare provider if you experience any of these symptoms. Report your symptoms using the [V-safe health tracker](#).
- **The City of Menasha Health Department still recommends wearing masks when in public and around others. A mask is required to enter City buildings.** The City of Menasha released a health advisory which can be viewed [here](#).
- Information about new COVID-19 variants can be found on this [CDC webpage](#). WI DHS released a data tracking page for the COVID-19 Variants in the state. The webpage can be viewed [here](#).
- WI DHS created a webpage to keep track of vaccine allocation and administration data in Wisconsin. You can view the data [here](#).
  - **Beginning April 5, ALL Wisconsin residents age 16 and older are eligible to receive the COVID-19 vaccine.** Keep in mind, the Pfizer vaccine is the only one approved for individuals aged 16 or 17.
  - If you have questions about the COVID-19 vaccine or need help finding an appointment, call: 844-684-1064 (toll-free). Assistance is available in multiple languages.
  - Visit this [website](#) for information about what happens after you receive the vaccine.
- CDC has released [new guidance](#) for people who have been fully vaccinated.
- Please visit our [COVID-19 testing sites webpage](#) for information about where you can go to get tested for COVID-19. Antigen tests and PCR tests are available in the community.
- As the vaccine is being rolled out across the community and the state, we must remain vigilant and continue practicing good public health behaviors we know help prevent the spread of disease. **Consistent mask wearing, physical distancing, avoiding gatherings and travel, handwashing, along with vaccination, will offer the best protection from COVID-19.** This is extremely important as some of the new variants are spreading throughout our state.
- Currently in the City of Menasha the burden of confirmed COVID-19 cases is high and the activity level is high. The case rate for this 2-week period (Apr 7 – Apr 20) is 279.8 cases per 100,000 population, which is a decrease from a case rate of 285.6 cases per 100,000 population in the previous 2-week period (Mar 31 – Apr 13).
- City of Menasha disease investigators were able to contact all confirmed cases of COVID-19 within 24 hours of the confirmed cases being communicated to the health department.

## Background

This data summary provides preliminary data on the cases of COVID-19 in the City of Menasha from April 7, 2021 – April 20, 2021. Most data included in this report is for laboratory confirmed cases of COVID-19 (lab-confirmed). Some data is available for probable cases of COVID-19. See the next page for a definition of a probable case. Case counts utilized for all graphs and tables are based on the date public health staff received and recorded the test results. Numbers here may not represent final case counts for this reporting period.

## More Information

Additional resources and information about COVID-19 can be found on the following websites:

- [City of Menasha Health Department COVID-19 webpage](#)
- [Wisconsin Department of Health Services](#)
- [Winnebago County Health Department](#)
- [Calumet County Public Health Division](#)
- [Centers for Disease Control and Prevention](#)

## City of Menasha Weekly COVID-19 Status Summary

Case counts, case rate per 100,000 people, burden class, trajectory and activity level in the City of Menasha and the State of Wisconsin for the past two weeks (April 7 – April 20)

Note: WI DHS is undergoing continuous data cleaning and data may change as it is reviewed

	Count for Past 2 Weeks	Case Rate (per 100,000 people)	Burden Class*	Trajectory Class (N/A=no statistically significant change)	Activity Level	Population**
Lab-Confirmed Cases	49	279.8	High	Shrinking	High	17,510
Probable Cases***	0	0.00	High	N/A	High	17,510
Combined	49	279.8	High	N/A	High	17,510
Wisconsin (Confirmed)	10,466	181.1	High	Growing	High	

\*Burden Class is based off of the case rate per 100,000 people in the past two weeks. Visit the DHS website for more information <https://www.dhs.wisconsin.gov/covid-19/local.htm>

\*\*Population for the City of Menasha was retrieved from [https://doa.wi.gov/DIR/Final\\_Ests\\_Muni\\_2019.pdf](https://doa.wi.gov/DIR/Final_Ests_Muni_2019.pdf)

\*\*\*A person is counted as a probable case of COVID-19 if they are not positive by a confirmatory laboratory test method (PCR/molecular test), but has tested positive using antigen test method OR has symptoms of COVID-19 AND has a known exposure to COVID-19 (for example, being in close contact of someone with COVID-19).


### Wisconsin DHS Framework

The Wisconsin Department of Health Services (DHS) has developed and released a framework to guide decision-makers based on the activity levels in local jurisdictions in response to the current activity of COVID-19 in the community. The current categories for activity level are Low, Medium, High, Very High, and Critically High, and provide recommendations for mitigation strategies for each activity level category for jurisdictions to help guide the decision making process.<sup>1</sup> The full document can be viewed here: <https://www.dhs.wisconsin.gov/publications/p02789.pdf>

### Burden (lab-confirmed case rate)

Burden Status	Case Rate per 100,000 residents in the past two weeks	City of Menasha number of cases in the past two weeks
Low	Case rate is less than or equal to 10.	Less than 2 cases.
Moderate	Case rate is greater than 10, but less than or equal to 50.	Greater than 1 cases, but less than or equal to 8 cases.
Moderately High	Case rate is greater than 50, but less than or equal to 100.	Greater than 8 cases, but less than or equal to 17 cases.
High	Case rate is greater than 100, but less than or equal to 350.	Greater than 17 cases, but less than or equal to 61 cases.
Very High	Case rate is greater than 350, but less than or equal to 1,000.	Greater than 61 cases, but less than or equal to 175 cases.
Critically High	Case rate is greater than 1,000.	Greater than 175 cases.


### City of Menasha COVID-19 laboratory confirmed case rate trend and burden by 2-week periods\*




\*see the table above for more information about burden status



Average number of new cases of COVID-19 per day (7-Day rolling avg.) in the City of Menasha since March 2020 (as of Apr 20)




Number of laboratory confirmed COVID-19 cases by day in the City of Menasha in the past two weeks (Apr 7 – Apr 20) and the 7-day average





New COVID-19 tests, positive (PCR) and negative, by day and the 7-day average percent positive tests (Apr 7 – Apr 20)




Number and percentage of laboratory confirmed cases of COVID-19 by age: cumulative and in the past two weeks (Apr 7 – Apr 20)

Age Group	Cumulative total cases		Cases in the past two weeks	
	Number of Cases	Percentage of Total Cases	Number of Cases	Percentage of Cases in Past Two Weeks
<20	304	16.1%	18	36.7%
20-29	342	18.1%	5	10.2%
30-39	333	17.6%	8	16.3%
40-49	281	14.8%	10	20.4%
50-59	292	15.4%	2	4.1%
60+	341	18.0%	6	12.2%
<b>Total</b>	<b>1,893</b>	<b>100%</b>	<b>49</b>	<b>100%</b>



Percentage of laboratory confirmed cases of COVID-19 by age: cumulative and in the past two weeks (Apr 7 – Apr 20)



Number of active cases and total number of cases of COVID-19, lab-confirmed and probable, in the City of Menasha (as of Apr 20)

	Number of Active Cases	Percent of Total Cases	Number of Cases
Total Active Cases	18	0.8%	2,141

Number of COVID-19 vaccines administered for Wisconsin residents in the Tri-County area (as of Apr 20)

County	Number of residents with at least 1 dose	Number of residents with completed vaccine series	Population
Calumet	18,212 ( <b>36.4%</b> )	13,000 (26.0%)	50,089
Outagamie	73,299 ( <b>39.0%</b> )	50,564 ( <b>27.0%</b> )	187,885
Winnebago	65,264 ( <b>38.0%</b> )	47,171 ( <b>27.4%</b> )	171,907

To view more COVID-19 vaccine data, please visit: <https://www.dhs.wisconsin.gov/covid-19/vaccine-data.htm>



## Metrics for Suppression (Harvard Global Health)

The Harvard Global Health Institute created a document containing metrics for COVID-19 suppression, a framework to use as a guide for policymakers and the public. This framework includes recommendations that include key metrics that can be used as an evaluation tool for COVID-19 response and mitigation. Looking at the daily case incidence (# of daily new cases per 100,000) can determine which category the jurisdiction is currently in and how to best respond. Decision-makers should evaluate and review the different phasing plans to determine which strategies to employ at the current period of time.<sup>i</sup>

Burden Class* (case rate per 100k)		Risk Levels** (Case Incidence per 100,000)	Intensity of Control Effort Needed	
Low ( $\leq 10$ )		Green ( $< 1$ )	Daily new cases per 100,000 people	On track for containment, conditional on continuing use of viral testing and contact tracing
Moderate ( $10 \leq 50$ )		Yellow ( $1 < 5$ )	Daily new cases per 100,000 people	Strategic choices must be made about which package of non-pharmaceutical interventions to use for control
Moderately High (same as moderate) ( $50 \leq 100$ )		Yellow ( $5 < 10$ )	Daily new cases per 100,000 people	Strategic choices must be made about which package of non-pharmaceutical interventions to use for control
High ( $100 \leq 350$ )		Orange ( $10 < 25$ )	Daily new cases per 100,000 people	Strategic choices must be made about which package of non-pharmaceutical interventions to use for control. Stay-at-home orders are advised, unless viral testing and contact tracing capacity are implementable at levels meeting surge indicator standards.
Very High ( $350 \leq 1000$ )	Critically High ( $> 1000$ )	Red ( $> 25$ )	Daily new cases per 100,000 people	Stay at home-orders necessary

\*Burden classes (WI Department of Health Services) are determined by the case rate (per 100,000 people) in a 14-day period.

\*\*Risk levels (Harvard Global Health Institute) are determined by case incidence per 100,000 people (7-day rolling average).

## Metrics

### Case Incidence Metrics

Metric	Thresholds	Current Status
City of Menasha Confirmed Case Incidence per 100,000 (7-day rolling average)	Red: $> 25$ Orange: $10 < 25$ Yellow: $1 < 10$ Green: $< 1$	9.8 cases per 100,000 / day





**Additional Metrics to Consider**

Metric		Thresholds	Current Status
Testing	Percent PCR Positive Tests (7-day average)	Red: >10% Yellow: 5-10% Green: <5%	12.9% positive tests / day
	Daily Number of Tests (7-day average)	Red: <14 tests/day Yellow: 14-28 tests/day Green: >28 tests/day	13.3 tests / day
Public Health Contact Timeliness	Disease Investigation	Red: Not able to contact all confirmed cases within 24 hours Green: Able to contact all confirmed cases within 24 hours	Able to contact all within 24 hours
	Contact Tracing	Red: PH is not able to contact all within 48 hours Green: PH is able to contact all within 48 hours	Able to contact within 48 hours
Hospital Capacity*	Percentage of hospital <b>inpatient</b> beds in the community that are occupied.	Red: > 90% Yellow: 80-90% Green: <80%	88.3% of inpatient beds occupied
	Percentage of <b>intensive care unit</b> beds in the community that are occupied.	Red: > 90% Yellow: 80-90% Green: <80%	87.6% ICU beds occupied
	Percentage of hospital <b>inpatient</b> beds in the community that are occupied by patients with COVID-19.	Red: >15% Yellow: 10-15% Light Green: 5-10% Dark Green: <5%	3.0% beds occupied by patients with COVID-19

\*Hospital capacity metrics are adapted from the *CDC indicators and thresholds for risk of introduction and transmission of COVID-19 in schools*, found here: <https://www.cdc.gov/coronavirus/2019-ncov/community/schools-childcare/indicators.html#thresholds>. Hospital capacity data are from the Emergency Management Resource (EMResource) system. Since reporting is not mandatory, the data shown here may not accurately represent the current healthcare system capacity in our region. Hospital capacity data is collected and reported at the Healthcare Emergency Readiness Coalition (HERC) level. The City of Menasha is a part of HERC 6, or the Fox Valley HERC. Hospital capability information at the state and HERC level can be found here: <https://www.dhs.wisconsin.gov/covid-19/hosp-data.htm#capabilities>

<sup>i</sup> Harvard Global Health Institute, Center for Ethics, *Key Metrics for COVID Suppression*. 2020. Retrieved from: [https://globalepidemics.org/wp-content/uploads/2020/06/key\\_metrics\\_and\\_indicators\\_v4.pdf](https://globalepidemics.org/wp-content/uploads/2020/06/key_metrics_and_indicators_v4.pdf)

<sup>ii</sup> Wisconsin Department of Health Services, *Slowing the Spread of COVID-19: Mitigation Strategies for Wisconsin Communities*. 2020. Retrieved on January 4, 2021 from: <https://www.dhs.wisconsin.gov/publications/p02789.pdf>