SIGN REVIEW BOARD - SIGN PLAN APPLICATION FORM

Project Name: <u>B</u> B. Tax & Accounting Agency Project Street Address: 291 Main St Fastchester '.3 Section: Block: Lot(s): Zone: (Section, Block and Lot and Zoning District information MUST be completed by the applicant) EASTCHESTER LIC Owner: BRONXVIlle RUTI AND Address: 45 NV. 10708 Phone #: 914-715-8659 PBERISHA@ BKBAGENCY. GM Email: TAX & ACCOUNTING AGENCY INC Lessee: Address: 291 MAN ST 10709 EASTCHESTER N Phone #: 914-715-8659 Email: PBERISHA @ BKBAGENCY. COM _____ sign Company: San Signs + Awnings Contact Name , Jamil Vones Address: 925 SAW Mill River Rd Yankers M Phone #: 914-375-66974 Email: Jonese Sansigns. com If "YES", is lighting New____or Existing No 🗸 * is lighting being proposed? Yes * If lighting is "Existing", is the existing lighting/electrical being altered? Yes No * Please Note * If proposed lighting is "New" or being "Altered", you will need an Electrical Permit in addition to a Sign

permit to install your sign. Both permits are obtained from the Building Department. Must comply with New York State Uniform Fire Prevention Building Code if applicable.


AFFIDAVIT OF OWNERSHIP

State of New York)) SS: County of Westchester _, being duly sworn, deposes and says: (clearly print first and last name of property owner) (check appropriate box) I am the owner of the property for which this application is being submitted. I am an officer of the corporation that owns the property for which this application is being submitted. Further (check applicable box): I am submitting this application on my own behalf. I am authorizing the following individual to submit this application on my behalf: Further: To the best of my knowledge, information and belief, all statements contained in this application are true, complete and correct, and all work will be performed in the manner set forth in the application and in the plans and specifications, filed, therewith, and in accordance will all applicable laws, ordinances and regulations, (Signature of Owner) PASHIC BERISHA (Print Name of Owner) _day of MAY Sworn to before me this 29202 (Signature bt Hotar ublic VALERIA NDOU Notary Public, State of New York No. 01ND6037695 Qualified in Bronx County Commission Expires Feb. 22, 20

APPLICATION CHECKLIST

.

A cover letter or narrative describing the proposed application. Check Box A cover letter or narrative describing the proposed application. If the applicant is asking the Sign Review Board to modify the size limitations or design requirements of the Town of Eastchester Sign Law, the cover letter or narrative must describe the specific deviation proposed and how the proposed sign advances the purposes and intent of the Town of Eastchester Sign Law. A polications submitted without a cover letter or project narrative will be rejected. Completed Sign Application and Application Checklist Design/construction details of each proposed sign/awning at a legible and measurable scale showing: Image: Construction details of each proposed sign/awning at a legible and measurable scale showing: B Proposed lettering, colors and graphics Image: Construction details (including, but not necessarily limited to, how the sign will be attached to a building facade or anchored to the ground) Building elevations and/or photo simulations showing the location of all proposed signs/awnings and proposed lighting (and, where applicable, all existing signs proposed to remain), including: D The dimension of the sign will be located. (Measured from the outside edge of the exterior building walls or from the center line of shared walls. Note that proposed wall signs may not exceed 75% of the length of the storefront) D The dimension of the sign abbe the sidewalk or ground plane. D The type and location of proposed lighting fixtures. Building elevations and plans must be to scale. For monument and post and a	Submission Items	· · · · · · · · · · · · · · · · · · ·
If the applicant is asking the Sign Review Board to modify the size limitations or design requirements of the Town of Eastchester Sign Law, the cover letter or narrative <u>musi</u> describe the specific deviation proposed and how the proposed sign advances the purposes and intent of the Town of Eastchester Sign Law (See Article 1) to a greater extent than a sign that strictly complies with the dimensional or design requirements of the Sign Law. Applications submitted without a cover letter or project narrative will be rejected. Completed Sign Application and Application Checklist Design/construction details of each proposed sign/awning at a legible and measurable scale showing: Proposed lettering, colors and graphics All proposed dimensions (sign height, length and thickness; letter heights and widths; etc.) Construction details (including, but not necessarily limited to, how the sign will be attached to a building facade or anchored to the ground) Building elevations and/or photo simulations showing the location of all proposed sign/awnings and proposed lighting (and, where applicable, all existing signs proposed to remain), including: The dimension of the storefront on which the sign will be located. (Measured from the outside edge of the exterior building walls or from the center line of shared walls. Note that proposed wall signs may to exceed 75% of the length of the storefront) The dimension of the sign above the sidewalk or ground plane. The type and location of proposed lighting fixtures. Building elevations and plans must be to scale. For monument and post and arm signs, a site plan showing; The proposed location of the monument and post and arm signs must be located within the property lines and arm signs. (Note that monument and post and arm signs must be located within the property lines and arm signs. (Note that monument and post and arm signs must be located within the property lines and arm signs. The type and location of proposed lighting, if applicable. The type and location of proposed lighting, i		Check Box
the Town of Eastchester Sign Law, the cover letter or narrative <u>must</u> describe the specific deviation proposed and how the proposed sign advances the purposeds and intent of the Town of Eastchester Sign Law (See Article 1) to a greater extent than a sign that strictly complies with the dimensional or design requirements of the Sign Law. Applications submitted without a cover letter or project <u>narrative</u> will be rejected. <u>Completed Sign Application and Application Checklist</u> Design/construction details of each proposed sign/awning at a legible and measurable scale showing: Proposed lettering, colors and graphics All proposed dimensions (sign height, length and thickness; letter heights and widths; etc.) Construction details (including, but not necessarily limited to, how the sign will be attached to a building facade or anchored to the ground) Building elevations and/or photo simulations showing the location of all proposed signs/awnings and proposed lighting (and, where applicable, all existing signs proposed to remain), including; The dimension of the storefront on which the sign will be located. (Measured from the outside edge of the exterior building walls or from the center line of shared walls. Note that proposed wall signs may not exceed 75% of the length of the storefront) The dimension of the sign above the sidewalk or ground plane. For monument and post and arm signs, a site plan showing; The proposed location of proposed lighting fixtures. Building elevations and plans must be to scale. For monument and post and arm signs, a site plan showing; The proposed location of the monument and post and arm signs must be located within or overhanging a public right-of-way). Proposed location of proposed lighting, if applicable. Site plans must be to scale. Physical samples of proposed lighting fixtures Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposie side of the road	A cover letter or narrative describing the proposed application.	1
Completed Sign Application and Application Checktist Design/construction details of each proposed sign/awning at a legible and measurable scale showing: Proposed lettering, colors and graphics All proposed dimensions (sign height, length and thickness; letter heights and widths; etc.) Construction details (including, but not necessarily limited to, how the sign will be attached to a building facade or anchored to the ground) Building elevations and/or photo simulations showing the location of all proposed signs/awnings and proposed lighting (and, where applicable, all existing signs proposed to remain), including: The dimension of the storefront on which the sign will be located. (Measured from the outside edge of the exterior building wells or from the center line of shared walls. Note that proposed wall signs may not exceed 75% of the length of the storefront) The dimension of the sign above the sidewalk or ground plane. The type and location of proposed lighting fixtures. Building elevations and plans must be to scale. For monument and post and arm signs, a site plan showing; The type and location of the monument and post and arm signs. (Note that monument and post and arm signs must be located within the property lines and may not be located within or overhanging a public right-of-way). Proposed landscaping, if applicable. Site plans must be to scale. Physical samples of proposed clors and materials. (If possible, provide fabric and color sample swatches with each application; Bring samples to the Sign Review	the Town of Eastchester Sign Law, the cover letter or narrative <u>must</u> describe the specific deviation proposed and how the proposed sign advances the purposes and intent of the Town of Eastchester Sign Law (See Article 1) to a greater extent than a sign that strictly complies with the dimensional or design	
 Design/construction details of each proposed sign/awning at a legible and measurable scale showing: Proposed lettering, colors and graphics All proposed dimensions (sign height, length and thickness; letter heights and widths; etc.) Construction details (including, but not necessarily limited to, how the sign will be attached to a building facade or anchored to the ground) Building elevations and/or photo simulations showing the location of all proposed signs/awnings and proposed lighting (and, where applicable, all existing signs proposed to remain), including: The dimension of the storefront on which the sign will be located. (Measured from the outside edge of the exterior building walls or from the center line of shared walls. Note that proposed wall signs may not exceed 75% of the length of the storefront) The dimension of the sign above the sidewalk or ground plane. The type and location of proposed lighting fixtures. Building elevations and plans must be to scale. For monument and post and am signs, a site plan showing: The proposed location of the monument and post and arm signs. (Note that monument and post and arm signs must be located within the property lines and may not be located within or overhanging a public right-of-way). Proposed landscaping, if applicable. Site plans must be to scale. Physical samples of proposed colors and materials. (If possible, provide fabric and color sample swatches with each application; fing samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures. Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and 	Applications submitted without a cover letter or project narrative will be rejected.	
 Proposed lettering, colors and graphics All proposed dimensions (sign height, length and thickness; letter heights and widths; etc.) Construction details (including, but not necessarily limited to, how the sign will be attached to a building facade or anchored to the ground) Building elevations and/or photo simulations showing the location of all proposed signs/awnings and proposed lighting (and, where applicable, all existing signs proposed to remain), including: The dimension of the storefront on which the sign will be located. (Measured from the outside edge of the exterior building walls or from the center line of shared walls. Note that proposed wall signs may not exceed 75% of the length of the storefront) The dimension of the sign above the sidewalk or ground plane. The type and location of proposed lighting fixtures. Building elevations and plans must be to scale. For monument and post and arm signs, a site plan showing: The proposed location of the monument and post and arm signs. (Note that monument and post and arm signs must be located within the property lines and may not be located within or overhanging a public right-of-way). Proposed landscaping, if applicable. Site plans must be to scale. Physical samples of proposed clors and materials. (If possible, provide fabric and color sample swatches with each application; Bring samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures. Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and 	Completed Sign Application and Application Checklist	
 Proposed lettering, colors and graphics All proposed dimensions (sign height, length and thickness; letter heights and widths; etc.) Construction details (including, but not necessarily limited to, how the sign will be attached to a building facade or anchored to the ground) Building elevations and/or photo simulations showing the location of all proposed signs/awnings and proposed lighting (and, where applicable, all existing signs proposed to remain), including: The dimension of the storefront on which the sign will be located. (Measured from the outside edge of the exterior building walls or from the center line of shared walls. Note that proposed wall signs may not exceed 75% of the length of the storefront) The dimension of the sign above the sidewalk or ground plane. The type and location of proposed lighting fixtures. Building elevations and plans must be to scale. For monument and post and arm signs, a site plan showing: The proposed location of the monument and post and arm signs. (Note that monument and post and arm signs must be located within the property lines and may not be located within or overhanging a public right-of-way). Proposed landscaping, if applicable. Site plans must be to scale. Physical samples of proposed clors and materials. (If possible, provide fabric and color sample swatches with each application; Bring samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures. Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and 		
 All proposed dimensions (sign height, length and thickness; letter heights and widths; etc.) Construction details (including, but not necessarily limited to, how the sign will be attached to a building facade or anchored to the ground) Building elevations and/or photo simulations showing the location of all proposed signs/awnings and proposed lighting (and, where applicable, all existing signs proposed to remain), including: The dimension of the storefront on which the sign will be located. (Measured from the outside edge of the exterior building walls or from the center line of shared walls. Note that proposed wall signs may not exceed 75% of the length of the storefront) The dimension of the sign above the sidewalk or ground plane. The type and location of proposed lighting fixtures. Building elevations and plans must be to scale. For monument and post and arm signs, a site plan showing: The proposed location of the monument and post and arm signs. (Note that monument and post and arm signs must be located within the property lines and may not be located within or overhanging a public right-of-way). Proposed landscaping, if applicable. Site plans must be to scale. Physical samples of proposed lighting samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures. Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and properties a minimum of 200 feet to the left and right and on the opposite side of the road. (Black and properties a minimu	Proposed lettering, colors and graphics	
 Construction details (including, but not necessarily limited to, how the sign will be attached to a building facade or anchored to the ground) Building elevations and/or photo simulations showing the location of all proposed signs/awnings and proposed lighting (and, where applicable, all existing signs proposed to remain), including: The dimension of the storefront on which the sign will be located. (Measured from the outside edge of the exterior building walls or from the center line of shared walls. Note that proposed wall signs may not exceed 75% of the length of the storefront) The dimension of the sign above the sidewalk or ground plane. The type and location of proposed lighting fixtures. Building elevations and plans must be to scale. For monument and post and arm signs, a site plan showing: The proposed location of the monument and post and arm signs. (Note that monument and post and arm signs must be located within the property lines and may not be located within or overhanging a public right-of-way). Proposed landscaping, if applicable. Site plans must be to scale. Physical samples of proposed lighting samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and properties a minimum of 100 feet to the left and right and on the opposite side of the road. 	All proposed dimensions (sign height, length and thickness; letter heights and widths; etc.)	
 building facade or anchored to the ground) Building elevations and/or photo simulations showing the location of all proposed signs/awnings and proposed lighting (and, where applicable, all existing signs proposed to remain), including: The dimension of the storefront on which the sign will be located. (Measured from the outside edge of the exterior building walls or from the center line of shared walls. Note that proposed wall signs may not exceed 75% of the length of the storefront) The dimension of the sign above the sidewalk or ground plane. The type and location of proposed lighting fixtures. Building elevations and plans must be to scale. For monument and post and arm signs, a site plan showing: The proposed location of the morument and post and arm signs. (Note that monument and post and arm signs must be located within the property lines and may not be located within or overhanging a public right-of-way). Proposed landscaping, if applicable. Site plans must be to scale. Physical samples of proposed lighting, site plans from the color sample swatches with each application; Bring samples to the Sign Review Board meeting). Color photographs of the existing building/premises, showing existing conditions, and adjacent proposed lighting fixtures 	Construction details (including, but not necessarily limited to, how the sign will be attached to a	
 Building elevations and/or photo simulations showing the location of all proposed signs/awnings and proposed lighting (and, where applicable, all existing signs proposed to remain), including: The dimension of the storefront on which the sign will be located. (Measured from the outside edge of the exterior building walls or from the center line of shared walls. Note that proposed wall signs may not exceed 75% of the length of the storefront) The dimension of the sign above the sidewalk or ground plane. The type and location of proposed lighting fixtures. Building elevations and plans must be to scale. For monument and post and arm signs, a site plan showing: The proposed location of the monument and post and arm signs. (Note that monument and post and arm signs must be located within the property lines and may not be located within or overhanging a public right-of-way). Proposed landscaping, if applicable. Site plans must be to scale. Physical samples of proposed colors and materials. (If possible, provide fabric and color sample swatches with each application; Bring samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures. Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and 	building facade or anchored to the ground)	
 proposed lighting (and, where applicable, all existing signs proposed to remain), including: The dimension of the storefront on which the sign will be located. (Measured from the outside edge of the exterior building walls or from the center line of shared walls. Note that proposed wall signs may not exceed 75% of the length of the storefront) The dimension of the sign above the sidewalk or ground plane. The type and location of proposed lighting fixtures. Building elevations and plans must be to scale. For monument and post and arm signs, a site plan showing: The proposed location of the monument and post and arm signs. (Note that monument and post and arm signs must be located within the property lines and may not be located within or overhanging a public right-of-way). Proposed landscaping, if applicable. Site plans must be to scale. Physical samples of proposed lighting, if applicable. Site plans must be to scale. Physical samples of proposed lighting fixturess Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and 		
 The dimension of the storefront on which the sign will be located. (Measured from the outside edge of the exterior building walls or from the center line of shared walls. Note that proposed wall signs may not exceed 75% of the length of the storefront) The dimension of the sign above the sidewalk or ground plane. The type and location of proposed lighting fixtures. Building elevations and plans must be to scale. For monument and post and arm signs, a site plan showing: The proposed location of the monument and post and arm signs. (Note that monument and post and arm signs must be located within the property lines and may not be located within or overhanging a public right-of-way). Proposed landscaping, if applicable. Site plans must be to scale. Physical samples of proposed colors and materials. (If possible, provide fabric and color sample swatches with each application; Bring samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and 	proposed lighting (and, where applicable, all existing signs proposed to remain), including	
 of the exterior building walls or from the center line of shared walls. Note that proposed wall signs may not exceed 75% of the length of the storefront) The dimension of the sign above the sidewalk or ground plane. The type and location of proposed lighting fixtures. Building elevations and plans must be to scale. For monument and post and arm signs, a site plan showing: The proposed location of the monument and post and arm signs. (Note that monument and post and arm signs must be located within the property lines and may not be located within or overhanging a public right-of-way). Proposed ladscaping, if applicable. The type and location of proposed lighting, if applicable. Site plans must be to scale. Physical samples of proposed colors and materials. (If possible, provide fabric and color sample swatches with each application; Bring samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and 	The dimension of the storefront on which the sign will be located. (Measured from the outside edge	
 may not exceed 75% of the length of the storefront) The dimension of the sign above the sidewalk or ground plane. The type and location of proposed lighting fixtures. Building elevations and plans must be to scale. For monument and post and arm signs, a site plan showing: The proposed location of the monument and post and arm signs. (Note that monument and post and arm signs must be located within the property lines and may not be located within or overhanging a public right-of-way). Proposed landscaping, if applicable. The type and location of proposed lighting, if applicable. Site plans must be to scale. Physical samples of proposed colors and materials. (If possible, provide fabric and color sample swatches with each application; Bring samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and 	of the exterior building walls or from the center line of shared walls. Note that proposed wall signs	
 The dimension of the sign above the sidewalk or ground plane. The type and location of proposed lighting fixtures. Building elevations and plans must be to scale. For monument and post and arm signs, a site plan showing: The proposed location of the monument and post and arm signs. (Note that monument and post and arm signs must be located within the property lines and may not be located within or overhanging a public right-of-way). Proposed landscaping, if applicable. The type and location of proposed lighting, if applicable. Site plans must be to scale. Physical samples of proposed colors and materials. (If possible, provide fabric and color sample swatches with each application; Bring samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and 	may not exceed 75% of the length of the storefront)	
 The type and location of proposed lighting fixtures. Building elevations and plans must be to scale. For monument and post and arm signs, a site plan showing: The proposed location of the monument and post and arm signs. (Note that monument and post and arm signs must be located within the property lines and may not be located within or overhanging a public right-of-way). Proposed landscaping, if applicable. The type and location of proposed lighting, if applicable. Site plans must be to scale. Physical samples of proposed colors and materials. (If possible, provide fabric and color sample swatches with each application; Bring samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and 	The dimension of the sign above the sidewalk or ground plane.	
 Building elevations and plans must be to scale. For monument and post and arm signs, a site plan showing: The proposed location of the monument and post and arm signs. (Note that monument and post and arm signs must be located within the property lines and may not be located within or overhanging a public right-of-way). Proposed landscaping, if applicable. The type and location of proposed lighting, if applicable. Site plans must be to scale. Physical samples of proposed colors and materials. (If possible, provide fabric and color sample swatches with each application; Bring samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and 	The type and location of proposed lighting fixtures.	
 For monument and post and arm signs, a site plan showing: The proposed location of the monument and post and arm signs. (Note that monument and post and arm signs must be located within the property lines and may not be located within or overhanging a public right-of-way). Proposed landscaping, if applicable. The type and location of proposed lighting, if applicable. Site plans must be to scale. Physical samples of proposed colors and materials. (If possible, provide fabric and color sample swatches with each application; Bring samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and 	Building elevations and plans must be to scale.	
 The proposed location of the monument and post and arm signs. (Note that monument and post and arm signs must be located within the property lines and may not be located within or overhanging a public right-of-way). Proposed landscaping, if applicable. The type and location of proposed lighting, if applicable. Site plans must be to scale. Physical samples of proposed colors and materials. (If possible, provide fabric and color sample swatches with each application; Bring samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and state) 	For monument and post and arm signs, a site plan showing:	
 and arm signs must be located within the property lines and may not be located within or overhanging a public right-of-way). Proposed landscaping, if applicable. The type and location of proposed lighting, if applicable. Site plans must be to scale. Physical samples of proposed colors and materials. (If possible, provide fabric and color sample swatches with each application; Bring samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and 	U The proposed location of the monument and post and arm signs. (Note that monument and post	
 overhanging a public right-of-way). Proposed landscaping, if applicable. The type and location of proposed lighting, if applicable. Site plans must be to scale. Physical samples of proposed colors and materials. (If possible, provide fabric and color sample swatches with each application; Bring samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and States a	and arm signs must be located within the property lines and may not be located within or	
 Proposed landscaping, if applicable. The type and location of proposed lighting, if applicable. Site plans must be to scale. Physical samples of proposed colors and materials. (If possible, provide fabric and color sample swatches with each application; Bring samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and States) 	overhanging a public right-of-way).	
 The type and location of proposed lighting, if applicable. Site plans must be to scale. Physical samples of proposed colors and materials. (If possible, provide fabric and color sample swatches with each application; Bring samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and States) 		
Site plans must be to scale. Physical samples of proposed colors and materials. (If possible, provide fabric and color sample swatches with each application; Bring samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and	The type and location of proposed lighting, if applicable.	
swatches with each application; Bring samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and	□ Site plans must be to scale.	
swatches with each application; Bring samples to the Sign Review Board meeting). Catalogue cut sheets of proposed lighting fixtures Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and	Physical samples of proposed colors and materials. (If possible, provide fabric and color sample	
Catalogue cut sheets of proposed lighting fixtures Color photographs of the existing building/premises, showing existing conditions, and adjacent properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and	swatches with each application; Bring samples to the Sign Review Board meeting).	
properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and	Catalogue cut sheets of proposed lighting fixtures	
properties a minimum of 100 feet to the left and right and on the opposite side of the road. (Black and		
white or unclear photographs will not be accepted.)	properties a minimum of 100 feet to the left and right and on the opposite side of the mad (Black and	
	white or unclear photographs will not be accepted.)	
		J



B. Address: 291 Main Street Eastchester, NY, 10709 **Install Loc:** 291 Main Street Eastchester, NY, 10709 Date: 5/21/2024 **Project Manager:** Jamie Jones Designer: Eddy S

Material: Aluminum
Qty: 1
Size: See Above
Color/Copy: Black
Lamination: N/A
Install By: SSA
Fonts:

Z:\B\BKB Tax Agency\25546 - Building Awnings\CDL

San Signs & Awnings


925 Saw Mill River Rd. | Yonkers, NY 10710 | 914.375.6674

www.sansigns.com | info@sansigns.com

Customer Signature

Date

PLEASE NOTE: The artwork provided is the exclusive property of San Signs & Awnings (SSA). It is protected by all copyright laws. This artwork cannot be used or reproduced without the explicit consent of SSA. Unauthorized use is subject to all penalties provided for. Any proofs completed after the first three proofs will incur a fee per proof thereafter. Be sure to check all spelling, sizes and colors. Customer is responsible for any extra charges that occur after final approval.



B. Address: 291 Main Street **Qty:** 5 Eastchester, NY, 10709 Size: See Above Install Loc: 291 Main Street Color/Copy: Black Eastchester, NY, 10709 Lamination: N/A Date: 5/21/2024 San Signs & Awnings Project Manager: Jamie Jones Install By: SSA 925 Saw Mill River Rd. | Yonkers, NY 10710 | 914.375.6674 **Designer:** Eddy S www.sansigns.com | info@sansigns.com Fonts:


Z:\B\BKB Tax Agency\25546 - Building Awnings\CDL

Customer Signature



PLEASE NOTE: The artwork provided is the exclusive property of San Signs & Awnings (SSA). It is protected by all copyright laws. This artwork cannot be used or reproduced without the explicit consent of SSA. Unauthorized use is subject to all penalties provided for. Any proofs completed after the first three proofs will incur a fee per proof thereafter. Be sure to check all spelling, sizes and colors. Customer is responsible for any extra charges that occur after final approval.





Shed Style Awnings Fabricate Shed style Awning from 1" x 1" Aluminum Frame. Fabric: Firesist Black White painted Verbiage #6. Rear awning with Full Covered Sides







JOB DESCRIPTION

Material: Aluminum // Firesist Qty: 5 Size: See Above Color/Copy: Black Lamination: N/A Install By: SSA Fonts:

Z:\B\BKB Tax Agency\25546 - Building Awnings\CDL

291 Main Street Eastchester, NY, 10709

CUSTOMER APPROVAL

Customer Signature



PLEASE NOTE: The artwork provided is the exclusive property of San Signs & Awnings (SSA). It is protected by all copyright laws. This artwork cannot be used or reproduced without the explicit consent of SSA. Unauthorized use is subject to all penalties provided for. Any proofs completed after the first three proofs will incur a fee per proof thereafter. Be sure to check all spelling, sizes and colors. Customer is responsible for any extra charges that occur after final approval.





