

STATE OF MICHIGAN

DEPARTMENT OF AGRICULTURE
AND RURAL DEVELOPMENT
Environmental Stewardship Division

Order of Consolidation

SETTER INTERCOUNTY DRAIN
(Sanilac and Lapeer Counties)

WHEREAS, a meeting was held by the Setter Intercounty Drain Drainage Board on March 27, 2019 at the Flynn Township, 5251 Shephard Road, Brown City, Michigan; and


WHEREAS, the Drainage Board received evidence and heard testimony regarding the petition, dated February 12, 2019, for consolidating the McDonald Drain and the Setter and Branches Intercounty Drain and the McDonald Drain Drainage District and the Setter and Branches Intercounty Drain Drainage District, with the consolidated drain to be known as the Setter Intercounty Drain, and after receiving evidence and hearing testimony made its determination that the proposed consolidation is conducive to the public health, convenience, or welfare pursuant to Chapter 19 of Public Act 40 of 1956, as amended.

NOW, THEREFORE, IT IS HEREBY ORDERED AND DETERMINED that the proposed consolidation as set forth in the petition is conducive to the good of the public health, convenience, or welfare.

IT IS FURTHER ORDERED AND DETERMINED that the consolidated drain shall be known as the Setter Intercounty Drain, and that the route and course of the consolidated drain is described in attached **Exhibit A**, and the consolidated drainage district is described in attached **Exhibit B**.

Dated: March 27, 2019


SETTER INTERCOUNTY DRAIN DRAINAGE BOARD



Greg Alexander
Sanilac County Drain Commissioner



Joe Suma
Lapeer County Drain Commissioner



Brady Harrington, Deputy
For Director Gary McDowell
Michigan Department of Agriculture and
Rural Development

EXHIBIT "A"

SETTER INTERCOUNTY DRAIN ROUTE AND COURSE

Sections 35, T.11 N. R.13 E.

Elmer Township, Sanilac County, Michigan

Sections 6-9, & 16-18, T.10 N. R.14 E.

Elk Township, Sanilac County, Michigan

Sections 1, 2, 11-16, 19-23, 26-34, T.10 N. R.15 E.

Flynn Township, Sanilac County, Michigan

Sections 4-8, T.09 N. R.13 E.

Maple Valley Township, Sanilac County, Michigan

Sections 7, & 18, T.09 N. R.13 E.

Brown City, Sanilac County, Michigan

Sections 1, 2, 11-14, T.09 N. R.12 E.

Burnside Township, Lapeer County, Michigan

24-26, 35, & 36, T.10 N. R.12 E.

Burnside Township, Lapeer County, Michigan

Commencing at a point 320 feet South and 290 feet West of the East 1/4 corner of Section 9, Elk Township, T10N - R14E, Sanilac County, Michigan, thence S.54°-00'W., 627 feet; thence S.78°-00'W., 434 feet; thence S.75°-30'W., 1,031 feet, thence S.49°-00'W., 853 feet; thence S.35°-00'W., 514 feet; thence S.15°-00'W., 573 feet; thence South 69 feet; thence S.60°-00'W., 12 feet; thence N.88°-30'W., 1,186 feet; thence S.76°-00'W., 765 feet; thence S.87°-00'W., 24 feet; thence S.73°-30'W., 171 feet; thence S.66°-00'W., 28 feet; thence S.60°-00'W., 38 feet; thence S.55°-00'W., 649 feet; thence S.67°-00'W., 40 feet; thence S.85°-00'W., 9 feet, thence N.49°-00'W., 160 feet; thence N.46°-00'W., 90 feet; thence N.48°-00'W., 96 feet; thence N.89°-00'W., 294 feet; thence S.78°-00'W., 483 feet; thence S.87°-00'W., 395 feet; thence N.87°-30'W., 170 feet; thence N.84°-00'W., 160 feet; thence N.68°-00'W., 161 feet; thence N.41°-00'W., 825 feet; thence N.89°-00'W., 462 feet; thence N.77°-00'W., 853 feet; thence N.81°-00'W., 728 feet; thence West 86 feet; thence S.88°-00'W., 22 feet; thence N.67°-00'W. 45 feet; thence N.50°-00'W., 61 feet; thence N.44°-00'W. 193 feet; thence N.53°-00'W., 455 feet; thence N.47°-00'W., 94 feet; thence N.33°-00'W., 53 feet; thence N.15°-00'W., 445 feet; thence N.28°-00'W., 100 feet; thence N.57°-00'W., 462 feet; thence N.73°-00'W., 263 feet; thence S.75°-00'W., 84 feet; thence S.58°-00'W., 105 feet; thence S.29°-00'W., 408 feet; thence S.45°-00'W., 29 feet; thence S.58°-00'W., 195 feet; thence S.76°-00'W., 897 feet; thence N.88°-00'W., 46 feet; thence N.84°-00'W., 932 feet; thence S.89°-13'W., 204 feet; thence S.79°-59'W., 135 feet; thence N.38°-21'W., 309 feet; thence N.08°-08'W., 107 feet; thence N.86°-54'W., 269 feet; thence N.07°-05'E., 863 feet; thence N.08°-08'W., 106 feet; thence N.42°-30'E., 220 feet; thence N.5°-00'W., 174 feet; thence N.21°-30'W., 409 feet; thence N.66°-30'W., 473 feet; thence N.84°-00'W., 118 feet; thence due West 725 feet; thence S.55°-30'W., 180 feet; thence S.79°-30'W., 365 feet; thence S.49°-00'W., 280 feet; thence S.29°-30'W., 135 feet; thence S. 49°-00'W., 310 feet; thence S.72°-30'W., 405 feet; thence S.52°-30'W., 150 feet; thence S.63°-00'W., 245 feet; thence S.49°-00'W., 445 feet; thence S.37°-30'W., 375 feet; thence S.33°-00'W., 575 feet; thence

S.31°-30'W., 1,286 feet; thence S.88°-30'W., 229 feet; thence S.41°-00'W., 104 feet; thence due South 3,307 feet; thence S.54°-00'W., 99 feet; thence S.85°-00'W., 605 feet; thence N.87°-00'W., 230 feet; thence N.83°-30'W., 575 feet; thence N.66°-00'W., 90 feet; thence N.54°-30'W., 61 feet; thence N.35°-00'W., 299 feet; thence N.72°-00'W., 148 feet; thence S.85°-30'W., 77 feet; thence S.66°-30'W., 290 feet; thence S.71°-30'W., 855 feet; thence S.84°-30'W., 2,204 feet; thence due South 206 feet; thence S.40°-00'W., 171 feet; thence due West 748 feet; thence S.39°-00'W., 69 feet; thence due South 1,014 feet; thence S.21°-00'W., 288 feet; thence due West 5,463 feet; thence due South 1,429 feet; thence S.60°-30'W., 770 feet; thence S.32°-30'W., 3,407 feet; thence S.3°-00'W., 1,311 feet; thence due South 5,145 feet; thence due West 1,356 feet; thence S.39°-00'W., 784 feet; thence S.62°-00'W., 1,617 feet; thence S.87°-00'W., 2,527 feet; thence S.61°-00'W., 813 feet; thence S.78°-30'W., 285 feet; thence S.23°-00'W., 784 feet; thence N.88°-00'W., 1,166 feet; thence N.57°-30'W., 359 feet; thence N.86°-00'W., 419 feet; thence S.89°-00'W., 1,605 feet; thence S.44°-00'W., 1,189 feet; thence S.88°-30'W., 226 feet; thence S.32°-00'W., 204 feet; thence N.89°-00'W., 300 feet; thence N.79°-00'W., 626 feet; thence S.26°-00'W., 47 feet; thence S.40°-30'W., 201 feet; thence due West 702 feet; thence N.27°-30'W., 347 feet; thence due West 1,436 feet; thence N.16°-00'W., 266 feet; thence due West 628 feet; thence S.70°-00'W., 798 feet; thence due West 570 feet; thence S.41°-00'W., 208 feet; thence S.34°-30'W., 198 feet; thence N.77°-30'W., 83 feet terminating at a point 1,030 feet North and 790 feet West of the SE corner of Section 35, Burnside (N) Township, T10N-R12E, Lapeer County, Michigan. The total length of said route and course being 74,676 feet.

SETTER-STIMSON BRANCH

Commencing at a point 40 feet East of the West 1/4 corner of Section 22, Flynn Township, T10N-R13E, Sanilac County, Michigan, thence due South 7,909 feet; thence due West 438 feet; thence S.16°-30'W., 1,549 feet; thence S.88°-30'W., 1,740 feet; thence due South 1,111 feet; thence due West 283 feet; thence due South 1,034 feet; thence due West 616 feet; thence due South 284 feet; thence due West 413 feet; thence due South 827 feet; thence due West 223 feet; thence S.45°-00'W., 611 feet; thence due West 648 feet and terminating at a point 35 feet North and 22 feet East of the SW corner of Section 33, Flynn Township, T10N-R13E, Sanilac County, Michigan. The total length of said route and course being 17,686 feet.

RELIEF BRANCH

Commencing at a point 38 feet East and 40 feet South of the NW corner of Section 22, Flynn Township, T10N-R13E, Sanilac County, Michigan, thence due South 2,455 feet; thence due West 650 feet; thence S.33°-30'W., 1,240 feet; thence due South 350 feet; thence due West 2,100 feet and terminating at a point 1,290 feet North and 715 feet West of the S 1/4 corner of Section 21, Flynn Township, T10N-R13E, Sanilac County, Michigan. The total length of said route and course being 6,795 feet.

BRANCH NO. 1

Commencing at the SE corner of the NW 1/4 of NW 1/4 of Section 28, Flynn Township, T10N-R13E, Sanilac County, Michigan, thence N.88°-30'W., 2,651 feet; thence due South 671 feet; thence S.15°-30'W., 636 feet; thence due West 4,439 feet; thence S.10°-30'E., 881 feet; thence

S.64°-30'W., 2,272 feet; thence S.88°-30'W., 2,090 feet and terminating at a point 730 feet North and 36 feet West of the SE corner of Section 25, Burnside (N) Township, T10N-R12E, Lapeer County, Michigan. The total length of said route and course being 13,640 feet.

BRANCH NO. 2

Commencing at a point 536 feet North of the Center of Section 32, Flynn Township, T10N-R13E, Sanilac County, Michigan, thence due South 2,021 feet; thence S.10°-30'W., 40 feet; thence S.33°-00'W., 1,392 feet; thence due West 2,453 feet; thence S.2°-00'E., 1,564 feet; thence N.89°-00'W., 539 feet; thence S.53°-00'W., 1,078 feet; thence S.11°-30'W., 365 feet; thence S.23°-00'E., 406 feet; thence S.8°-30'W., 161 feet; thence S.24°-00'E., 186 feet; thence S.16°-00'W., 225 feet; thence S.51°-30'W., 321 feet; thence S.2°-00'W., 229 feet; thence S.9°-00'W., 138 feet; thence S.41°-30'W., 22 feet; thence S.46°-30'W., 435 feet; thence S.70°-30'W., 242 feet; thence S.1°-30'E., 412 feet; thence S.36°-30'W., 43 feet; thence S.82°-30'W., 125 feet; thence due South 424 feet; thence S.32°-00'W., 199 feet; thence S.4°-00'W., 322 feet; thence S.32°-30'E., 394 feet; thence due South 2,007 feet and terminating at a point 375 feet West and 10 feet South of the Center of Section 7, Maple Valley Township, T9N- R13E, Sanilac County, Michigan. The total length of said route and course being 15,743 feet.

BRANCH "A" OF 2

Commencing at a point 625 feet North and 420 feet West of the South 1/4 Corner of Section 6, Maple Valley Township, T9N-R13E, Sanilac County, Michigan, thence due West 265 feet; thence S.50°-30'W., 793 feet; thence S.6°-30'W., 86 feet; thence S.23°-00'W., 56 feet; thence S.29°-30'W., 255 feet; thence S.39°-00'W., 652 feet; thence S.53°-00'W., 57 feet; thence N.84°-30'W., 444 feet; thence S.47°-00'W., 571 feet; thence due West 393 feet; thence S.48°-00'W., 195 feet; thence S.28°-30'W., 206 feet; thence S.38°-00'W., 664 feet; thence S.57°-30'W., 128 feet; thence S.82°-30'W., 223 feet; thence S.54°-30'W., 219 feet; thence S.17°-30'W., 234 feet; thence S.6°-00'E., 75 feet; thence S.27°-30'W., 63 feet; thence S.5°-00'W., 51 feet and terminating at a point 70 feet South and 545 feet East of the Center of Section 12, Burnside (S) Township, T9N-R12E, Lapeer County, Michigan. The total length of said route and course being 5,630 feet.

BRANCH NO. 3

Commencing at a point 1,945 feet North and 790 feet East of the South 1/4 Corner of Section 31, Flynn Township, T10N-R13E, Sanilac County, Michigan, thence S.28°-00'W 225 feet; thence S.32°-30'W., 614 feet; thence S.65°-00'W., 287 feet; thence S.71°-00'W., 420 feet; thence S.1°-30'E., 627 feet; thence due West 272 feet; thence S.13°-30'W., 368 feet; thence S.2°-00'W., 676 feet; thence S.86°-30'W., 1,140 feet; thence S.66°-00'W., 231 feet; thence S.47°-00'W., 226 feet; thence S.63°-30'W., 412 feet; thence S.84°-30'W., 509 feet; thence S.41°-00'W., 335 feet; thence S.72°-30'W., 123 feet; thence S.80°-30'W., 129 feet; thence due West 303 feet; thence S.17°-00'W., 204 feet; thence S.8°-00'E., 188 feet; thence S.18°-30'E., 451 feet; thence S.14°-00'W., 290 feet; thence S.10°-00'W., 314 feet; thence S.29°-30'W., 104 feet; thence S.37°-00'W., 74 feet; thence S.14°-00'W., 678 feet; thence S.80°-30'W., 677 feet; thence S.76°-30'W., 79 feet; thence S.68°-30'W., 704 feet; thence S.72°-30'W., 340 feet; thence S.60°-00'W., 508 feet; thence due

South 282 feet; thence S.58°-30'E., 175 feet; thence S.32°-30'E., 135 feet; thence S.27°-00'E., 303 feet; thence S.54°-00'E., 417 feet; thence due South 66 feet; thence S.47°-00'W., 429 feet; thence S.4°-00'W., 203 feet; thence due West 157 feet; thence N.69°-00'W., 150 feet; thence due West 218 feet; thence due South 367 feet; thence S.21°-00'W., 297 feet; thence due South 467 feet; thence S.50°-00'E., 66 feet; thence due East 260 feet; thence due South 334 feet and terminating at a point 1,980 feet South and 1,320 feet West of the North 1/4 Corner of Section 12, Burnside (S) Township, T9N-R12E, Lapeer County, Michigan. The total length of said route and course being 15,834 feet.

The total length of the above described drain is 150,004 feet (28.4 miles).

EXHIBIT "B"

SETTER INTERCOUNTY DRAIN DRAINAGE DISTRICT BOUNDARY

Sections 35, T.11 N. R.13 E.
Elmer Township, Sanilac County, Michigan
Sections 6-9, & 16-18, T.10 N. R.14 E.
Elk Township, Sanilac County, Michigan
Sections 1, 2, 11-16, 19-23, 26-34, T.10 N. R.15 E.
Flynn Township, Sanilac County, Michigan
Sections 4-8, T.09 N. R.13 E.
Maple Valley Township, Sanilac County, Michigan
Sections 7, & 18, T.09 N. R.13 E.
Brown City, Sanilac County, Michigan
Sections 1, 2, 11-14, T.09 N. R.12 E.
Burnside Township, Lapeer County, Michigan
24-26, 35, & 36, T.10 N. R.12 E.
Burnside Township, Lapeer County, Michigan

Commencing at a point on the West line of Section 26, T.10 N. R.14 E. Elk Township, Sanilac County, Michigan, which is 2286.74 feet, S.01°-50'-42"E., of the Northwest Corner of said Section 26; thence N.86°-37'-02"E., entering said Section 26, 492.72 feet; thence N.86°-31'-09"E., 88.10 feet; thence S.03°-28'-51"E., 660.29 feet; thence N.86°-31'-28"E., 2303.26 feet; thence S.03°-46'-15"E., 1981.76 feet; thence S.54°-56'-29"E., 1060.94 feet; thence S.03°-37'-57"E., 657.51 feet; thence S.40°-24'-56"E., 833.69 feet; thence S.33°-25'-53"E., 2301.78 feet; thence N.87°-25'-11"E., 980.06 feet; thence S.03°-44'-33"E., 1649.62 feet; thence N.87°-28'-11"E., 653.35 feet; thence N.41°-34'-53"E., 2297.91 feet; thence N.87°-28'-41"E., 4285.36 feet; thence S.76°-39'-43"E., 1068.01 feet; thence S.30°-05'-44"W., 1229.39 feet; thence S.22°-50'-23"W., 733.59 feet; thence S.48°-00'-01"W., 840.54 feet; thence S.88°-09'-41"W., 492.95 feet; thence S.01°-50'-20"E., 132.01 feet; thence S.87°-36'-19"W., 164.85 feet; thence S.03°-15'-33"E., 1326.03 feet; thence S.87°-30'-02"W., 1309.23 feet; thence N.03°-53'-30"W., 166.05 feet; thence S.87°-28'-03"W., 1321.46 feet; thence S.03°-57'-41"E., 831.29 feet; thence S.87°-37'-45"W., 653.27 feet; thence S.03°-57'-41"E., 665.27 feet; thence S.87°-36'-43"W., 653.27 feet; thence S.03°-58'-04"E., 166.36 feet; thence S.87°-36'-43"W., 2612.26 feet; thence S.25°-41'-47"W., 1320.02 feet; thence S.40°-48'-05"W., 927.73 feet; thence S.03°-55'-19"E., 653.26 feet; thence N.48°-23'-10"W., 939.13 feet; thence S.87°-33'-26"W., 329.02 feet; thence N.03°-55'-19"W., 653.26 feet; thence S.87°-33'-26"W., 653.34 feet; thence S.03°-55'-19"E., 821.54 feet; thence S.86°-58'-35"W., 1321.50 feet; thence N.03°-56'-57"W., 660.00 feet; thence S.86°-58'-35"W., 1154.26 feet to a point on the East line of Section 13, T.10 N. R.15 E. Flynn Township, Sanilac County, Michigan, which is 1153.97 feet, N.01°-52'-49"W., of the Southeast Corner of said Section 13; thence N.01°-52'-49"W., on the East line of said Section 13, 1483.32 feet; thence N.46°-51'-15"W., entering said Section 13, 1871.99 feet; thence N.01°-54'-07"W., 329.56 feet; thence S.88°-13'-15"W., 2644.23 feet; thence S.01°-46'-46"E., 329.55 feet; thence S.88°-13'-56"W., 817.93 feet; thence S.01°-46'-05"E., 3118.72 feet; thence S.88°-02'-11"W., 981.95 feet; thence S.02°-01'-39"E., 817.80 feet; thence S.86°-58'-32"W., 330.06 feet; thence S.01°-53'-26"E., 1978.98 feet; thence S.88°-06'-34"W., 816.55 feet; thence S.01°-54'-00"E., 659.64 feet; thence S.87°-51'-02"W., 326.06 feet; thence S.01°-55'-07"E., 1320.57 feet; thence

S.87°-49'-07"W., 652.82 feet; thence S.01°-59'-13"E., 1320.88 feet; thence S.87°-47'-12"W., 1304.74 feet; thence S.02°-35'-55"E., 1318.49 feet; thence S.87°-46'-04"W., 2721.19 feet; thence S.02°-37'-21"E., 988.42 feet; thence S.87°-43'-53"W., 1704.10 feet; thence S.02°-16'-08"E., 328.19 feet; thence S.87°-15'-14"W., 165.00 feet; thence S.02°-44'-47"E., 1976.12 feet; thence N.87°-43'-11"E., 327.33 feet; thence S.02°-39'-52"E., 1382.64 feet; thence S.87°-49'-25"W., 328.99 feet; thence S.02°-35'-24"E., 592.33 feet; thence S.87°-47'-07"W., 330.00 feet; thence S.02°-35'-24"E., 1314.36 feet; thence S.87°-49'-25"W., 324.15 feet; thence S.02°-37'-12"E., 495.00 feet; thence S.87°-49'-25"W., 1318.74 feet; thence S.02°-54'-36"E., 323.59 feet; thence S.88°-36'-32"W., 1305.77 feet; thence S.02°-54'-37"E., 495.00 feet; thence S.88°-36'-50"W., 327.03 feet; thence S.02°-34'-46"E., 1312.74 feet to a point on the North line of Section 4, T.09 N. R.13 E. Maple Valley Township, Sanilac County, Michigan, which is 1642.93 feet, S.88°-36'-31"W., of the Northeast Corner of said Section 4; thence N.88°-36'-38"E., on the North line of said Section 4, 326.95 feet; thence S.04°-06'-13"E., entering said Section 4, 669.24 feet; thence S.86°-46'-47"W., 1314.06 feet; thence S.04°-01'-38"E., 658.66 feet; thence S.86°-47'-19"W., 645.35 feet; thence S.03°-54'-06"E., 659.35 feet; thence S.86°-46'-59"W., 669.99 feet; thence S.03°-53'-58"E., 659.45 feet; thence S.86°-47'-02"W., 1315.83 feet; thence S.03°-50'-51"E., 1978.63 feet; thence S.87°-32'-39"W., 2153.60 feet; thence S.03°-40'-55"E., 1974.23 feet; thence S.87°-32'-48"W., 1156.98 feet; thence S.03°-42'-25"E., 1315.10 feet; thence S.87°-42'-01"W., 1984.11 feet to a point on the East line of Section 7, T.09 N. R.13 E. Maple Valley Township, Sanilac County, Michigan, which is 2626.82 feet, S.03°-44'-37"E., of the Northeast Corner of said Section 7; thence S.03°-53'-00"E., on the East line of said Section 7, 1567.19 feet; thence S.87°-36'-50"W., entering Section 7, T.09 N. R.13 E. Brown City, Sanilac County, Michigan, 253.30 feet; thence S.03°-44'-36"E., 344.25 feet; thence S.87°-26'-51"W., 311.28 feet; thence S.03°-44'-36"E., 1408.07 feet; thence S.87°-30'-17"W., 2139.27 feet to a point on the East line of Section 13, T.09 N. R.12 E. Burnside Township, Lapeer County, Michigan, which is 664.80 feet, S.02°-22'-30"E., of the Northeast Corner of said Section 13; thence S.02°-22'-30"E., on the East line of said Section 13, 1950.69 feet; thence S.88°-41'-55"W., entering said Section 13, 1314.15 feet; thence S.01°-47'-19"E., 659.11 feet; thence S.88°-36'-39"W., 1986.26 feet; thence N.02°-07'-15"W., 992.58 feet; thence S.88°-54'-25"W., 1948.89 feet; thence N.02°-18'-10"W., 324.83 feet; thence S.87°-41'-51"W., 917.22 feet; thence N.02°-02'-42"W., 1979.64 feet; thence S.87°-07'-01"W., 82.50 feet; thence N.03°-04'-09"W., 3976.58 feet; thence S.86°-55'-52"W., 305.42 feet; thence N.37°-43'-59"W., 1599.76 feet; thence N.03°-08'-56"W., 1327.97 feet; thence N.86°-44'-58"E., 439.79 feet; thence N.02°-12'-14"W., 2643.56 feet; thence S.87°-09'-03"W., 410.32 feet; thence N.02°-11'-03"W., 1525.53 feet; thence N.01°-33'-05"W., 1307.91 feet; thence N.87°-29'-19"E., 330.88 feet; thence N.01°-33'-05"W., 1342.49 feet; thence N.87°-50'-36"E., 165.00 feet; thence N.01°-33'-05"W., 659.54 feet; thence N.87°-50'-36"E., 660.00 feet; thence N.01°-33'-03"W., 1978.52 feet; thence N.87°-53'-15"E., 397.39 feet; thence N.02°-07'-53"W., 660.07 feet; thence N.87°-51'-13"E., 601.59 feet; thence N.01°-24'-53"W., 161.53 feet; thence N.88°-02'-31"E., 495.07 feet; thence N.01°-25'-23"W., 495.00 feet; thence N.88°-02'-31"E., 486.03 feet; thence N.01°-25'-23"W., 1301.75 feet; thence N.86°-46'-57"E., 330.15 feet; thence N.01°-48'-25"W., 662.76 feet; thence N.88°-49'-59"E., 659.83 feet; thence N.01°-13'-39"W., 654.12 feet; thence N.25°-07'-58"E., 1460.11 feet; thence N.01°-57'-23"W., 495.00 feet; thence N.89°-23'-41"E., 833.59 feet; thence N.01°-46'-19"W., 836.22 feet; thence N.89°-23'-41"E., 812.85 feet; thence N.01°-46'-19"W., 989.45 feet; thence N.89°-23'-41"E., 993.37 feet to a point on the West line of Section 19, T.10 N. R.15 E. Flynn Township, Sanilac County, Michigan, which is 2311.38 feet, N.01°-29'-41"W., of the Southwest Corner of said Section 19; thence N.01°-29'-41"W., on the West line of said Section 19, 1651.39 feet; thence N.87°-24'-45"E., entering said Section 19, 1387.67 feet; thence N.02°-46'-35"W., 494.66 feet; thence N.87°-24'-45"E., 669.49 feet; thence S.02°-43'-36"E., 495.00 feet; thence N.87°-23'-53"E., 1317.94 feet; thence S.02°-46'-35"E., 1316.29 feet; thence N.87°-15'-28"E.,

1317.20 feet; thence N.88°-58'-53"E., 1637.36 feet; thence S.02°-42'-09"E., 1665.94 feet; thence N.88°-57'-53"E., 2078.21 feet; thence N.02°-38'-51"W., 350.65 feet; thence N.88°-57'-53"E., 428.90 feet; thence N.02°-38'-44"W., 1315.98 feet; thence N.88°-55'-37"E., 1092.28 feet; thence S.02°-36'-08"E., 330.00 feet; thence N.88°-49'-27"E., 493.29 feet; thence N.02°-35'-29"W., 330.00 feet; thence N.88°-49'-26"E., 165.00 feet; thence N.02°-35'-29"W., 658.31 feet; thence N.88°-49'-50"E., 656.72 feet; thence N.02°-23'-28"W., 1479.58 feet; thence N.88°-49'-50"E., 1320.15 feet; thence N.02°-09'-07"W., 495.00 feet; thence N.88°-49'-50"E., 660.25 feet; thence N.02°-05'-57"W., 661.52 feet; thence N.88°-53'-21"E., 1321.34 feet; thence N.02°-05'-57"W., 659.43 feet; thence N.87°-53'-56"E., 1971.07 feet; thence N.02°-09'-00"W., 659.52 feet; thence N.87°-23'-49"E., 2623.87 feet; thence N.02°-14'-06"W., 1649.54 feet; thence N.87°-23'-01"E., 1309.31 feet; thence S.02°-14'-06"E., 329.76 feet; thence N.88°-08'-52"E., 1313.34 feet; thence N.02°-10'-43"W., 1317.51 feet; thence N.88°-08'-52"E., 1314.58 feet; thence N.01°-37'-44"W., 648.98 feet; thence N.87°-41'-28"E., 980.39 feet; thence N.01°-58'-26"W., 1321.19 feet; thence N.88°-04'-13"E., 329.19 feet; thence N.01°-58'-26"W., 1322.03 feet; thence N.88°-04'-13"E., 329.19 feet; thence N.01°-58'-26"W., 1322.40 feet; thence S.88°-00'-12"W., 660.00 feet; thence N.01°-59'-25"W., 1321.51 feet; thence N.87°-55'-45"E., 990.94 feet; thence N.02°-18'-01"W., 1318.15 feet; thence N.87°-42'-00"E., 648.50 feet; thence N.00°-30'-36"W., 330.21 feet; thence N.88°-25'-20"E., 1316.82 feet; thence N.02°-11'-13"W., 990.52 feet; thence S.88°-25'-20"W., 1318.78 feet; thence N.02°-18'-11"W., 1320.30 feet; thence S.87°-55'-17"W., 328.90 feet; thence N.02°-18'-11"W., 2099.23 feet; thence N.87°-16'-14"E., 331.17 feet; thence N.78°-57'-09"E., 69.21 feet to the Southwest Corner of Section 35; T T.11 N. R.13 E. Elmer Township, Sanilac County, Michigan; thence N.03°-00'-51"W., on the West line of said Section 35, 494.18 feet; thence N.86°-30'-54"E., entering said Section 35, 1753.63 feet; thence S.02°-31'-20"E., 1292.60 feet; thence N.88°-24'-15"E., 823.41 feet; thence S.02°-08'-10"E., 233.97 feet; thence N.88°-03'-40"E., 1322.52 feet; thence S.01°-58'-04"E., 135.88 feet; thence S.54°-18'-20"E., 1667.69 feet to the point of beginning, containing 16725 acres.

Section lines were not field verified. Bearings and distances are based on Sanilac and Lepeer County GIS information.

