# City Magazine and Recreation Program Guide - Summer 2017



**City Magazine** Balanced Budget Recycling Ice Cream Patrol

Library Program Guide Build a Better World

Recreation Program Guide Pool Opens Fourth of July Parade Concerts in the Park Summerfest Autumn Fest

Water Quality Report



Tune into the City's YouTube channel @CityofOakPark for the next segment of "Meeting with the Manager." My most recent featured topic is regionalism and commerce in Southeast Michigan with Detroit City Council Member Scott Benson and Oak Park Economic Development and Communications Director Kimberly Marrone.

# Message From City Manager Erik Tungate

I am happy to report that we have received City Council approval for next year's budget. That approval includes a three-year balanced budget with a 17 percent General Fund balance. That means Oak Park's finances are on firm ground, well positioned for growth and new development.

As such, we are seeing our plan to grow our tax base come together in the form of new economic development projects. I am excited about what is to come. You will see shovels in the ground and crews at work this summer all over the City.

We are also seeing some of our new departmental initiatives take shape in our Public Safety Department where we are adding an ice cream truck to the fleet that will peruse our neighborhoods while handing out free ice cream sandwiches. We hope to build upon our existing bond with our community. Public Safety will also add a canine unit to the force for the first time in the City's history. This canine unit will assist our department by retrieving evidence and deterring crime.

On top of our many other activities, you will see an expanded sunflower project in full bloom proving once again that a flower can make a world of difference. The aesthetic improvements on the Coolidge and I-696 overpass will be made. It is our hope that these improvements will enhance the first impressions of the thousands of drivers that travel this corridor daily. I am also happy to announce we have been awarded a Transportation Alternatives Program, or TAP, grant for our long-awaited project to reconstruct the Nine Mile Road corridor. This funding will allow us to add bike lanes, new parking, and many other amenities. Even though there are many hours of planning and engineering that will be required before construction can begin, I have every reason to believe this project will launch by the spring of 2018.

In the spring of 2017, City Council approved a project to convert to the new LED street lights. This energy-saving initiative is projected to save us approximately \$150,000 per year on our electricity cost. While saving your hard-earned tax dollars is our core mission, this initiative will also make us a greener city.

This is a busy time of year for our City government as we move from budget preparation mode to play host to a comprehensive list of summer activities. Our Recreation Department will host several events including our annual Fourth of July parade, Concerts in the Park series, and Summerfest, all in July. We will also host Autumn Fest in September. This festival, formally known as the Public Safety Open House, is being transformed into a citywide event incorporating tours, demonstrations and activities from Public Safety, Public Works, Recreation and the Library. These events offer many activities for all.

I have mentioned just a few of the many projects and events happening in our great City. With your support, we have taken on our challenges and put many of our long-standing concerns to rest. This is truly an exciting time for all of us. I hope you will take the time to enjoy the summer and all the City of Oak Park has to offer.

1ml In

Erik Tungate City Manager City of Oak Park

2

Oak Park City Magazine

CITY OF OAK PARK MAYOR Marian McClellan

> MAYOR PRO TEM Carolyn Burns

COUNCIL MEMBERS Kiesha Speech Solomon Radner Ken Rich

city manager Erik Tungate

CITY OF OAK PARK 14000 Oak Park Blvd. Oak Park, MI 48237 (248) 691-7400 www.OakParkMI.gov

The Oak Park City Magazine and Recreation Program Guide is published by:

Denise DeSantis, Director Community Engagement and Public Information Department of Economic Development and Communications

(248) 691-7589 DDeSantis@OakParkMI.gov

#### **FOLLOW US ON:**



# Table of Contents

# **City Magazine**

**MESSAGE FROM City Manager Erik Tungate** 

- **CITY ADMINISTRATION** Council Approves Three-Year Balanced Budget
- **PUBLIC WORKS Recycling at Home and Away**
- **PUBLIC SAFETY Operation: Ice Cream Truck** 
  - LIBRARY **Summer Reading Program**
- **UPCOMING EVENTS** Fourth of July, Concerts in the Park, Summerfest and Autumn Fest

# **Recreation Program Guide**

**REGISTER TODAY!** - Five Ways in Which to Enroll

1	C	WHAT'S NEW?	

**LO** Oak Park Pool is Open for Summer

SENIOR ODYSSEY **Drop-Ins, Lunch Bunch, and Classes** 

**ARTS AND ENTERTAINMENT** 

- Lectures, Day Trips, and Extended Trips
- **DANCE AND FITNESS 21** Dance, Summer Dance Camp, and Exercise
- **SPORTS 22** Soccer, Karate, Kickball, and Softball

# Water Quality Report



24 Water Quality Report

RECREATION



# OAK PARK APPROVES Three-Year Balanced Budget

# WITH A \$3.5 MILLION RAINY DAY FUND FOR UNFORESEEN EMERGENCIES



#### Working with City Council, City Manager Erik Tungate presents

**a three-year** balanced budget that leaves the City with \$3.5 million, or 17 percent, "rainy day" fund which is important for municipalities to have in the event of an unforeseen emergency. It is also very difficult for municipalities to accomplish given steadily decreasing revenue sources.

Since 2002, for example, Oak Park has lost \$19 million in state revenue-sharing. Although taxable property is slowly rising again, Oak Park lost \$270 million, or 37 percent, in property tax revenue since 2008. And, the City no longer receives an annual \$150,000 Community Oriented Policing Services hiring program grant.

#### How is the City able to accomplish a three-year balanced budget with a rainy day fund?

The positive forecast through fiscal year 2019-20 is due to a number of cost saving initiatives the City has implemented, combined with the return from previous investments in Public Safety, Code Enforcement, Economic Development, and other areas. This allows the City the opportunity to include additional expenditures in the next three years, all of which can be linked to a specific Strategic Plan objective adopted in 2013 by City Council.

Following are a few highlights of the approved 2017-2018 Budget. If you would like to read the budget in its entirety, please visit **http://bit.ly/0P2017Budget0verview**.

#### SEMCOG AND MDOT AWARD CITY OF OAK PARK WITH TRANSPORTATION ALTERNATIVES PROGRAM GRANT

SEMCOG, the Southeast Michigan Council of Governments, and MDOT, Michigan Department of Transportation, have jointly awarded \$983,826 in Transportation Alternatives Program funding to the City of Oak Park's Nine Mile Redesign Project to improve the area's transportation system and provide safe alternative transportation options, such as safer walking and bike connectivity.

The City of Oak Park and the City of Ferndale applied jointly to redesign Nine Mile Road from Pinecrest to McClain, which would continue the project Ferndale began several years ago and will connect the two communities with bike lanes. To complete this phase of the project, there is a community grant match of \$421,640 which brings the total project cost to \$1,405,466. Construction will begin in the spring of 2018 and is expected to be completed by summer.

"This is exciting news for the residents and businesses of Oak Park," said Oak Park Mayor Marian McClellan. "We now have the opportunity to change the future of Nine Mile Road by creating new public spaces, attracting new economic development opportunities to the City, adding bike lanes that connect with Ferndale, and providing an alternate mode of transportation."

The project will reduce the number of traffic lanes on Nine Mile Road from five to three to accommodate bike lanes in each direction as well as provide additional on-street parking in commercial districts. The project will include green infrastructure, additional crosswalks, a trailhead near McClain, amenities that increase usability and safety of bicyclists and pedestrians, and streetscape improvements that accomplish multiple goals, including traffic calming.

# **BUDGET HIGHLIGHTS**



#### We are delivering the same superior services to our residents even though our revenue sources have decreased

Faced with a \$270 million loss of taxable value since 2008; a significant decrease of approximately \$19 million in state revenue sharing since 2002; and the loss of the annual \$150,000 Community Oriented Policing Services hiring grant, we are still committed to delivering the same superior services to our residents.

#### We are implementing a water and sewer rate increase at a less than recommended level

Although an independent, private third party analysis conducted in 2015 by Plante Moran recommended a seven percent combined rate increase for the next several years to preserve our fund balance, the City will implement a lesser rate increase of 6 percent, 4.5 percent and 7 percent for the next three years, respectively. By comparison to surrounding municipalities, Oak Park's water and sewer rates are in line with the rates of other municipalities and our rate increase is competitively positioned in the middle of 12 surrounding communities. Our rates are lower than Ferndale, Clawson, Lathrup Village, Huntington Woods and Royal Oak.

# We are cutting costs and increasing revenue to offset loss

The City implemented a self-insured health insurance program in 2012 which reduced health care costs over the last four years. The residents passed PA 345 to provide additional revenue toward Public Safety Employees' Retirement costs.

# We are enjoying economic development returns

The annual number of new businesses have more than doubled from 29 in 2014 to 70 in both 2015 and 2016. This includes the new 305,000-square-foot FedEx Ground Distribution Facility, the 30,000-square-foot Planet Fitness, and the renovation of the vacant WWJ building. With the passage of the Class C Liquor License by voter approval and a newly adopted Master Plan to guide future development, Oak Park now has a full array of incentives to attract new businesses, grow the City's tax base, raise property values, and bring employment opportunities to Oak Park.

#### We are implementing a Corridor Improvement Authority to improve City streetscapes

The City implemented a Corridor Improvement Authority along several major thoroughfares, including Coolidge, that captures tax increment financing revenues to use towards streetscape enhancements, infrastructure improvements, Façade Improvement Programs, and business initiatives.

# We are becoming more energy efficient with LED lighting

Oak Park is replacing the existing street lights with LED units. Although there is a \$625,000 upfront cost, the City will realize the return on investment in less than five years with an annual savings of approximately \$150,000.

# We are investing in equipment, public facilities and infrastructure

The City is adding Public Safety and Code Enforcement vehicles to our fleet to eliminate blight, patrol streets, and decrease crime. We are adding \$1.9 million in local road projects that include the reconstruction of Granzon, the redesign of Nine Mile Road, and the rehabilitation of Northend Road. Oak Park will invest \$1.3 million in water and sewer infrastructure to replace the water main on Kenosha, conduct our annual sewer lining and repairs, and replace remote water meters.

#### We are expanding our City's brand

The City will brand infrastructure while repainting and repairing the City's water tower and make improvements to the walkability and bikeability on Coolidge over I-696. These improvements will provide an identifiable symbol to all those visiting and passing through the City of Oak Park.

#### We are enhancing our Public Safety Department

The City is returning our Public Safety staffing levels back to the appropriate number, enhancing community engagement efforts with an ice cream patrol truck, and introducing a Canine Unit to the Department that will aid in investigations.

#### We are bringing back the sunflowers

Like last year, Oak Park will plant 15,000 sunflowers in and around the City to greet residents, welcome visitors, and add joy to all those passing through.



# RECYCLING AT HOME: Just as Easy as Taking Out the Trash

SOCRRA TO DELIVER 65-GALLON RECYCLING CART TO EVERY HOUSEHOLD IN OAK PARK



SOCRRA, Oak Park's waste management contractor, is on a mission to make recycling just as easy as taking out the trash. SOCRRA will deliver a 65-gallon recycling cart to over 100,000 single-family homes in 12 of the communities they serve, including Oak Park. Cart delivery will be made by a third-party contractor beginning in July and is expected to end in September.

"We are excited to launch *Mixed Recycling* and deliver the new curbside carts," said Jeff McKeen, General Manager of SOCRRA. "These changes will make recycling easier than ever for our residents." Not only will recycling be easier, but the new carts will help residents to recycle more often since they can hold three times more recyclables than the current recycling bins.

#### How is a New Cart Just as Easy to Use as the Trash Container?

- It's convenient Because SOCRRA is converting to a mixed recycling facility, all curbside recyclables can be mixed together in the new cart! No need to keep paper separate from the other recyclables – just throw it all in the new recycling cart and wheel it to the curb. Sorting of recycled items is no longer required.
- It's accessible Since the recyclables are collected curbside on the same day

as trash, it's just as easy to remember to take out the recycle cart as it is the trash. Residents can begin using their cart as soon as it is received.

• **It's affordable** – The carts are made possible by participating municipalities with the help of grant funds from the Michigan Department of Environmental Quality, and the Recycling Partnership, a national recycling non-profit that wishes to improve recycling rates in the United States.

# Why is it important to Recycle?

Americans are responsible for one-third of the world's trash while only accounting for five percent of the world's population. According to the Environmental Protection Agency, 75 percent of the American waste stream is recyclable, yet Americans only recycle 30 percent. Specifically, of the 250 million tons of trash generated in 2011, 55 percent was buried in landfills, 33 percent was recycled, and 12.5 percent was incinerated. This process can lead to:

- Soil Contamination
- Air Contamination/Climate Change
- Water Pollution

According to March SOCRRA statistics, only five percent of the waste tonnage collected in Oak Park is recycled. If national statistics report 75 percent of the waste stream is recyclable, the City

# The cost of choosing not to recycle is high – to human health, to the environment in which our children are raised, and to the resources our grandchildren will have available to live.

can improve its recycling initiative just by residents making a concerted effort to use the new carts.

#### Why Reduce, **Reuse and Recycle?**

The mantra in the recycling industry is to reduce, reuse and recycle, but what does that mean?

- Reduce It is important to conserve and preserve our nonrenewable resources, particularly water, fuel and energy. The most effective way to reduce waste is to not create it. Buy what you need and reduce your reliance on products that are not recyclable, replace it with products that are.
- **Reuse** The goal of reusing items is to buy something that is (or can be) used or recycled. Maintain and repair items. Borrow, rent and share products. Donate and upcycle.
- **Recycle** Recycling is the process of converting used materials or waste into reusable products. Curbside collection, drop-off centers, and deposit/refund programs make recycling more convenient.

The question is not so much, "How much does it cost to recycle?" as it is, "How much does it cost not to?" For information on recycling and the new recycling carts, visit SOCRRA's website, http://www. socrra.org/recycling.shtml.

#### Top Ten Reasons to Recycle

- Saves energy
- Reduces landfills
- Preserves resources
- Protects wildlife
- Spurs economy

- Improves climate conditions
- Protects health
- Reduces the need for incinerators
- Sustains the economy
- Protects the environment



#### **DR PEPPER SNAPPLE GROUP AND KEEP AMERICA BEAUTIFUL DELIVER 20 RECYCLING BINS TO DAVID H. SHEPHERD PARK**

Residents visiting Oak Park's David H. Shepherd Park should expect to see cleaner public parks this fall thanks to a significant grant made possible by Dr Pepper Snapple Group (NYSE: DPS) in collaboration with Keep America Beautiful.

In 2017, the Dr. Pepper Snapple Group, in partnership with Keep America Beautiful, awarded Oak Park 20 new recycling bins for distribution in and around Shepherd Park through the Recycling Bin Grant Program. Thanks to this generous grant, Oak Park will expand recycling from the private realm into the public arena. The goal of Keep America Beautiful



recycling program is to embrace recycling 365 days a year. It also encourages recycling in public spaces while making the bins accessible to residents of Oak Park.

As part of the Keep America Beautiful Grant, the City placed bins in Shepherd Park, near existing trash cans, along walking paths, near picnic areas, and close to the basketball, baseball and tennis courts. The blue, brightly colored bins are also located near the entrance of the Community Center, the Oak Park Pool and the Oak Park Ice Arena.

"The timing of this grant couldn't be more ideal as the City embarks on an awareness campaign to increase recycling efforts within the City," said City Manager Erik Tungate. "Having the ability to promote recycling in public spaces complement our efforts with our current initiatives to promote recycling at home. Not only will the public have the opportunity to recycle when out and about enjoying our parks, paths and facilities, but it begins at home with a curbside initiative where disposing of recyclables is now as easy as taking out the trash."

Now in its fifth year, the Park Recycling Bin Grant Program from Dr Pepper Snapple Group and Keep America Beautiful has provided more than 900 new recycling bins in public parks across the country and more than 4,300 recycling bins to local governments and community organizations across 41 states over the program's history. This investment in recycling infrastructure has improved recycling accessibility and convenience in a variety of park settings, including neighborhood and larger regional parks, beaches, athletic fields and walking trails.

# CITY OF OAK PARK UNVEILS

# **Operation: Ice Cream Truck**

# PUBLIC SAFETY DEPARTMENT DISCOVERS A SWEET WAY TO CONNECT WITH THE COMMUNITY

#### On May 22, the City of Oak Park unveiled their newest member to the Public Safety Patrol

**Team** — an ice cream truck! Oak Park Public Safety Officers have been busy delivering 300 ice cream sandwiches per week throughout neighborhoods and at City events.



Not only is an ice cream sandwich a welcome and refreshing treat on a bright, sunny day, but to Public Safety Officers it is a fun opportunity to connect and engage with community members. The idea was born when Oak Park Detective Robert Koch happened to learn of similar efforts in Boston and St. Louis. A Public Safety Department adds an ice cream truck to its fleet, garners donations from the community to cover the cost of operations, and attends city events with the sole intent of interacting with the community members in a fun and positive manner.

"To truly develop a supportive relationship with the community, it begins with communication," states Oak Park Public Safety Director Steve Cooper. "For many, a person's first experience with law enforcement is the result of an emergency, a traffic stop, or a crime. In Oak Park, we seize opportunities to build our relationship with community



members so when, and if, they feel the need to turn to us for assistance, they have an established comfort level built from trust and mutual support."

"The theory behind community outreach is that when connections are made, dialogue begins, and relationships develop," said Oak Park City Manager Erik Tungate. "Through community engagement, the links between police and the community strengthen over time, ensuring the type of partnership that can pinpoint and mitigate threats to the safety of our community members and improve overall quality-of-life."

Operation: Ice Cream Truck is made possible by the generous donations of many within Oak Park. The ice cream truck, donated by the City's Department of Public Works, received bodywork and repairs compliments of Haitham Sebou, Owner of Autobahn Collision. The truck comes equipped with an ice cream freezer donated by Ivan Francis and Samer Farida from Quality Restaurant Equipment Masters. Prairie Farms, through the assistance of Regional Sales Manager David Orlando, will provide 300 ice cream sandwiches per week to be distributed this spring through summer. Troy Police Captain Keith Frye and Troy Public Works Fleet Operations Manager Brian Varney donated the truck's light bar and installed the music box and speakers. Kevin Dougherty, Owner of Salient Sign Studio, adorned the ice cream truck with colorful vehicle wraps and custom graphics.

"We are very proud of Detective Koch's vision and the extent to which his efforts brought this project to fruition," said City Manager Tungate. "And, we are very thankful to all our sponsors for their generous support."



# **UPCOMING EVENTS**

#### BUILD A BETTER WORLD SUMMER READING PROGRAM Kick-Off Held: June 20 | Reading Logs Due: July 31

The value of a summer reading program is far-reaching. As parents read to children, children learn to pronounce and recognize words. As children read to parents, they gain confidence, a love for books and literary skills. Literacy skills not only help individuals learn and communicate, it's the foundation to excel in all other subjects. This year's theme is to "Build a Better World" encouraging children to make a difference in their own lives and in the lives of others. Activities include:

June 1: Registration Began

- June 20: Kick-Off with Oakland County Park Inflatables was held.
- June 29: Nelson's Wildlife Safari with Live Animals, 6:30 to 7:30 p.m.
- July 10: Bounce That House with Oakland County Parks Inflatables, 2:30 to 4:30 p.m.
- July 13: Nature Discovery Program, Red Oaks Nature Center, Oakland County Parks, 2:30 and 3:30 p.m.
- July 16: Miss Carissa, Music for the Littles, 2 to 3 p.m.
- July 20: Exotic Zoo, Live Animals, 2:30 to 3:30 p.m.
- July 25: Drummunity in Geary Park with Ferndale District Library, 2 to 3 p.m.
- July 27: Michigan Quidditch, 2:30 to 4:30 p.m.
- July 31: Summer Reading Ends, Last Day to Turn in Reading Logs

#### MONDAY MOVIE NIGHT | Rated PG | FREE

Join us on Monday Movie Night at the Oak Park Library and watch PG-rated movies on our big screen. Our movies are family appropriate and fun - a great excuse to spend quality time with the family. Monday, July 17, 5:30 p.m. – Lego Batman Movie – 104 min. Monday, August 21, 5:30 p.m. – Monster Trucks – 104 min. Monday, September 18, 5:30 p.m. – Rock Dog – 90 min.

#### **IT'S STORY TIME**

# Tuesdays, 10:30 to 11:05 a.m. | FREE | No Story Time in August Dates: July 11, 18 and 25 and September 12 and 19

**Ages: 2-6 | Children must be accompanied by an adult** Our story time is a drop-in program for parents with children under the age of six. Come make friends, bond with your child, and learn to play. Story time develops listening, literacy, and pre-reading skills while exposing your child to letters, numbers, shapes, colors, animals, and more. During story time, we read, sing, dance, move and play.

#### **LEARNING DEVELOPMENT - BIRTH TO THREE**

Presented by Oakland Family Services Monday, July 24, 4:30 p.m. Thursday, July 27, 10:30 a.m.

THE MISSING PEACE | RELATIONSHIP WORKSHOP Featuring Ms. Gendelman, MS, LPC, CPC Wednesday, August 23, 6:30 to 7:30 p.m.

#### ADULT COLORING CLUB Every Tuesday, 6 to 7:30 p.m. | FREE

If you would like to relax, exercise creativity and dabble in artistic projects, come join our Adult Coloring Club. When focusing on coloring as an art form, worries wash away. Coloring generates wellness, solitude, and stimulates areas of the brain that involve motor skills, the senses, and creativity. If you are new to adult coloring, no worries. The Oak Park Library supplies patterns, coloring pencils and gel pens.

#### TOURNAMENT TUESDAYS

#### Every Tuesday, 6 to 7:45 p.m. | Ages: Youth and Adults | FREE

If you're a tabletop gamer who enjoys the competitive gaming experience, join us on Tournament Tuesdays at the Oak Park Library. Players of all skill levels are welcome. Some games commonly played during Tournament Tuesdays include Force of Will, Magic: the Gathering, Yu-Gi-Oh!, and other collectible card games. Whether you are collecting, trading or enjoying the game, come join in the fun! Tournament Tuesdays are sponsored by Collectible Investments.

#### YOU CREATE ART

#### Ages: Youth and Adults | FREE

The Oak Park Arts and Cultural Commission is teaming up with the Oak Park Library to host three separate You Create Art projects. We meet the third Wednesday of the month from 4:30 to 5:30 p.m. Come join us. Bring your creativity!

Thursday, July 20, 4:30 to 5:30 p.m.

Thursday, August 17, 4:30 to 5:30 p.m. Thursday, September 21, 4:30 to 5:30 p.m.

#### **STEAM: GENERATION MAKERSPACE**

#### Every Other Wednesday, 4:30 to 5:15 p.m. | Ages: All | FREE

The STEAM (science, technology, engineering, arts and math) initiative is part of a larger effort to expose patrons to the fields of engineering and design by building skills in math, science and the arts. Through interesting projects, participants learn crucial problem-solving skills while gaining appreciation for various industries.

Wednesday, July 5: Upcycling/Recycling Wednesday, July 19: Building Bridges Wednesday, August 2: Mystery Project Wednesday, September 13: Button Maker Wednesday, September 27: 3 Doodlers

#### **FAMILY GAME NIGHT**

#### Every Thursday, 6-7:45 p.m. | Ages: All | FREE

Family Game Night is a great excuse for the whole family to enjoy a funfilled evening, together. It's a time when the Oak Park Library unleashes their game collection for game lovers of all ages and abilities to create memories that last. Our game collection includes Leaping Lemmings, Monopoly, Munchkin, The Pact, Ravenous River, Red7, Skip-Bo®, The Tomb Game, Tycoon Games, The Witches, UNO, and more!

#### PERSONAL ENHANCEMENT AND GROWTH Presented by Community Network Services | Free

Monday, August 7, 6:30 to 8 p.m. – The Power of Positive Thinking Monday, August 14, 6:30 to 8 p.m. – Time and Stress Management Monday, August 28, 6:30 to 8 p.m. – Total Wellness

CELESTIAL EVENT OF THE CENTURY | ECLIPSE VIEWING Brought to you by Gordon and Betty Moore Foundation Monday, August 21, 2 to 3 p.m. | Eclipse Glasses Provided. See a partial solar eclipse. Alternate activity if viewing is hampered.



& LADIES AUXILIARY DEPARTMENT OF MICHIGAN



# MAYOR'S 5K Race

7 a.m. Check-In 8 a.m. Race



# PANCAKE BREAKFAST Oak Park Youth Assistance Program

9 a.m. to 11 a.m.



# PARADE

Parade starts at Coolidge and McClain and ends in David H. Shepherd Park

#### Begins at 11 a.m.

CHIG

# FUN FEST

Dr. Pocket (Live Band) Food Court | Kosher Food Available | Children's Activities

11 a.m. to 3 p.m.

POOL OPEN 1 to 6 p.m. | REGULAR RATES

CITY OF OAK PARK | RECREATION 14300 Oak Park Blvd., Oak Park, MI 48237 www.OakParkMI.gov | (248) 691-7555



Bring a lawn chair, a blanket, some bug spray, and even a picnic dinner. Don't have time to prepare a meal? No worries, we'll have food trucks on location for your convenience. Thursdays, 7 p.m. to 8:30 p.m. at David H. Shepherd Park, Oak Park, MI

**FAMILY-FRIENDLY FUN** Free Admission | Food Trucks Available



Oak Park Recreation Department 14300 Oak Park Blvd., Oak Park, MI 48237 www.OakParkMI.gov | (248) 691-7555





AUTUMN FEST OPEN HOUSE **Demonstrations | Tours | Sparky Appearances** Light Refreshments | DJ Entertainment | Fun Activities

Police Vehicle Exploration

**Evidence Processing** 

**Steiner Tractor** Vactor Truck

**Petting Farm Face Painting**  **Imagination Cubes Story Time Tablet DIY Artbots** 

CITY OF OAK PARK | CITY HALL 14000 Oak Park Blvd., Oak Park, MI www.OakParkMI.gov | (248) 691-7402

# 5 Ways to Register for Recreation Programs

**Dak Park** 

**ONLINE REGISTRATION** 

Register online for activities by clicking on the "Click Here to Register" button on the Recreation Department's page of the City's website, at **www.OakParkMI.gov**. Or, go directly to the online registration page at http://bitly.com/OPRegisterOnline. When registering online, follow these easy steps:

- 1. Visit http://bitly.com/OPRegisterOnline.
- 2. Enter the required information to generate your customer identification and password.
- 3. Click on the activities you want to register for.
- 4. Pay with a credit card, print your receipt, and receive an instant email confirmation of your purchase.

#### MAIL-IN REGISTRATION

A mail-in registration is available for most activities, except when athletic contracts are required for registration. For athletic contracts, register in person. To register via mail: 1. Complete the Recreation Registration Form, see form on adjacent page.

- 2. Include check or money order payable to the City of Oak Park. Do not include cash or credit card numbers.
- 3. When a birth certificate is required for registration, a copy of the birth certificate can be mailed or the original can be delivered in-person to the Recreation Department.

#### **IN-PERSON REGISTRATION**

Register in-person during regularly scheduled business hours. The Recreation Department is located in the City's Community Center at **14300 Oak Park Blvd., Oak Park.** The Department is open Monday through Thursday from 9 a.m. to 1 p.m. and 2 to 5 p.m., and Friday from 8 a.m. to 4 p.m. We are open every other Friday: July 14 and 28; August 11 and 25; and September 8 and 22.

#### AFTER HOURS DROP BOX REGISTRATION

How to register via drop box:

- 1. Complete the Recreation Registration Form, see form on adjacent page.
- 2. Include check or money order payable to the City of Oak Park. Do not include cash or credit card numbers.
- 3. Drop in secure drop box, located next to the Recreation office.

#### **BY PHONE**

Register by phone with a credit card (American Express<sup>®</sup>, Visa<sup>®</sup>, MasterCard<sup>®</sup> or Discover<sup>®</sup>) by calling (248) 691-7555.

Classes are filled on a first-come, first-serve basis. Register early! Refund policies apply.

#### OAK PARK RECREATION DEPARTMENT

LAURIE STASIAK Director, Recreation Department (248) 691-7576 LStasiak@OakParkMI.gov

> DANIEL PARKER Recreation Coordinator (248) 691-7562 DParker@OakParkMI.gov

MARALEE ROSEMOND Recreation Coordinator (248) 691-2357 MRosemond@OakParkMI.gov

RECREATION DEPARTMENT CITY OF OAK PARK 14300 Oak Park Bivd. Oak Park, MI 48237

> (248) 691-7555 www.OakParkMI.gov

Hours: Monday-Thursday 9 a.m.-1 p.m. and 2-5 p.m. Every Other Friday 8 a.m.-4 p.m.

THE MISSION OF THE RECREATION DEPARTMENT IS TO ENRICH THE QUALITY OF LIFE FOR OUR DIVERSE COMMUNITY WHILE ESTABLISHING A HIGH STANDARD OF EXCELLENCE IN OUR PROGRAMS, ACTIVITIES, PARKS AND SERVICES.

FOLLOW US ON:



#### **PAYMENT METHODS**

We accept checks or money orders made payable to the City of Oak Park, cash paid in-person, and the following credit cards:

American Express<sup>®</sup>, Discover<sup>®</sup>, MasterCard<sup>®</sup>, or Visa<sup>®</sup>



#### OAK PARK RECREATION DEPARTMENT PROGRAM REGISTRATION FORM 14300 Oak Park Blvd., Oak Park, MI 48237 | (248) 691-7555 | www.OakParkMI.gov

Head of Household	's Name							Pho	ne	
Address									ail	
Payment Method					lasterCard		Discover	🗅 Americ	can Express	
Credit Card No							Exp. Date	9	CSV Code	
Card Holder Name							Authorize	ed Signature	9	
Participant's Fir	st Name	Participar	nt's Last Nar	ne	Birth Dat	e	Program	n Name	Class No.	Start Date

#### NON-RESIDENT REGISTRATION

Non-residents of Oak Park are welcome to participate. There will be an additional \$5 non-resident charge, unless otherwise indicated. Some programs and camps have a slightly higher fee. Please contact the Recreation Department to confirm the non-resident registration charge.

#### **REFUND POLICY**

A full refund will be processed if the activity is canceled by the Oak Park Recreation Department, or if the program is full. Refunds must be requested in person. Bring your original receipt. Refunds will only be granted for cancellation of class if requested before the second class or practice. Class refunds are not prorated should you miss a portion of the class for any reason. A \$5 service fee will be accessed for all refund requests. Refunds may take up to four weeks to process.

#### **RETURNED CHECK POLICY**

There will be an additional charge determined by the Finance Department for all checks returned due to non-sufficient funds and the check writer will no longer be able to pay by check for Recreation Department programs in the future.

15

# OAK PARK POOL What's New?

# OAK PARK POOL IS NOW OPEN

#### We have some exciting new developments to share with you this

**swim season.** In addition to providing the pool facilities with a facelift, the City has changed open swim times, designated special swim hours for male- and female-only swim, and offers aquatic exercise programs, swim lessons, and pool rentals.



The front office, locker rooms and guard office are noticeably more cheery. The City has painted a colorful, fun and sun-filled mural motif abound. The locker rooms have been renovated to provide additional open space, improved plumbing, and additional bench seating. New countertops are also installed in the office spaces.

The shallow end of the pool and bench along the zero-depth divider has been resurfaced. The cement wall has been power washed, the pool deck surface has been repaired, and a privacy screen is available for female-only swim hours.



# **POOL EVENTS**

#### POOL CLOSING DAY

#### Saturday, August 26, 1 to 6 p.m.

Come celebrate the unofficial end of summer with the last day of open swim. Help us shut the pool down with style on this very special day.

#### DOG DAY AT THE POOL Sunday, August 27, Noon-3 p.m.

Each registered dog receives a gift and a 55-minute dog-only swim session. Must have proof of current vaccinations and a dog license before entry is allowed. For the safety and enjoyment of the dogs, we offer separate swim times for various size dogs. They are:

- Small Sized Dogs (Under 30 lbs.), Noon to 12:55 p.m.
- Medium Sized Dogs (30-69 lbs.), 1 to 1:55 p.m.
- Large Sized Dogs (70 lbs. and Up), 2 to 2:55 p.m.

# **CLASSES**

#### LEARN TO SWIM

\$50 Resident/\$55 Non-Resident Fee Hours and days vary. Call (248) 691-7562 for details.

#### SPLASH BASH/ WATER AEROBICS

**Begins July 10 | Ends August 25** Monday, Wednesday and Fridays, 9 a.m. to 10 a.m. Space is limited, so register early!

#### **ADULT LAP SWIM**

\$2 Resident/\$4 Non-Resident Fee Hours and days vary. Call (248) 691-7562 for details.

# POOL HOURS

<b>General Public</b>	Monday, 2 to 8 p.m.
Swim Hours:	Tuesday, 2 to 7:00 p.m. Wednesday, 2 to 8 p.m. Thursday, 2 to 7:00 p.m. Friday, 1 to 8 p.m. Saturday, 1 to 6 p.m. Sunday, 1 to 6 p.m.
Female-Only Swim:	\$2 Resident Fee / \$4 Non-Resident Fee or Season Pass Tuesdays, 7:30 to 9 p.m. (begins June 20) Sundays, 10:30 a.m. to Noon (begins June 18)
Male-Only Swim:	\$2 Resident Fee / \$4 Non-Resident Fee or Season Pass

Thursdays, 7:30 to 9 p.m. (begins June 15) \*City of Oak Park's Recreation Department reserves the right to close the pool due to inclement weather or other circumstances.

# **POOL RATES**

#### **SEASON POOL PASSES**

Pool passes are available at pool entrance until August 26

#### **Season Passes - Resident:**

Ages 3 and Under, Free - Must be supervised Ages 4-54, \$30 per summer pool season Ages 55 and Up, \$20 per summer pool season

#### Season Passes - Non-Resident:

Ages 3 and Under, Free – Must be supervised Ages 4-54, \$50 per summer pool season Ages 55 and Up, \$40 per summer pool season

#### **DAILY RATES**

#### **Daily Passes - Resident:**

- Ages 3 and Under, free Must be supervised
- Ages 4-54, \$3 per day
- Ages 55 and Up, \$2 per day
- **Daily Passes Non-Resident:**
- Ages 3 and Under, Free Must be supervised
- Ages 4-54, \$5 per day
- Ages 55 and Up, \$4 per day

\*Resident status applies to residents of Oak Park, Ferndale, and Hazel Park.

# **POOL RENTAL AVAILABLE**

If you have a private party - birthday party, wedding shower, bridal shower, or family reunion - and are looking for a unique venue, consider renting the Oak Park Pool. For more information call (248) 691-7555.

#### **RENTAL DAYS AND TIMES**

Saturdays, June 17 to August 19, 6:30 p.m. to 9:30 p.m. Sundays, June 18 to August 20, 6:30 p.m. to 9:30 p.m.

#### **RENTAL FEES**

Up to 75 people, \$350 Resident, \$400 Non-Resident, 3 hours 75 to 100 people, \$400 Resident, \$450 Non-Resident, 3 hours 101 to 200 people, \$450 Resident, \$500 Non-Resident, 3 hours 201 to 400 people, \$500 Resident, \$550 Non-Resident, 3 hours

\*Additional hours, if available, are \$160 per hour. \$75 deposit is required on all pool rentals. Pool rentals MUST be paid in full on the booking date to reserve the date and time.



# **DROP-IN PROGRAMS**

#### 50 Up Club Membership Fee: \$6 Res./\$12 Non-Res. | Calendar Year Renewal

The mission of the 50 Up Club Membership is to provide Oak Park's diverse, mature population with education, exercise and recreation programs to challenge the mind and body to greater heights of personal achievement. Join our Senior 50 Up Club and enjoy our weekly senior drop-in sessions at the Community Center, located at 14300 Oak Park Blvd., Oak Park, Mich. Call (248) 691-2357 for more information.

HOURS: Monday to Friday, 9 a.m. to 5 p.m. Closed between 1 to 2 p.m. Every other Friday the Recreation Office is closed.

You must be a 50 Up Club member to enjoy the following drop-in programs:

#### MONDAY

Quilters Club, 10 a.m. to 2 p.m., free Ping Pong, Noon to 2 p.m., free Bingo, every second and fourth Monday, Noon to 2 p.m.

#### TUESDAY

Watercolor Drop-In, 1 to 3 p.m., \$5 per person fee Contemporary Quilters, every third Tuesday, 1 to 3 p.m.

#### **WEDNESDAY**

Blood Pressure Clinic, 10 to 11 a.m., free Bingo, Noon to 2 p.m., inquire about fee Ping Pong, Noon to 2 p.m., free Scrabble Club, Noon to 5 p.m., free

#### WEDNESDAY

Drop-In Hustle, 10 to 11 a.m., \$4 resident/\$5 non-resident fee Pickleball, 11:30 a.m. to 3:00 p.m., \$2 per person fee Bid Whist, 1 to 4 p.m., free

## LECTURE SERIES

Presentations, lectures and author meet and greets are available. Visit the Arts and Entertainment section of this guide for more information.

# **DAY TRIPS**

Theatre and day trips are also available. Visit the Arts and Entertainment section of this guide for more information.

# LUNCH BUNCH

#### THE DIME STORE

Transportation Fee: \$6 Res./\$8 Non-Res. | Lunch on Your Own

The Dime Store, established in 2014, is an American brunch bar in Detroit that serves brunch (breakfast, brunch or lunch) with traditional and creative twists. The menu is a unique blend of scratch-made traditional favorites and creative combinations that include the House Sausage Omelette, Smoked Salmon Benny, Duck Reuben Sandwich and Sweet Poached Pear Salad. They also serve craft beer, wine and classic cocktails.

Course: 0028LNTR17 - Friday, July 14, 11:15 a.m. to 2:30 p.m.

#### THE ROYAL EAGLE: Russian Tea Luncheon Transportation Fee: \$25 Res./\$31 Non-Res. | Lunch on Your Own

In the tradition of the grand and elegant Imperial Russia Court, the Royal Eagle offers a seven course Russian tea luncheon! This restaurant features Eastern European cuisine, homemade soups, finger sandwiches, heavy hors d'oeuvres and a selection of tea varieties from around the globe. Guests are welcome to walk the beautiful gardens and enjoy the grounds, but please remember that the restaurant is located on the grounds of a monastery. The standards of dress and expectations of behavior must be observed, including no shorts, short skirts, tank tops, gum chewing or ringing cell phones are permitted.

Course: 0032LNTR17 - Tuesday, July 18, 11:30 a.m. to 2:00 p.m.

#### BOBCAT BONNIE'S: Corktown's Neighborhood Gastropub

Transportation Fee: \$6 Res./\$11 Non-Res. | Lunch on Your Own Bobcat Bonnie, a Corktown neighborhood gastropub, is named after a one-of-a-kind grandmother who drives a bobcat. The building itself is over 150-years-old with a deep history and local touches. It features warm-colored brick scalped from Eloise Asylum, the well-known psychiatric institution of Wayne County and a Tiger Stadium sign located in the game room.

Course: 0030LNTR17 - Friday, August 25, 11:30 a.m. to 2:00 p.m.

#### **GRAND TRUNK PUB**

#### Transportation Fee: \$6 Res./\$11 Non-Res. | Lunch on Your Own

This fabulous restaurant is a converted 1900s-era railway station with beautiful high ceilings and a spectacular ambience. It serves eclectic eats and a wide selection of Michigan craft beers. Grand Trunk Pub was featured on Esquire's National Show: Best Bars in America, The New York Times, and Better Homes and Gardens.

Course: 0031LNTR17 - Friday, September 15, Noon to 2:30 p.m.

# **CLASSES**

#### **ESTATE PLANNING CLINIC**

#### 10:30 to 11:30 a.m. | Fee: Free | Preregistration is required

Lawyers from Western Michigan University's Cooley Law School will talk about wills, power of attorney, and trusts. They will also hold a question and answer session. Preregister at least one week prior to the event. **Course: 3411FF17** - Thursday, September 21, One Session

# WELLNESS

#### THE ANTHONY L. SOAVE FAMILY MOBILE MAMMOGRAPHY AND HEALTH SCREENING CENTER

#### Friday, October 13, 9 a.m. to 4 p.m. | Community Center Parking Lot Fee: Unit accepts all insurances. Those without insurance coverage, please call (248) 691-7462 | Spots are Limited.

The Anthony L. Soave Family Mobile Mammography and Health Screening Center is a mobile unit that features advanced 3D/Tomosynthesis imaging in an effort to reduce the risk of breast cancer in women. It provides access to high quality mammography. The St. John Providence Health System's "Because We Care" program and the Anthony L. Soave Family are dedicated to serve all, including those who are uninsured, underinsured, and those who require financial support for their care. Age: 40 and up. To register, please call (248) 691-7462 or visit the Oak Park Recreation office.

# FITNESS AND EXERCISE

#### **BASIC HATHA YOGA**

10:30 to 11:30 a.m. | Fee: \$32 Res./\$37 Non-Res. | Room A, Com. Ctr. This class provides a basic yoga foundation. Instruction is personalized around the unique needs of those enrolled. Don't forget to bring your own mat. Ages: 50 and up. Instructor: Bob Smith

Course: 3064SS17 - Thursdays, July 13 to August 31, 8-Week Session Course: 3065FF17 - Thursdays, September 14 to November 2, 8-Week Session

#### **GENTLE CHAIR YOGA**

#### Noon to 1 p.m. | Fee: \$24 Res./\$29 Non-Res. | Room 3, Com. Ctr.

Gentle Chair Yoga provides gentle therapeutic yoga exercise while reducing stress on joints and muscles. Ages: 50 and up. Instructor: Bobby Calhoun

Course: 3048SS17 - Tuesdays, July 25 to September 12, 8-Week Session Course: 3049FF17 - Tuesdays, Sept. 26 to Nov. 14, 8-Week Session

#### **ENHANCE FITNESS**

#### 9 to 10 a.m. | Fee: Free | Room A, Com. Ctr.

Enhance Fitness is a fitness program geared toward improving the overall functional fitness and well-being of older adults. A certified fitness instructor provides opportunities for social stimulation and physical benefits three times a week on Mondays, Wednesdays and Fridays. This class focuses on cardiovascular conditioning, strength training, flexibility and balance training. The benefits include improved strength, boost in activity level, improved mood, and fun! Class size is limited to 55 participants. **Course: 3033SS17** – Monday through Friday





#### TAI CHI FOR BEGINNERS

10 to 10:45 a.m. | Fee: \$56 Res./\$61 Non-Res. |Room A, Com. Ctr.

Learn the ancient Chinese system of exercise and movement meditation in an effort to develop flexibility and coordination, and to slow down the aging process. Ages: 18 and up. All experience levels are welcome! Instructor: Holly Malloy

**Course: 3062FF17** - Tuesdays, September 12 to October 31, 8-Week Session

#### TAI CHI FOR RETURNING STUDENTS 11:30 a.m. to 12:15 p.m. | Fee: \$56 Res./\$61 Non-Res.

Room A, Com. Ctr. This class utilizes the ancient Chinese system of exercise and movement meditation to develop flexibility and coordination while

striving to improve the aging process. Practice the ancient art of Tai Chi. \*Experienced students only, ages 18 and up. Instructor: Han Hoong Wang **Course: 3053FF17** - Tuesdays September 12 to October 31, 8-Week Session

# MEALS ON WHEELS

#### "More than just a meal"

Meals on Wheels home delivery is available in Oak Park as long as you call at least one week in advance. Lunch can be served with a preordered meal. For more information, call Senior Meals on Wheels at (248) 689-0001.

# TRANSPORTATION

#### SMART TRANSPORTATION PROGRAM

The Oak Park Recreation Department provides transportation through a partnership with SMART buses for residents who are seniors, age 50 or above, and individuals who have a disability. Qualified individuals can contact the Recreation Department to schedule transport. For more information, contact (248) 691-7555. Reservations are subject to availability. There is a fare to use the bus. You must be a 50 Up Club Member to use the SMART buses.

# **LECTURE SERIES**

#### 20th CENTURY RETAILING IN DOWNTOWN DETROIT Presented by Historian Michael Hauser

#### Tuesday, June 13, 1 to 2:30 p.m. | Fee: \$2 | Course: 0010SRLC17

At its peak in the 1950s, Woodward Avenue in Downtown Detroit became one of America's preferred retail destinations, boasting over four million-square-feet of retail. Join Historian Michael Hauser as he shares images, vintage ads, catalogs and architectural elements from some of the most popular downtown emporiums. There will be opportunities for questions and for participants to share their personal memories.

#### DETROIT'S CORKTOWN Presented by Historian Armando Delicato Tuesday July 11, 1 to 2:30 nm | Fee: \$5 | Course: 00115

Tuesday, July 11, 1 to 2:30 p.m. | Fee: \$5 | Course: 0011SRLC17

From Irish immigrant settlements in the 1840s who sought reprieve from their homeland's poverty and oppression, to the diverse working class, and young urban pioneers of the 21st century, Corktown remains the sentimental heart of the Irish American community of metropolitan Detroit. Join Historian Armando Delicato as he reminisces about Corktown's various transformations.



#### IN THE GARDEN Presented by the Detroit Institute of Arts Tuesday, August 8, 1 to 2:30 p.m. | Fee: \$2 | Course: 0012SRLC17

Throughout time, humans have found that images of gardens and animals are a source of enjoyment and comfort. You may be surprised to learn the hidden meanings and symbolism behind some of the most beloved images in the DIA's collection.

#### **PICTURING MUSIC**

Presented by the Detroit Institute of Arts Tuesday, September 12, 1 to 2:30 p.m. | Fee: \$2 | Course: 0013SRLC17

Exploring the presence of music in visual art heightens awareness of the role music plays across cultures and time. It provides a lens through which to explore the personal, social, and creative aspects of identity. Learn more. Come join the discussion.

# **DAY TRIPS**

#### NORTHVILLE SHOPPING SPREE AND LUNCH AT THE GARAGE GRILL AND FUEL BAR

Friday, August 4, 10:45 a.m. to 4:45 p.m.

Lunch at 11:30 a.m. to 1 p.m. | Shopping from 1 to 4 p.m. Fee: \$6 Res./\$11 Non-Res. | Lunch on Your Own | Course: 0034SRTR17

The Garage Grill and Fuel Bar is a classic American grill located in downtown Northville that is uniquely set in a fully restored, circa 1940 gas station. Historic decorations and grand views of Main Street provide its charm. Shop for clothes, gifts, and home accessories among the historic architecture of Northville's quaint (and walkable) downtown. Seats are limited!

#### TAKE ME OUT TO THE BALL GAME DETROIT TIGERS – Senior Days | Ages: 50 and up

Come with us and travel to Comerica Park to see the Detroit Tigers in action. The fee includes transportation, lower baseline box section seats, and a food voucher for one hot dog, a small bag of chips, and a small soda. Tickets are limited, so sign-up early!

Course: 0035SRTR17 - Tigers vs. New York Yankees - Register by July 27 Thursday, August 24, Noon to 4 p.m. | Fee: \$48 Res./\$53 Non-Res. Course: 0036SRTR17 - Tigers vs. Chicago White Sox Register by August 10

Thursday, September 4, Noon to 4 p.m. | Fee: \$28 Res./\$32 Non-Res.

#### **BIANCO TOUR MYSTERY TRIP!**

Tuesday, September 26, 8:15 a.m. to 6:15 p.m. \$81 Res./\$86 Non-Res. | Course: 0035SRTR17

If you like mystery tours, you'll love this full day filled with amazement, interest, education, food, and various beverages... Don't wait on this one! Dress is casual and comfortable.

# **EXTENDED TRIPS**

We are pleased to offer several extended trips through Bianco tours. Please stop by the Recreation office for informational brochures. The following is a list of destinations and dates:

**Tigers vs. Orioles (Away Game)** Baltimore, Maryland - August 3-6, 2017

Mackinac Bridge Walk Mackinac, Michigan - September 3-4, 2017

Country Rhythm and Blues Nashville/Memphis, Tennessee - September 15-20, 2017

Ark Encounter Covington, Kentucky - September 28-29, 2017

Wine and Dine Traverse City, Michigan - October 9-11, 2017

A Capital Holiday Washington D.C. - December 1-4, 2017





# DANCE

#### **BALLROOM DANCE**

FOR MEN AND WOMEN | Ages: 40 and Up | 11 a.m. to Noon Fee: \$32 Res./\$37 Non-Res. | Location: Room C, Com. Ctr. Learn the latest ballroom dance steps, including Chicago Steppin, salsa, and mere. Countee and singles are unlearne. No experience processory

and more. Couples and singles are welcome. No experience necessary. **Course: 3063SS17** - Thurs., July 13 to August 31, 8-Week Session

#### MIDDLE EASTERN (BELLY) DANCE FOR ADULTS | Ages: 20 and Up | 7 to 8:30 p.m. Fee: \$75 Res./\$80 Non-Res. | Location: Room A, Com. Ctr.

This class attracts participants of all shapes and sizes who come dressed in comfortable clothing to learn the art of belly dance. Express yourself through dance and learn fun ways to maintain health. Enjoy the physical and personal benefits of belly dancing: abdominal toning, leg strengthening, self-esteem, and an essence of sensuality. **Course: 3404SS17** - Mon., July 17 to September 11, 8-Week Session

### SUMMER DAY CAMP FOR CHILDREN

#### PRINCESS CAMP – IMPULSE DANCE ACADEMY Monday, July 31 to Friday, August 4 | 9:30 a.m. to 2 p.m.

# Ages: 6 to 9 | \$120 Per Child

Learn the basics of ballet and creative movement at this summer's Princess Camp. Our days will be filled with ballet class, arts and crafts, lunch break and princess dance instruction. Participants will take part in an informal dance presentation during the last 30 minutes on the final day of class. You'll create a tiara and receive a Princess Camp T-Shirt. Attire: Leotard, tights, and pink ballet slippers.

#### REGISTER ONLINE AT http://bitly.com/OPRegisterOnline

#### POP STAR CAMP – IMPULSE DANCE ACADEMY

#### Monday, August 14 to Thursday, August 17 | 9:30 to 2 p.m. Ages: 9 to 12 | \$120 Per Child

Learn the basics of hip hop and jazz movement at this summer's Pop Star Camp. Our days will be filled with class, arts and crafts, lunch break and hip hop dance instruction. Participants will take part in an informal dance presentation during the last 30 minutes on the final day of class. They'll take part in Karaoke Sing-Along Day and receive a Pop Star Camp T-Shirt. Attire: Leotard, shorts, and dance sneakers.

# SUMMER DANCE ACADEMY

#### IMPULSE DANCE ACADEMY Wednesdays, July 12 to August 16 | \$60 per dancer

Taps and Tutus: Age 3-5, 5:30 to 6:15 p.m., Classroom 4 Junior Jazz: Age 6-10, 6:30 to 7:15 p.m., Classroom 4 Junior/Teen Ballet, Age 7-17, 7:20 to 7:55 p.m., Classroom 4 Mini Hip Hop, Age 4-6, 6:30 to 7:15 p.m., Activities Room A Junior Tap, Age 6-10, 7:15 to 8 p.m., Activities Room A Junior/Teen Hip Hop: Age 7-17, 8 to-8:45 p.m., Activities Room A

# ADULT EXERCISE AND FITNESS

#### TOTAL BODY WORKOUT FOR MEN AND WOMEN 10:30 to 11:30 a.m. | Call for Fee | (248) 691-7555

#### Location: Room A, Comm. Ctr. | Ages 18 and Up

Come join this exciting total body conditioning and exercise class where participants can work at their own pace. Instructor: Suzi Skotarczyk **Course: 3074SS17** - Mon. and Wed., May 22 to July 17, 8-Week Session

#### YOGA IS FOR EVERY BODY 7:45 to 9:15 p.m. | Fee: \$56 Res./\$61 Non-Res.

#### Location: Room 4, Comm. Ctr. | Ages: 18 and up

Yoga is for EVERY BODY! This course is designed to fit the needs of the beginner as well as the returning student. Emphasis is placed on stretching and strengthening the muscles, improving posture, breathing and deep relaxation. Reducing stress is an important benefit! Bring a mat and wear loose clothing. Instructor: Sharon Stone **Course: 2009SS17** - Mondays, July 31 to Sept. 25, 8-Week Session

## **YOUTH LEAGUES**

#### FALL YOUTH SOCCER

#### **Fall Youth Soccer Registration Ends August 3** Games are every Saturday and Some Week Nights | Locations Vary

Teams sponsored by Oak Park play for the Southeast Oakland Soccer League. They compete with teams from Ferndale, Hazel Park and Pleasant Ridge. This is a coed soccer league.

#### **U4 FALL SOCCER**

9 to 11 a.m. | Fee: \$50 Res./\$55 Non-Res. | Age: 3 Course: 2208FW17 - Saturday, August 26 to October 21, 9-Week Session

#### **U6 FALL SOCCER**

9 to 11a.m. | Fee: \$50 Res./\$55 Non-Res. | Ages: 4 to 5 Course: 2209FW17 - Saturday, August 26 to October 21, 9-Week Session

#### **U8 FALL SOCCER**

9 to 11a.m.| Fee: \$60 Res./\$65 Non-Res. |Ages: 6 to 7 Course: 2210FW17 - Saturday, August 26 to October 21, 9-Week Session

#### **U10 FALL SOCCER**

9 to 11 a.m. | Fee: \$65 Res./\$70 Non-Res. |Ages: 8 to 9 Course: 2211FW17 - Saturday, August 26 to October 21, 9-Week Session





# **KARATE**

#### DRAGON'S EIGHT YOUTH **BEGINNER KARATE** 6:15 to 7 p.m. | Fee: \$50 Res./\$55 Non-Res.

Location: Room A, Com. Ctr. | Ages: 4 to 10

The Karate Program is an introductory karate class specifically designed for children and beginners. It enhances a child's focus, memory, teamwork skills, discipline, self-control, fitness, balance and coordination. All this is achieved through exciting and fun games and activities. Wear loose fitting clothes. A responsible adult must remain in attendance during class. Instructor: Grand Master Robb Hogan Course: 2011SS17 - Tuesdays, June 27 to August 15, 8-Week Session

#### DRAGON'S EIGHT KARATE

#### 7 to 8 p.m. | Fee: \$60 Res./\$65 Non-Res. Location: Room A, Com. Ctr Ages: 8 and Up, depending upon experience

Students are challenged in 16 classes of the Dragon's Eight fighting system, a traditional, street oriented approach to the martial arts. There are eight life skills that are incorporated in this sport: focus, memory, teamwork, discipline, self-control, fitness, balance and coordination. Students should dress comfortably for class. Instructor: Grand Master Robb Hogan

Course: 2018SS17 - Tuesday/Thursday, June 27 to August 17, 8-Week Session

# Make a Difference in the Lives of Our Youth

#### **BECOME A VOLUNTEER**

Are you interested in making a difference in the lives of the youth of our community? Become a volunteer coach. Even if you are not an expert in the sport, we need more positive role models in the lives of our youth to help them develop into well-rounded individuals. If you have any interest, contact Dan Parker at (248) 691-7562 for more information.

#### **BECOME A SPONSOR**

Interested in sponsoring a team? Donate money to your favorite youth sport and get your logo on the back of each player's jersey. Contact Dan Parker for more information at (248) 691-7562.



# **ADULT LEAGUES**

#### FALL ADULT KICKBALL

#### 6 to 10 p.m. | Fee: \$150 + \$50 Refundable Team Forfeit Fee Ages: 18 and Up | Location: David H. Shepherd Park

The Oak Park adult, coed kickball leagues are back. They've grown into a great social activity for adults. The game with the BIG RED BALL that Oak Park residents played during recess is becoming increasingly more popular. People have been known to travel far and wide to enjoy this sport, it's not just for kids anymore. Kickball is organized, laid back, fun, and entertaining. This sport offers a way in which to relieve stress and to exercise.

#### KICKBALL (FRIDAYS)

Ages: 18 and Up

**Course: 3102FW17** - Fridays, September 8 to October 27, 8-Week Session

#### **KICKBALL (MONDAYS)**

Ages: 18 and Up Course: 3302FW17 - Mondays, September 11 to October 30, 8-Week Session

# SOFTBALL

#### **MEN'S ADULT SOFTBALL**

6 to 10 p.m. | Ages: 18 and Up | Location: David H. Shepherd Park Interested in Fall Softball? Call Dan Parker at (248) 691-7462 or email dparker@oakparkmi.gov for more information.

#### **CO-REC SOFTBALL**

6 to 10 p.m. | Ages: 18 and Up | Location: David H. Shepherd Park Interested in Fall Softball? Call Dan Parker at (248) 691-7462 or email dparker@oakparkmi.gov for more information.

# **MOVIE NIGHT**

#### COME OUT AND PLAY Friday, August 11 | David H. Shepherd Park

August 11 David R. Snepherd Park Oakland County Parks Mobile Units, 2 to 8 p.m. Movie Begins at 8:30 p.m. Zip Line, Climbing Tower, Water Inflatables, Retro Games and more! Presented by City of Oak Park Recreation, Oakland County Parks, City of Hazel Park, City of Ferndale, and Royal Oak Township.

#### **NEW POLICY FOR ADULT LEAGUES**

A refundable \$50 charge will be assessed at the time of registration to prevent forfeits. The forfeit fee will be returned to the team captain following the season if the team has not forfeited any games.



# CITY OF OAK PARK Annual Water Quality Report



#### Public Works Department

The Public Works Department is able to assist residents with questions about the quality of their water. Office hours are 7:30 a.m. to 4:00 p.m., Monday through Thursday and every other Friday.

PUBLIC WORKS DEPARTMENT CITY OF OAK PARK 10600 Capital Oak Park, MI 48237 (248) 691-7497

#### Water Department

The Water Department assists residents with water billing and payment issues. Office hours are 8:00 a.m. to 5:00 p.m., Monday through Thursday and every other Friday from 8:00 a.m. to 4:00 p.m.

#### WATER DEPARTMENT CITY OF OAK PARK 14000 Oak Park Blvd. Oak Park, MI 48237 (248) 691-7470

For more information on safe drinking water, visit U.S. Environmental Protection Agency at www.epa.gov/safewater



Drinking water quality is important to our community and the region. The City of Oak Park and the Great Lakes Water Authority (GLWA) are committed to meeting state and federal water quality standards including the Lead and Copper Rule. With the Great Lakes as our water source and proven treatment technologies, the GLWA consistently delivers safe drinking water to our community. Oak Park operates the system of water mains that carry this water to your home's service line. This year's Water Quality Report highlights the performance of GLWA and Oak Park water professionals in delivering some of the nation's best drinking water. Together, we remain committed to protecting public health and maintaining open communication with the public about our drinking water.

# Where Does My Water Come From?

Your source water comes from the Detroit River, situated within the Lake St. Clair. and several watersheds within the U.S. and Canada. The Michigan Department of Environmental Quality in partnership with the Detroit Water and Sewerage Department and several other governmental agencies, performed a source water assessment in 2004 to determine the susceptibility or relative potential of contamination. The susceptibility rating is on a seven-tiered scale from "very low" to "very high" based primarily on geologic sensitivity. water chemistry, and contamination sources. The susceptibility of our Detroit River source water intakes were determined to be highly susceptible to potential contamination. However, all four Detroit water treatment plants that use source water from Detroit River have his-



torically provided satisfactory treatment of this source water to meet drinking water standards.

GLWA initiated source-water protection activities that include chemical containment. spill response, and a mercury reduction program. GLWA participates in a National Pollutant Discharge Elimination System permit discharge program and has an emergency response management plan. GLWA voluntarily developed and received approval in 2016 for a source water protection program (SWIPP) for the Detroit River intakes. The program includes seven elements: roles and duties of government units and water supply agencies, delineation of a source water protection area, identification of potential of source water protection area, management approaches for protection. contingency plans, siting of new sources and public participation, and education. If you would like to know more information about the Source Water Assessment or SWIPP, contact the Department of Public Works at (248) 691-7497.



# Cryptosporidium Facts

Cryptosporidium is a microbial pathogen found in surface water throughout the U.S. Although filtration removes Cryptosporidium, the most commonly used filtration methods cannot guarantee 100 percent removal. Our monitoring indicates the presence of these organisms in our source water. Cryptosporidium was detected once, during a twelve-month period at our Detroit River intake plants. Current test methods do not allow us to determine if the organisms are dead or if they are capable of causing disease. Ingestion of Cryptosporidium may cause cryptosporidiosis, an abdominal infection. Symptoms of infection include nausea, diarrhea, and abdominal cramps. Most healthy individuals can overcome the disease within a few weeks. However, immuno-compromised people, infants and small children, and the elderly are at greater risk of developing life-threatening illness. We encourage immuno-compromised individuals to consult their doctor regarding appropriate precautions to take to avoid infection. Cryptosporidium must be ingested to cause disease, and it may be spread through means other than drinking water.

Unregulated contaminants are those for which the EPA has not established drinking water standards. Monitoring helps EPA to determine where certain contaminants occur and whether it needs to regulate those contaminants. Beginning in July of 2008, the Detroit Water and Sewerage Department (DWSD) began monitoring quarterly for unregulated contaminants under the Unregulated Contaminant Monitoring Rule 2 (UCMR2.) All the UCMR2 contaminants monitored on List 1 and List 2 in 2008 were undetected.

## Special Health Concerns

Some people may be more vulnerable to contaminants in drinking water than are the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791.

Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead levels in your home's water, you may wish to have your water tested and flush your tap for 30 seconds to two minutes before using tap water. Additional information is available from the Safe Drinking Water Hotline (800) 426-4791.

## Substances Expected to Be In Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at (800) 426-4791.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- **Inorganic contaminants,** such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organics, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration, or FDA, regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

# **Quality and Safety**

As mandated by the United States Environmental Protection Agency, the City of Oak Park is proud to present our latest Water Quality Report. Developed to provide you with valuable information about your drinking water, you will see as you review this report that your drinking water meets or exceeds all governmental standards set for water quality and safety. The Department of Public Works is proud of that fact and wants you to know they are committed to delivering the highest quality drinking water possible.

# Safeguards

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health. The State and the EPA both require us to test our water on a regular basis to ensure its safety.

# Lead Monitoring

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Oak Park is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components.

When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/safewater/lead.

Safe drinking water is a shared responsibility. The water that GLWA delivers to our community does not contain lead. Lead can leach into drinking water through home plumbing fixtures, and in some cases, customer service lines. Corrosion control reduces the risk of lead and copper from leaching into your water. Orthophosphates are added during the treatment process as a corrosion control method to create a protective coating in service pipes throughout the system, including in vour home or business. The City of Oak Park performs required lead and copper sampling and testing in our community. Water consumers also have a responsibility to maintain the plumbing in their homes and businesses, and can take steps to limit their exposure to lead.

# Conclusion

The City of Oak Park and the Great Lakes Water Authority are committed to safeguarding our water supply and delivering the highest quality drinking water to protect public health. Please contact us with any questions or concerns about your water.

Source: Water Quality Work Group. This messaging was developed collaboratively between GLWA and its wholesale water customers as part of the GLWA Customer Outreach effort in 2016.

#### **SPRINGWELLS WATER TREATMENT PLANT** 2016 Regulated Detected Contaminants Tables

Regulated Contaminan		Test Date	Unit	Health Goal MCLG		Highest evel Detected	Range of Detection	Violation yes/no	Major Sources in Drinking Water
-	hemicals – M					0.50			English of a sharehold and the Matter of the
luoride		5/10/2016	ppm	4	4	0.50	n/a	no	Erosion of natural deposits; Water additive, which promotes strong teeth; Discharge from fertilizer and aluminum factories.
Vitrate		5/10/2016	ppm	10	10	0.34	n/a	no	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.
Disinfection Regulated	By-Products	– Monitoring Test	g in Dist Unit	ribution Syste Health	em Stage 2 Disi Allowed	nfection By-Pı Highest	oducts Range of	Violation	Major Sources in Drinking Water
Contaminar	-	Date		Goal MCLG	Level MCL	LŘAA	Detection	yes/no	
	methanes (TTI .cids (HAA5)	2016	ppb ppb	n/a n/a	80 60	31.33 11.75	22.1-48.4 10-13	no no	By-product of drinking water chlorination By-product of drinking water disinfection
Disinfectant Regulated	t Residuals –	Monitoring in Test	Distrib Unit	ution System Health	by Treatment P Allowed	Plant Highest	Range of	Violation	Major Sources in Drinking Water
Contaminar Total Chlorin		Date Jan-Dec 201	6 ppm	Goal MRDLG	Level MRDL	<b>ŘAA</b> 0.74	Detection 0.67-0.81	yes/no no	Water additive used to control microbes
						0.14	0.07 0.01	110	
2016 Turbid	lity – Monitore	ed every 4 ho	urs at P	lant Finished	Water Tap				
	st Single Mea annot exceed		Meetin		onthly % of Sam mit of 0.3 NTU (		) yes	ation s/no	Major Sources in Drinking Water
Turbidity in a	0.33 NTU	o oloudinooo d	ofwator	We menitor it	99.7%	and indicator o		0	Soil Runoff filtration system.
,					0	, 		eness of our	
January-Ma Regulated	rch 2016 Micr	obiological C MCLG	Contami		hly Monitoring i CL		System st Number	Violation	Major Sources in Drinking Water
Contaminar Total Coliforr		0		Presence of Cr	oliform bacteria	De	otected	yes/no no	Naturally present in the environment.
E. coli Bacte		-	-	> 5% of mon	ithly samples repeat sample a	re total	0	no	Human waste and animal fecal waste.
L. CON BUCK					also fecal or E.c		Ŭ	110	
	and Copper M								
Regulated Contaminar	Test nt Date				Level 90th Per	centile Nu	mber of	Violation	Major Sources in Drinking Water
Somannina	n Date		MCL	g Ai	L Valu	ue* Sampl	es Over AL	yes/no	
	2014		0	<b>G AI</b> 15			0 0	no	Corrosion of household plumbing system; Erosion of natural deposits.
Lead		ppb			5 0.8 p	opb		•	Erosion of natural deposits. Corrosion of household plumbing system; Erosi
Lead Copper *The 90th pe	2014 2014 ercentile value	<ul> <li>ppb</li> <li>ppm</li> <li>means 90 per</li> </ul>	0 1.3 cent of t	15 1.3 he homes test	5 0.8 p	opb 66 d copper levels	0 0	no no	Erosion of natural deposits. Corrosion of household plumbing system; Erosio of natural deposits; Leaching from wood preservativ
Lead Copper *The 90th pe If the 90th pe	2014 2014 ercentile value	<ul> <li>ppb</li> <li>ppm</li> <li>means 90 per</li> </ul>	0 1.3 cent of t AL additi	15 1.3 he homes test onal requireme	5 0.8 p 3 0.10 red have lead and	opb 66 d copper levels	0 0	no no	Erosion of natural deposits. Corrosion of household plumbing system; Erosio of natural deposits; Leaching from wood preservative
Lead Copper *The 90th pe If the 90th pe <b>Regulated C</b>	2014 2014 ercentile value ercentile value	ppb ppm means 90 per is above the A Treatme ) The Tota actual TC	0 1.3 cent of t AL additi nt Tech I Organi DC remo	15 1.3 he homes test onal requirement nique c Carbon (TOO oval and the TO	5 0.8 p 3 0.10 red have lead and	opb 66 d copper levels t. s calculated as irements. The	0 0 below the gi the ratio be	no no iven 90th pe tween the easured	Erosion of natural deposits. Corrosion of household plumbing system; Erosio of natural deposits; Leaching from wood preservativ rcentile value.
Lead Copper *The 90th pe If the 90th pe <b>Regulated C</b>	2014 2014 ercentile value ercentile value Contaminant c Carbon (ppr	ppb ppm means 90 per is above the A Treatme ) The Tota actual TC	0 1.3 cent of t AL additi nt Tech I Organi DC remo	15 1.3 he homes test onal requirement nique c Carbon (TOO oval and the TO	5 0.8 p 3 0.10 red have lead and ents must be met C) removal ratio i DC removal requi level was low, the	opb 66 d copper levels t. s calculated as irements. The	0 0 below the gi the ratio be	no no iven 90th pe tween the easured	Erosion of natural deposits. Corrosion of household plumbing system; Erosio of natural deposits; Leaching from wood preservativ rcentile value. Typical Source of Contaminant
Lead Copper *The 90th pe If the 90th pe <b>Regulated C</b> Total Organic Contaminar Sodium (ppn	2014 2014 ercentile value ercentile value Contaminant c Carbon (pprr nt n)	ppb     ppm means 90 per is above the A <b>Treatme</b> ) The Tota     actual TC     each qua  MCLG     n/a	0 1.3 cent of t AL additi nt Tech I Organi DC remo arter and	15 he homes test onal requirement nique c Carbon (TOC val and the TC l because the l MCL n/a	5 0.8 p 3 0.10 red have lead and ents must be met C) removal ratio i DC removal ratio i DC removal requi level was low, the Le	bpb 66 d copper levels s calculated as irements. The ere is no requir evel Detected 4.66	0 below the gi the ratio be rOC was me ement for TC	no no iven 90th pe tween the easured DC removal.	Erosion of natural deposits. Corrosion of household plumbing system; Erosio of natural deposits; Leaching from wood preservative rcentile value. Typical Source of Contaminant Erosion of natural deposits Source of Contamination Erosion of natural deposits
Lead Copper The 90th pe If the 90th pe Regulated C Total Organic Contaminar Sodium (ppn e Great Lakes W ownub re fost anisms are dead anisms are dead	2014 2014 ercentile value ercentile value Contaminant c Carbon (ppm nt n) //ater Authority monin plc warson/used fit or if they are capa d or if they are capa come the disease c consult their doctor	ppb     ppm means 90 per is above the A     Treatme ) The Tota     actual TC     each qua  tored for Cryptospc rom the treated wa tored for Cryptospc rom the treated wa tored for Cryptospc rom the treated wa kin a few weeks r regarding appropriate	0 1.3 recent of t AL additi <b>nt Tech</b> Il Organi DC remo arter and Cr not guar asse. Inges I. However, i However, riate preca	15 1.1 he homes test onal requirement nique c Carbon (TOC val and the TC l because the l MCL n/a hur source water (D rybiosporidium was prosporidium was un source water (D rybiosporidium was not composite un source (D rybi	5 0.8 p 3 0.10 red have lead and ents must be met C) removal ratio i DC removal ratio i DC removal requi level was low, the Le	bpb 66 d copper levels s calculated as irements. The ere is no requir evel Detected 4.66	0 below the gi the ratio be rOC was me ement for TC	no no iven 90th pe tween the easured DC removal.	Erosion of natural deposits. Corrosion of household plumbing system; Erosi of natural deposits; Leaching from wood preservativ rcentile value. Typical Source of Contaminant Erosion of natural deposits Source of Contamination
Lead Copper *The 90th pe ff the 90th pe Regulated C Total Organic Contaminar Sodium (ppn e Great Lakes W ow-up water san Sodium (ppn e Great Lakes W ow-up water san san san deas fanisms are deas fanisms are deas fanisms are deas (EY TO TH	2014 2014 ercentile value ercentile value Contaminant c Carbon (pprr nt n) //ater Authority monin ple ownson/ivused fit o ori they are cape to consult their doct HE DETECT	ppb     ppm means 90 per is above the A     Treatme ) The Tota     actual TC     each qua  MCLG     n/a tored for Cryptospc rom the treated wa tored for Cryptospc rule dor Cryptospc rule dor Cryptospc rule dor Cryptospc rule dor Cryptospc TED CONTA	0 1.3 recent of t AL additi <b>nt Tech</b> Il Organi DC remo arter and Cr not guar asse. Inges I. However, i However, riate preca	15 1.1 he homes test onal requirement nique c Carbon (TOC) val and the TC because the l MCL n/a hur source water (D vplospordium was un source water (D vplospordium was nur source water (D vplospordium was vplospordium vas vplospordium vas vplo	5 0.8 p 3 0.10 red have lead and ents must be met C) removal ratio i DC removal ratio i DC removal requi level was low, the level was low, the tetroit River) from our S not found to be presen not found to be presen not found to be presen interts and the set person interts and the set person out meets on the set person out meets on the set person out meets on the set person interts and the set person out meets on the set person interts and the set person interts and the set person interts and the set person interts and the set person out meets on the set person interts and the set person	bpb 66 d copper levels is calculated as irrements. The ere is no requir evel Detected 4.66 Southwest Water Tre d small children, and bridlosis, an abd d small children, and bridlosis, an abd bridlosis, an abd spordiosis, an abd spo	0 0 below the gi the ratio be rOC was me ement for TC memory of the second minal infection.	no no iven 90th pe tween the easured DC removal.	Erosion of natural deposits. Corrosion of household plumbing system; Erosi of natural deposits; Leaching from wood preservativ rcentile value. Typical Source of Contaminant Erosion of natural deposits Source of Contamination Erosion of natural deposits
Lead Copper *The 90th pe If the 90th pe Regulated C Total Organic Contaminar Sodium (ppn e Great Lakes W ow-up water san Contaminar are dead Great Lakes W ow-up water san Contaminar are dead	2014 2014 ercentile value ercentile value Contaminant c Carbon (ppm nt n) //ater Authority monin plc warson/used fit or if they are capa d or if they are capa come the disease c consult their doctor	ppb     ppm     ppm     means 90 per     is above the A     Treatme     Treatme     Treatme     The Tota     actual TC     each qua      MCLG     n/a     tored for Cryptospe     rom the treated was     treated reades     weeks     regarding approp     ED CONTA TION	0 1.3 recent of t AL additi <b>nt Tech</b> Il Organi DC remo arter and Cr not guar asse. Inges I. However, i However, riate preca	15 1.1 he homes test onal requirement nique c Carbon (TOC) val and the TC because the l MCL n/a hur source water (D vplospordium was un source water (D vplospordium was nur source water (D vplospordium was vplospordium vas vplospordium vas vplo	5 0.8 p 3 0.10 red have lead and ents must be met C) removal ratio i DC removal ratio i DC removal requi level was low, the Le	bpb 66 d copper levels is calculated as irrements. The ere is no requir evel Detected 4.66 Southwest Water Tre d small children, and bridlosis, an abd d small children, and bridlosis, an abd spordilosis, an	0 0 below the gi the ratio be rOC was me ement for TC memory of the second minal infection.	no no iven 90th pe tween the easured DC removal.	Erosion of natural deposits. Corrosion of household plumbing system; Erosi of natural deposits; Leaching from wood preservativ rcentile value. Typical Source of Contaminant Erosion of natural deposits Source of Contamination Erosion of natural deposits
Lead Copper *The 90th pe If the 90th pe <b>Regulated C</b> Total Organic Contaminar Sodium (ppm e Great Lakes W ov-up water san roldium, the most anisms are dead viduals can over a dread individuals to KEY TO TH SYMBOL	2014 2014 ercentile value ercentile value Contaminant c Carbon (ppm nt n) later Authority moni ple was collected or if they are capa consult their docto HE DETECT ABBREVIA	ppb     ppm     ppm means 90 per is above the A     Treatme i) The Tota     actual TC     each qua     MCLG     n/a     treiton metrods actual structure	0 1.3 recent of t AL additi <b>nt Tech</b> Il Organi DC remo arter and Cr not guar asse. Inges I. However, i However, riate preca	15 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1	5 0.8 p 3 0.10 red have lead and ents must be met C) removal ratio i DC removal ratio i DC removal requi level was low, the terroit River) from our entroit found to be preser- entroit found to be preser- entr	bpb 66 d copper levels s calculated as irements. The ere is no require evel Detected 4.66 Southwest Water Tre t, Cryptosprodium g indicates in e press sporidicates in e press wellow the press sporidicates in e press sporidicates in	0 0 below the gi the ratio below rOC was me ement for TC ratment Plant du ratment Plant du ratment Plant du rested to cause of l minal infection.	no no iven 90th pe tween the assured DC removal.	Erosion of natural deposits. Corrosion of household plumbing system; Erosi of natural deposits; Leaching from wood preservativ rcentile value. Typical Source of Contaminant Erosion of natural deposits Source of Contamination Erosion of natural deposits osporidium was detected twice in our source water samples. A surface water throughout the U.S. Atthough filtration removes Cry purce water throughout the U.S. Atthough filtration removes Cry purce water current lest methods do not allow us to determine fi developing life-threatening illness. We encourage immuno-comp ay be spread through means other than drinking water.
Lead Copper The 90th per f the 90th per Regulated C Total Organic Contaminan Sodium (ppn or Great Lakes W own fur an over solitor of the Contaminan Sodium (ppn of Great Lakes W own fur an over solitor of the SYMBOL	2014 2014 ercentile value ercentile value Contaminant c Carbon (pprr nt n) hater Authority monin ple was collected t commonly-used in the disease come the disease come the disease transmission of the dis	ppb     ppm     ppm     means 90 per     is above the A     Treatme     i) The Tota     actual TC     each qua     MCLG     n/a     MCLG     n/a     tored for C-yptogen     the treated wa     the ausing disc     r regarding approp     ED CONTA     TION     n	0 1.3 recent of t AL additi <b>nt Tech</b> Il Organi DC remo arter and Cr not guar asse. Inges I. However, i However, riate preca	15 he homes test onal requirement nique c Carbon (TOC) val and the TC I because the l MCL n/a hur source water (D) vor source (D) vor source (D) vor source water (D) vor source (D) vor	5 0.8 p 3 0.10 red have lead and ents must be met C) removal ratio i DC removal ratio i DC removal requi level was low, the tetrail River) from our S not found to be preser not found to be preser not found to be preser that S and the preserved the proved. During the set that S and the set that S and the set DEFINITION/ED The concentration which a water sy HAA5 is the tota	bpb 66 d copper levels is calculated as irrements. The ere is no require evel Detected 4.66 Southwest Water Trre the press profides is, an abd 6 small children, and bordium must be incomposed KPLANATION on of a contain ystem must for al of bromoac	0 0 below the gi the ratio being rOC was me ement for TC exament Plant du is a microbial pain the elderly and the el	no no iven 90th pe tween the easured DC removal.	Erosion of natural deposits. Corrosion of household plumbing system; Erosi of natural deposits; Leaching from wood preservatii rcentile value. Typical Source of Contaminant Erosion of natural deposits Source of Contamination Erosion of natural deposits seporidium was detected twice in our source water samples. A surface water throughout the U.S. Atthough filtration removes Corp urver water. Current less methods do not allow us to determine if bedon inplude neural methods do not allow us to determine of the veloping life threadening lifess. We and abdominal cramps. Most he developing life threadening lifess. We and abdominal cramps. Most he developing life threadening lifess. We and abdominal cramps. Most he developing life threadening lifess. We and abdominal cramps and abdominate compared by be spread through means other than drinking water.
Lead Copper The 90th pe f the 90th pe f the 90th pe Regulated C Total Organic Contaminar Sodium (ppn 9 Great Lakes W ov-up water san rodium, the most source and individuals to CEY TO TH SyMBOL SyMBOL AL HAA5 LRAA	2014 2014 2014 ercentile value <b>Contaminant</b> c Carbon (pprr tr n) Ater Authority moniple was colored t com the disease come the disease comsult their docto Greater tha Action Leve Haloacetic Locational	ppb     ppm     ppm     means 90 per     is above the A     Treatme     Treatme     The Tota     actual TC     each qua     MCLG     n/a     treated wa     traiting approp     ED CONTA     TION     n     al     Acids     Running Ann	0 1.3 ccent of t AL additi int Tech il Organi DC remo arter and CC remo arter and ordium in o arter and ordium in	15 1.3 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4	5 0.8 p 3 0.10 red have lead and ents must be met C) removal ratio i DC removal requi level was low, the terroit River) from our 3 reform any comparison tourn to be preser- emoval. Our monitoring tourn to be preser- emoval. Our monitoring tourn to be preser- emoval. Our monitoring to be preser- emoval. Our monitoring DEFINITION/ED The concentration vhich a water stand tota S. Complian	bpb 66 d copper levels irrements. The ere is no requir evel Detected 4.66 Southwest Water Tre t. Cryptosprodium g indicates the press sporidios; an abd d small children, and poordium must be ing KPLANATION on of a contail ystem must for al of bromoach ince is based of	0 0 below the gi the ratio below reformed to below the ratio below for the event the eldenty are the	no no iven 90th pe tween the assured DC removal.	Erosion of natural deposits. Corrosion of household plumbing system; Erosi of natural deposits; Leaching from wood preservati rcentile value. Typical Source of Contaminant Erosion of natural deposits Source of Contamination Erosion of natural deposits Source of Contamination Erosion of natural deposits sufface water throughout the U.S. Although filtration armlese. A sufface water throughout the U.S. Although filtration armlese. Most he developing life-threatening liness. We encourage immuno-comp ay be spread through means other than drinking water. eded, triggers treatment or other requirement proposed to the conception of the treatment of the requirement proposed to the conception of the treatment of the requirement proposed to the conception of the treatment of the requirement proposed to the conception of the treatment of the requirement proposed to the conception of the treatment of the treatment of the treatment proposed to the conception of the treatment of the treatment of the treatment proposed to the conception of the treatment of
Lead Copper The 90th per <b>Regulated C</b> Total Organic <b>Contaminan</b> Sodium (ppn a Great Lakes W ow-digma for an over Sodium (ppn a Great Lakes W ow-digma for an over sed individuals to <b>CONTAMINATION</b> AL HAA5 RAA MCL	2014 2014 2014 ercentile value contaminant c Carbon (ppm nt n) // (ater Authority moni- ptic amage) // (ater Authority moni- ptic amage) // (ater Authority moni- ptic amage) // (ater Authority moni- ptic and scillected // (ater Authority moni- // (ater Authorit	ppb     ppm     ppm     means 90 per     is above the A     Treatme     i) The Tota     actual TC     each qua     MCLG     n/a     tored for Cryptospc     rom the treated wave     tored for Cryptospc     rom dhe treated wave     tored for Cryptospc     TION     n     el     Acids     Running Ann     Contaminant	0 1.3 cent of t AL additi Int Tech I Organi DC remc arter and Cramo arter and Cramo DC remc arter and Cramo Cramo arter and Cramo All additi I Organi DC remc arter and Cramo arter and Cramo All additi I Organi DC remc arter and Cramo All additi I Organi DC remc arter and Cramo All additi I Organi DC remc arter and Cramo All additi I Organi DC remc arter and Cramo I Organi I Orga	15 1.1 he homes test onal requirement nique c Carbon (TOO val and the TO because the l MCL n/a nur source water (D volume 100 percent n iton of Crybosponic utions to take to av NTS TABLE C T v v rage T M	5 0.8 p 3 0.11 red have lead and ents must be met C) removal ratio i DC removal ratio i DC removal requi level was low, the tetroit River) from our S not found to be preser motional to be preser intertional to be preser preserved that san cod intection. Cryptosp DEFINITION/ED The concentration which a water sy HAA5 is the tota acids. Complian The highest leved ACLGs as feasi	bpb 66 d copper levels is calculated as irrements. The ere is no require evel Detected 4.66 Southwest Water Tre 4.66 Southwest Water Tre 5.50 Southwest Water Tre 5.50 So	0 below the gi the ratio below fOC was me ement for TC roc was me ement for TC minal infection. I minant, whi blow. etic, chloroa in the total. inant that is best availat	no no iven 90th pe tween the easured DC removal. Cremoval. Cremoval. ch, if exceed acetic, dibro s allowed in De treatmen	Erosion of natural deposits. Corrosion of household plumbing system; Erosi of natural deposits; Leaching from wood preservati rcentile value. Typical Source of Contaminant Erosion of natural deposits Source of Contamination Erosion of natural deposits osporidium was detected twice in our source water samples. A surface water throughout the U.S. Athough filterion removes Cry urace water chroughout the U.S. Athough filterion removes Cry and a dominal cramps. Most he developing life-threatening in lifess. We onclaim us to allow us to developing life-threatening lifess. We onclaime compare be spread through means other than drinking water.
Lead Copper The 90th pe f the 90th pe Regulated C Total Organic Contaminar Sodium (ppn e Great Lakes W ow-up water sans anisms are dead anisms	2014 2014 2014 ercentile value contaminant c Carbon (ppm nt m) // fater Authority moning // fate	ppb     ppm     ppm     means 90 per     is above the A     Treatme     Treatme     The Tota     actual TC     each qua     MCLG     n/a     treated wa     traiting approp     ED CONTA     TION     n     al     Acids     Running Ann	0 1.3 recent of t AL additi Int Tech I Organi DC remo arter and Crimot guar arter and cridium in c ater and Crimot guar ter and Crimot guar asse. Inges I. However I. How	15 1. he homes test onal requirement nique c Carbon (TOC wal and the TC because the l MCL n/a n/a n/a NTS TABLE C T w w he flow for the flow flow flow flow T T w he flow flow flow flow flow the flow flow flow flow the flow flow flow flow the flow flow flow flow the flow	5 0.8 p 3 0.10 red have lead and ents must be met C) removal ratio i DC removal ratio i DC removal ratio i DC removal requi level was low, the terroit River) from our 3 reform aux comparison to found to be preser- emoval . Our monitoring to found to be preser- emoval . Our monitoring DC removal requilated to found to be preser- emoval . Our monitoring to found to be preser- emoval . Our monitoring to found to be preser- emoval . Our monitoring DC removal .	bpb 66 d copper levels i. s calculated as irrements. The ere is no requir evel Detected 4.66 Southwest Water Tre t. Cryptosynthm int. Cryptosynthm isoporidized in a post soporidized in a post soporidized in a post condum must be ing KPLANATION on of a contain ystem must for al of bromoacci icce is based co el of a contain ble using the aminant in drii of disinfectant	0 below the gi the ratio bei rOC was me ement for TC ratment Plant du ratment	no no iven 90th pe tween the assured DC removal.	Erosion of natural deposits. Corrosion of household plumbing system; Erosi of natural deposits; Leaching from wood preservati rcentile value. Typical Source of Contaminant Erosion of natural deposits Source of Contamination Erosion of natural deposits Source of Contamination Erosion of natural deposits sufface water floroghout the U.S. Although filtration removes Cry purce water floroghout the U.S. Although filtration removes Cry purce water current lest methods do not allow us to determine if developing life-threatening liness. We encourage immuno-comp ay be spread through means other than drinking water. eded, triggers treatment or other requirement promoacetic, dichloroacetic, and trichloroaceti drinking water. MCLs are set as close to the nt technology. h there is no known or expected risk to healtl ar. There is convincing evidence that addition of
Lead Copper The 90th per f the 90th per f the 90th per Regulated C Total Organic Contaminan Sodium (ppn o Great Lakes W w-up water san over deal of the san Contaminan Sodium (ppn o Great Lakes W w-up water san over deal of the san over deal of the san Contaminan Sodium (ppn o Great Lakes W over the san over deal of the san over deal over de	2014 2014 2014 2014 2014 2014 2015 2015 2015 2015 2015 2015 2015 2015	ppb     ppm means 90 per is above the A     Treatme ) The Tota     actual TC     each qua  MCLG     n/a tored for Cryptospc rom the treated wa  tored for Cryptospc rom the treated wa  ED CONTA TION n ed Acids Running Ann Contaminant Contaminant	0 1.3 recent of the AL addition int Tech Il Organio DC remo arter and Co- monol guard arter and Co- mono	15 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	5 0.8 p 3 0.11 red have lead and ents must be met C) removal ratio i DC removal ratio i DC removal requi level was low, the tetroit River) from our 2 not found for perseri- more and four perseri- moval. Our perseri- moval. Our perseri- moval. The perseri- moval. The perseri- moval. The perseri- sed people. Initiatis and sed people. Initiatis perseri- perseri- perseri- tiatis and the concentration the highest levee ACLGs as feasi The level of cont the highest level of cont the level of a dri the level of a dri	bpb 66 d copper levels irements. The ere is no require evel Detected 4.66 Southwest Water Tre if Ordelest the press pspordiosis, an abd small children, and bordhum must be ing KPLANATION on of a contain ystem must for al of bromoacci ice is based of el of a contain ble using the aminant in drii of disinfectant ecessary for of nking water d	0 below the gi the ratio be rOC was me ement for TC ement for TC interesting particular is a microbial particular interesting water allowed in control of m isinfectant the	no no iven 90th pe tween the basured DC removal. DC removal.	Erosion of natural deposits. Corrosion of household plumbing system; Erosi of natural deposits; Leaching from wood preservatii rcentile value. Typical Source of Contaminant Erosion of natural deposits Source of Contamination Erosion of natural deposits seporatium was detected twice in our source water samples. A sufface water throughout the U.S. Although filtation removes Cry- purce water. Current lest methods do not allow us to determine if developing life-threatening illness. We encourage immuno-comp ay be spread through means other than drinking water. eded, triggers treatment or other requirement pronoacetic, dichloroacetic, and trichloroacetic drinking water. MCLs are set as close to the nt technology. th there is no known or expected risk to healt! taminants. there is no known or expected risk to healt!
Lead Copper The 90th pe f the 90th pe f the 90th pe Regulated C Total Organic Contaminar Sodium (ppn e Great Lakes W w-up water san ridium, the most w-up water san ridium (ppn e Great Lakes W w-up water san ridium (ppn e Great Lakes W m (ppn) e Great Lakes W m (ppn) e Great Lakes W e Great Lake	2014 2014 2014 contaminant c Carbon (ppr nt n) later Authority moniple was collected f commonly-used thire dose come the disease come the disease come the disease come the disease come the disease to an authority moniple was come the disease come the disease to an authority moniple was come the disease come the disease disease to an authority moniple was come the disease come the disease d	ppb     ppm     ppm means 90 per is above the A     Treatme i) The Tota     actual TC     each que     MCLG     n/a     fored for Cryptosper     methods actual TC     redarding approp     ED CONTA     TION     n     eal     Acids     Running Ann     Contaminant     Contaminant     Contaminant     Residual Disin	0 1.3 recent of the AL addition int Tech Il Organio DC remo arter and Co- monol guard arter and Co- mono	15 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	5 0.8 p 3 0.11 red have lead and ents must be met C) removal ratio i DC removal ratio i DC removal requi level was low, the tetroit River) from our 2 not found for perseri- more and four perseri- moval. Our perseri- moval. Our perseri- moval. The perseri- moval. The perseri- moval. The perseri- sed people. Initiatis and sed people. Initiatis perseri- perseri- perseri- tiatis and the concentration the highest levee ACLGs as feasi The level of cont the highest level of cont the level of a dri the level of a dri	bpb 66 d copper levels irements. The ere is no require evel Detected 4.66 Southwest Water Tre if Ordelest the press pspordiosis, an abd small children, and bordhum must be ing KPLANATION on of a contain ystem must for al of bromoacci ice is based of el of a contain ble using the aminant in drii of disinfectant ecessary for of nking water d	0 below the gi the ratio be rOC was me ement for TC ement for TC interesting particular is a microbial particular interesting water allowed in control of m isinfectant the	no no iven 90th pe tween the basured DC removal. DC removal.	Erosion of natural deposits. Corrosion of household plumbing system; Erosi of natural deposits; Leaching from wood preservatii rcentile value. Typical Source of Contaminant Erosion of natural deposits Source of Contamination Erosion of natural deposits seporatium was detected twice in our source water samples. A sufface water throughout the U.S. Although filtation removes Cry- purce water. Current lest methods do not allow us to determine if developing life-threatening illness. We encourage immuno-comp ay be spread through means other than drinking water. eded, triggers treatment or other requirement pronoacetic, dichloroacetic, and trichloroacetic drinking water. MCLs are set as close to the nt technology. th there is no known or expected risk to healt! taminants. there is no known or expected risk to healt!
Lead Copper The 90th per f the 90th per f the 90th per Regulated C Total Organic Contaminan Sodium (ppn a Great Lakes W W-up water san pridum (the most a Great Lakes W W-up water san pridum (the most a Great Lakes W Cey TO TI Solition (the most A Callon (the same A Ca	2014 2014 2014 2014 2014 2014 2015 2015 2015 2015 2015 2015 2015 2015	ppb     ppm     ppm means 90 per is above the A     Treatme i) The Tota     actual TC     each que     MCLG     n/a     fored for Cryptosper     methods actual TC     redarding approp     ED CONTA     TION     n     eal     Acids     Running Ann     Contaminant     Contaminant     Contaminant     Residual Disin	0 1.3 int Tech I Organi OC remo arter and Organi OC remo arter and ordium in o arter and or	15 1. he homes test onal requirement nique c Carbon (TOC wal and the TC because the l MCL n/a mur.source water (D potosporidum was intee 100 percent immunocompromis utions to take to av VTS TABLE C T w a rage T Soal T Level Goal T	5 0.8 p 3 0.11 red have lead and ents must be met C) removal ratio i DC removal ratio i DC removal requi level was low, the tetroit River) from our 2 not found for perseri- more and four perseri- moval. Our perseri- moval. Our perseri- moval. The perseri- moval. The perseri- moval. The perseri- sed people. Initiatis and sed people. Initiatis perseri- perseri- perseri- tiatis and the concentration the highest levee ACLGs as feasi The level of cont the highest level of cont the level of a dri the level of a dri	bpb 66 d copper levels irrements. The ere is no requir evel Detected 4.66 Southwest Water Tre t. Cryptosprofium g indicates the press sporidios; an abd d small children, and poordium must be ing KPLANATION on of a contain ystem must fra al of bromoacc icce is based co al of a contain ble using the aminant in drii of disinfectant ecessary for contain pod sinfectant ecessary for contain aning water do thing water do	0 below the gi the ratio bei rOC was me ement for TC atment Plant du is a microbial pa noce of these or is a microbial pa noce of these or ind infection. It he elderly are lested to cause of minal infection. It he elderly are lested to cause of minant, whi blow. beit, chloroa in the total. inant that is best availat hking water allowed in c control of m isinfectant the enefits of th	no no iven 90th pe tween the basured DC removal. DC removal.	Erosion of natural deposits. Corrosion of household plumbing system; Erosi of natural deposits; Leaching from wood preservatii rcentile value. Typical Source of Contaminant Erosion of natural deposits Source of Contamination Erosion of natural deposits seporatium was detected twice in our source water samples. A sufface water throughout the U.S. Although filtation removes Cry- purce water. Current lest methods do not allow us to determine if developing life-threatening illness. We encourage immuno-comp ay be spread through means other than drinking water. eded, triggers treatment or other requirement pronoacetic, dichloroacetic, and trichloroacetic drinking water. MCLs are set as close to the nt technology. th there is no known or expected risk to healt! taminants. there is no known or expected risk to healt!
Lead Copper *The 90th per <b>Regulated C</b> Total Organic Contaminan Sodium (ppn a Great Lakes W ownight, the most anisms are dead ownight, the most anisms anisms are dead ownight, the most anisms are	2014 2014 2014 crcentile value contaminant c Carbon (ppm nt n) dater Authority moni pte amagolieused of an they are cape to ansult heir doct HEDETECT ABBREVIA Greater tha Action Leve Haloacetic Locational Maximum C Maximum F not applica Not Detectt Nephelome Picocuries	ppb     ppm means 90 per is above the A     Treatme ) The Tota     actual TC     each qua      MCLG     n/a     tored for Cryptosper     orm the treated we      tored for Cryptosper     rom the treated we      tored for Cryptosper     rom the treated we      Acids Running Ann Contaminant Contaminant Contaminant Residual Disint ble ed     tric Turbidity Per Liter	0 1.3 recent of t AL additi Int Tech I Organi DC remo arter and Cremo arter and arter and a	15 1. he homes test onal requirement nique c Carbon (TOC) val and the TC because the l MCL n/a ur source water (D ytospordum vash ur source water (D ytospordum vash utors to take to av VTS TABLE C T v v a rage T C C C C C C C C C C C C C	5 0.8 p 3 0.11 red have lead and ents must be met C) removal ratio i DC removal ratio i DC removal requi level was low, the tetroit River) from our S not found to be preserved the preserved	book a copper levels b copper levels c copper levels	0 below the gither the ratio below the gither the ratio below the gither the ratio below the generation of the second sec	no no iven 90th pe ween the basured DC removal.	Erosion of natural deposits. Corrosion of household plumbing system; Erosi of natural deposits; Leaching from wood preservati rcentile value. Typical Source of Contaminant Erosion of natural deposits Source of Contamination Erosion of natural deposits seporation was detected twice in our source water samples. A sindrae water function that U.S. Although filtration removes Cor- purce water current lest methods do houd allow us to determine it rection include through the U.S. Although filtration removes Cor- purce water current lest methods do houd allow us to determine it rection include allow the U.S. Although filtration removes Cor- purce water current lest methods do houd allow us to determine it rection include through means other than drinking water. eded, triggers treatment or other requirement comoacetic, dichloroacetic, and trichloroacetic drinking water. MCLs are set as close to the nt technology. th there is no known or expected risk to healt! er. There is convincing evidence that addition of traminants. In there is no known or expected risk to healt!
Lead Copper *The 90th pe If the 90th pe <b>Regulated C</b> Total Organic Contaminar Sodium (ppn e Great Lakes W ov-up water san ridium, the most anisms are deac widuals to Cey TO TI SYMBOL AL HAA5 LRAA MCL MRDLG MRDLG MRDLG MRDLG DOC/L DOC/L DOC/L DOC/L DOC/L	2014 2014 2014 2014 2014 2014 2014 2015 2015 2015 2015 2015 2015 2015 2015	ppb ppm means 90 per is above the A Treatme i) The Tota actual TC each que MCLG n/a MCLG n/a MCLG n/a MCLG n/a Contar methods ac tration methods a	0 1.3 ccent of the second se	15 1. he homes test onal requirement nique c Carbon (TOC wal and the TC because the l MCL n/a n/a nr source water (D) posporidium was intee 100 percent immunocompromis immunocomp	5 0.8 p 3 0.10 red have lead and ents must be med C) removal ratio i DC removal ratio i DC removal requi- level was low, the retroit River) from our 3 not found to be preser- ent found t	bpb 66 56 57 58 58 58 58 58 58 58 58 58 58	0 0 below the gi the ratio bei fOC was me ement for TC calment Plant du is a microbial pai sonce of these org is a microbial pai sonce of these org minal infection. It dedivity are is the elderly are is the elder	no no iven 90th pe tween the assured DC removal. ring 2016. Crypti tassured DC removal. ch, if exceed acetic, dibra s allowed in below which below which he use of di titter. A mic	Erosion of natural deposits. Corrosion of household plumbing system; Erosi of natural deposits; Leaching from wood preservati rcentile value. Typical Source of Contaminant Erosion of natural deposits Source of Contamination Erosion of natural deposits Deporidium was detected twice in our source water samples. A sufface water throughout the U.S. Attrough filtration removes Cry purce water through the U.S. Attrough filtration removes Cry purce water through the U.S. Attrough filtration removes Cry purce water through out the U.S. Attrough filtration removes Cry purce water through out the U.S. Attrough filtration removes Cry purce water through out the U.S. Attrough filtration removes Cry purce water through out the U.S. Attrough filtration removes Cry purce water through out the U.S. Attrough filtration removes Cry purce water through out the U.S. Attrough filtration removes Cry purce water through out the U.S. Attrough filtration removes Cry purce water through out the U.S. Attrough filtration removes Cry purce water through means other than drinking water. Most he developing life-threatening illness. We encourage immuno-comp ay be spread through means other than drinking water. eded, triggers treatment or other requirement promoacetic, dichloroacetic, and trichloroacetic drinking water. MCLs are set as close to the not technology. th there is no known or expected risk to health er. There is convincing evidence that addition of traminants. n there is no known or expected risk to health sinfectants to control microbial contaminants rogram = 1/1000 milligram.
Lead Copper *The 90th pe If the 90th pe Regulated C Total Organic Contaminar Sodium (ppn e Great Lakes W ov-up water san ordium, the most sed individuals to the san contaminar Sodium (ppn e Great Lakes W ov-up water san ordium, the most sed individuals to KEY TO TI SAL HAA5 LRAA MCL SAL HAA5 LRAA MCL MRDLG MRDL	2014 2014 2014 2014 2014 2014 2015 2015 2015 2015 2015 2015 2015 2015	ppb     ppm     ppm     ppm     means 90 per     is above the A     Treatme     in Treatme     in The Tota     actual TC     each qua     mcLCG     n/a     ford for Crytosper     methods actual TC     in a few weeks     regarding approp     CONTA     TION     n     al     Acids     Running Ann     Contaminant     Contaminant     Contaminant     Contaminant     Contaminant     Contaminant     Melilion (one in -     fillion (one in -	0 1.3 recent of the second s	15 1. he homes test onal requirement nique c Carbon (TOC wal and the TC because the l MCL n/a n/a nr source water (D) posporidium was intee 100 percent immunocompromis immunocomp	5 0.8 p 3 0.10 red have lead and ents must be med C) removal ratio i DC removal ratio i DC removal requi- level was low, the retroit River) from our 3 not found to be preser- ent found t	bpb 66 56 57 58 58 58 58 58 58 58 58 58 58	0 0 below the gi the ratio bei fOC was me ement for TC calment Plant du is a microbial pai sonce of these org is a microbial pai sonce of these org minal infection. It dedivity are is the elderly are is the elder	no no iven 90th pe tween the assured DC removal. ring 2016. Crypti tassured DC removal. ch, if exceed acetic, dibra s allowed in below which below which he use of di titter. A mic	Erosion of natural deposits. Corrosion of household plumbing system; Eros of natural deposits; Leaching from wood preservati rcentile value. Typical Source of Contaminant Erosion of natural deposits Source of Contamination Erosion of natural deposits separation was detected twice in our source water samples. A spirate water function the U.S. Although filtration removes Cro- purce water current test methods do not allow us to determine if rection include through out the U.S. Although filtration removes Cro- purce water current test methods do not allow us to determine if rection include ausse, diarrhea, and abdominal campus. Most he developing filt-threatening littless. We encourage impute-comp ay be spireed through means other than drinking water. eded, triggers treatment or other requiremen comoacetic, dichloroacetic, and trichloroacetic drinking water. MCLs are set as close to the nt technology. th there is no known or expected risk to healt er. There is convincing evidence that addition of itaminants. there is no known or expected risk to healt sinfectants to control microbial contaminant
Lead Copper *The 90th pe If the 90th pe <b>Regulated C</b> Total Organic Contaminar Sodium (ppn e Great Lakes W ov-up water san ridium, the most anisms are deac widuals to Cey TO TI SYMBOL AL HAA5 LRAA MCL MRDLG MRDLG MRDLG MRDLG DOC/L DOC/L DOC/L DOC/L DOC/L	2014 2014 2014 2014 2014 2014 2015 2015 2015 2015 2015 2015 2015 2015	ppb     ppm     ppm     means 90 per     is above the A     Treatme     i) The Tota     actual TC     each qua     MCLG     n/a     fored for Cryptogra     monthe treated wa     regarding approp     TED CONTA     TION     n     al     Acids     Running Ann     Contaminant     Contaminant     Contaminant     Contaminant     Residual Disin     the ed     d     thric Turbidity     Per Liter     ilillion (one in n     nual Average     Fechnique	0 1.3 recent of the second s	15 1. he homes test onal requirement nique c Carbon (TOC val and the TC because the l MCL n/a ur source water (D yhtepsprofilue most to of Cryptosport utions to take to av UTS TABLE C T v v a rage T Soal T k Level Goal T k Level Goal T N A A pon) T A	5 0.8 p 3 0.11 2 de have lead and ents must be met C) removal ratio i DC removal ratio i DC removal requi level was low, the tetroit River from our not found to be presen- and found to be presen- tion of found to be presen- to found to be presen- defection of the found to be presen- found to be presen- tion of found to be presen- found to be presen- tion of the found to be presen-	book book	0 below the gi the ratio bei rOC was me ement for TC is a microbial pa- nace of these or is a microbial pa- nece of these or interedidenty are- tested to cause of interedidenty are- interedidenty are-	no no iven 90th pe tween the wasured DC removal. DC removal. DC removal. Cre	Erosion of natural deposits. Corrosion of household plumbing system; Erosi of natural deposits; Leaching from wood preservati rcentile value. Typical Source of Contaminant Erosion of natural deposits Source of Contamination Erosion of natural deposits seporatium was detected twice in our source water samples. A sufface water throughout the U.S. Although filtration removes Cro- purce water Current lest methods do not allow us to determine if developing life-threatening illness. We encourage immuno-comp ay be spread through means other than drinking water. Erded, triggers treatment or other requirement promoacetic, dichloroacetic, and trichloroacetic drinking water. MCLs are set as close to the nt technology. th there is no known or expected risk to health sinfectants. In there is no known or expected risk to health sinfectants to control microbial contaminants: In there is no known or expected risk to health sinfectants to control microbial contaminants rogram = 1/1000 milligram. ram = 1/1000 gram. contaminant in drinking water.
Lead Copper *The 90th per <b>Regulated C</b> Total Organic Contaminan Sodium (ppn a Great Lakes W ownight, the most anisms are dead anisms are dead anism	2014 2014 2014 creentile value contaminant c Carbon (ppm ht n) dar Autority moin feam collected for an they are cape or an autority and for an they are cape to consult their doct HEDERECIA Greater tha Action Leve Haloacetic Locational Maximum C Maximum F not applica Not Detectt Nephelome Picocuries Parts Per B Parts Per B Parts Per B Parts Per B	ppb     ppm     ppm     ppm     means 90 per     is above the A     Treatme     i) The Tota     actual TC     each que     mcLCG     n/a     fored for Cryptosepr     methods cat     regarding approp     ED CONTA TION     n     el     Acids     Running Ann Contaminant	0 1.3 recent of the second s	15 1. he homes test onal requirement nique c Carbon (TOC wal and the TC because the l MCL n/a n/a n/a NTS TABLE T v v v rsource water (D posporium was intee 100 percent immunocompromis immu	5 0.8 p 3 0.10 red have lead and ents must be med C) removal ratio i DC removal ratio i DC removal requi level was low, the etroit River) from our 3 not found to be preser emoval. Our monitoring to be preser to a be preser	book a copper levels b copper levels b copper levels b copper levels c copper levels c copper levels c copport c	0 below the gi the ratio bei rOC was me ement for TC ratment Plant du is a microbial pai noce of these org is a microbial pai noce of these org minal infection. it be didenty are a lessed to cause of minant, while best availat best availat best availat best availat isinfectant the enefits of the vater. bograms per li po reduce the por of chloro conform. Con	no no iven 90th pe tween the assured DC removal. Tring 2016. Crypth assured DC removal. Tring 2016. Crypth ind greater risk of 35 Symptoms of si Symptoms of	Erosion of natural deposits. Corrosion of household plumbing system; Erosi of natural deposits; Leaching from wood preservati rcentile value. Typical Source of Contaminant Erosion of natural deposits Source of Contamination Erosion of natural deposits sopordium was detected twice in our source water samples. A purce water function the U.S. Atthough filtration removes Cry purce water current lest methods do not allow us to determine if developing life-threatening illness. We encourage immuno-comp ay be spread through means other than drinking water. Eroshon concerning evidence that addition of the technology. In there is no known or expected risk to health ar. There is no known or expected risk to health ar. There is no known or expected risk to health sinfectants to control microbial contaminants. In there is no known or expected risk to health sinfectants to control microbial contaminants in there is no known or expected risk to health sinfectants to control microbial contaminants in there is no known or expected risk to health sinfectants to control microbial contaminants rogram = 1/1000 milligram. ram = 1/1000 gram.

www.OakParkMI.gov 27

#### City of Oak Park 14000 Oak Park Blvd. Oak Park, MI 48237



#### **ECRWSSED DM**

#### POSTAL CUSTOMER OAK PARK, MICHIGAN 48237

# OAK PARK SUMMER CAMP

**AGES:** Tot Lot is for children age 5 and 6. Day Camp is for children age 7-12.

HOURS: A.M. Latchkey: 7:30 to 9 a.m. Summer Day Camp: 9 a.m. to 4 p.m. P.M. Latchkey: 4 p.m. to 6 p.m.



SCHEDULE: Begins June 19. Ends August 18.

**HOURS OF OPERATION AND FEE SCHEDULE:** The fee schedule and hours of operation for the 2017 Oak Park Summer Day Camp are as follows:

SUMMER DAY CAMP FEES: Full Week, Monday to Friday, (5 days), from 9 a.m. to 4 p.m. \$120 per week, Resident \$130 per week, Non-Resident

**Fees for 3 days, July 5-7, from 9 a.m. to 4 p.m.** \$72 for three days, July 5-7, Resident Fee \$78 for three days, July 5-7, Non-Resident Fee AM LATCHKEY FEES (7:30 a.m. to 9 a.m.): Full Week (5 days), Monday to Friday from 7:30 a.m. to 9 a.m. \$30 per week, Resident/Non-Resident Fee

**Fees for 3 days, July 5-7 from 7:30 a.m. to 9 a.m.** \$18 for three days, Resident/Non-Resident Fee

PM LATCHKEY FEES (4 p.m. to 6 p.m.): Full Week, Monday to Friday, (5 days) from 4 p.m. to 6 p.m. \$35 per week, Resident and Non-Resident Fee

Fees for 3 days, July 5-7 from 4 p.m. to 6 p.m. \$21 for three days, Resident and Non-Resident Fee

6

FOR MORE INFORMATION: Call Oak Park Recreation Department at (248) 691-7555.

OaklandCountyParks.com



Activities for all ages and interests year round at your Oakland County Parks.\* Pre-registration is required

248-858-0916

