

## **Notes For All Erosion Control Plans**

1. In accordance with the California Storm Water Best Management Practices Handbook, the Contractor shall be responsible for the installation, maintenance, and inspection of all stormwater pollution prevention devices located on private property.
2. A stand-by crew for emergency work shall be available at all times during the rainy season (October 1 to April 30). A list of the crew's names and phone numbers shall be supplied to the City prior to the beginning of any work. Necessary materials shall be available onsite and stockpiled at convenient locations to facilitate rapid construction of emergency devices when rain is imminent.
3. Erosion control devices may be modified as needed as the project progresses, at the direction of the City.
4. Erosion control devices shown on this plan may be removed when approved by the City if the grading operation has progressed to the point where they are no longer required.
5. Eroded sediments and other pollutants must be retained on site and may not be transported from the site via sheet flow, swales, area drains, natural drainage courses or wind.
6. Stockpiles of earth and other construction-related materials must be protected against accidental transportation from the site by the forces of wind and water flow.
7. Fuels, oils, solvents, and other toxic materials must be stored in accordance with their listing and are not to contaminate the soil and surface waters. All approved storage containers are to be protected from the weather. Spills must be cleaned up immediately and disposed of in a proper manner. Spills may not be washed into the drainage system, nor be allowed to settle or infiltrate into soil.
8. Excess or waste concrete may not be washed into the public right-of-way or any drainage system. Provisions shall be made to retain concrete wastes on site until they can be disposed of as solid wastes.
9. Waste and trash for the site must be deposited into a covered receptacle to prevent contamination of rainwater and dispersal by wind.
10. Sediments and other materials may not be tracked from the site. The construction entrance must be stabilized so as to inhibit sediments from being deposited into the public right-of-way. Accidental depositions must be swept up immediately and may not be washed down by rain or any other means.